

West Central Railway

Bulletin No:-DMM/JBP/BT/02

DRM's Office Jabalpur
Dated:-5/5/2011

To
M/S,
.....
.....

The Tender Opening Date 25-5-2011.closing time 11.30 Hrs Opening Time
11:45 Hrs Trade Group ALL Please submit your quotation to the office of the
Divl. Material Manager DRM's Office before closing time and dates stipulated.

Sr No	Case No	Description of Material	Quantity	Unit	Consignee
1	94/05/2010/5779/1	Portable Vacuum Cleaner for lobby,the detail techical speciffcation are as under:- (1)Voltage-230 Volt AC 50 Hz(2)Input power(Min)-1200 Watt(3)Suction of motor(Min)-2200 mm/WC(4)Blower efficiency(Min)-40 Ltrs/Sec,Desired features- 8 machine should be light weight. * It should have different attachments for vaccum cleaning areas of different shapes & sizes. Standard accessories - The vacuum cleaner should be supplied with different attachment such as grill cleaner, carpet brush, floor brush computer cleaner, all surface cleaner (for upholstery & multipurpose cleaning), corner cleaning, spray jar, Vaccumased safe pao, Precision cleaner, Aromiser & car wash adopter. *Guaranty- The machine should be guaranteed for trouble free operation with least down time for a period of minimum twenty four months from the date of commissioning, * Training- Technical experts	3	Nos	O.S/Stores/Loco/JBP

		from manufacturer will fully & adequately train the operating & maintenance staff nominated by the consignee		
2	94/10/2010/5277/1	DC-DC converter 48 volts/24 volts current rating 16 Amps. Make Supra or similar. Specification (1) DC input voltage 48 Volts DC (2) DC output Voltage 24 volts (3) DC output current 16 Amps (4) Regulation better than 1 percent (5) Ripple less than 500 Mv (6) Meter digital for output & input voltage (7) Protection over load & short circuit	2	No SSE/TELE MAINT/KTE
3	94/10/2010/5415/1	Fire Extinguisher carbon dioxide type portable.capacity(Kgs)4.5,Body material:MS,material of syphon tube,AI.type of discharge valve:wheel.	10	Nos SSE/Tele/M/JBP
4	94/10/2010/5515/1	Portable Fire Extinguisher dry Power(Cartridge type)nazal and Discharge fitting material brass nominal capacity of Extinguisher 5 Kg	45	Nos SSE/Sig/M/JBP
5	94/10/2010/5525/1	Professional Performance Series Super cardioid DYNAMIC MICROPHONE Model SHURE SM-58 as per specification- Type Dynamic (moving coil) ,Frequency response 50 to 15000 Hz,Polar pattern Unidirectional (cardioid),rotationally symmetrical about microphone axis, uniform with frequency, sensitivity(at 1000 Hz open circuit voltage)-54.5 dBV/Pa (1.85mV) 1Pa=94 dB SPL, Impedance Rated impedance is 150 ohms (300 ohms actual) for connection to microphone inputs rated low impedance, Polarity positive pressure on	2	Nos SSE/Tele/M/JBP

		diaphragm produces positive voltage on pin 2 with respect to pin 3, Connector Three-pin professional audio connector (male XLR tyre) , Net Weight 298 grams (10.5 oz)			
6	94/10/2010/5744/1	Supply of dual band GSM flop phone FCT (Fixed cellular phone) with built in battery of 1200 mAH and extendable battery chager as per specification attach.	4	No	SSE/TELE/M/JBP
7	94/10/2010/5769/1	Supply of dual band GSM flop phone FCT (Fixed cellular phone) with built in battery of 1200mAH And extendable battery charger as per specification attach.	4	No	SSE/TELE/M/JBP
8	94/10/2011/5938/1	Supply of three pole plug and socket 5 Amp (ISI mark) ment	60	No	SSE/Sig/M/STA
9	94/10/2011/5942/1	Without holder 0.6A (System,Rapid or Malnad make)	200	No	SSE/Sig/M/STA
10	94/10/2011/5943/1	Without holder 1.6A (System,Rapid or Malnad make)	500	No	SSE/Sig/M/STA
11	94/10/2011/5944/1	Supply of additional Evalutor Input/Output cards for relay drive and final clearance relay.	01	No	SSE/Sig/M/STA
12	94/10/2011/5989/1	Supply non detoriating type low voltage cartridge fuse rated current 2A/4A In equal proporting round head type as per spec.no.IRS/S/78/92 With latest amendments.	100	Nos	SSE/Sig//M/KATNI
13	94/10/2011/6004/1	Supply of single line long range DECT Based wirless Telephone Equipment having CLI Facility (Specification attached) make-Panasonic model no- KX -T G 9341T OR Similar	08	Nos	SSE/TELE/M/JBP
14	94/10/2011/5995/1	Supply of Inidcative type of fuse Inserts.without holders 6A (D-Type bharat Linder	50	Nos	SSE/Sig/M/KATNI

	make)IRS/S/78/92		
15	94/10/2011/6018/1	Supply of GSM Fixed Cellular terminal (FCT)FCT Should be compatible for inter connection with EPABX Through junction of subscriber port it should be based on GSM 900 MHz/1800 MHz system with with power on self test controlled by microprocessor circuit make Nokia/paxtel/Beetel	04 Nos SSE/TELE/M/JBP
16	94/05/2011/6034/1	Wall/Bed Reading lamp with 05 watt CFL AS per attached specification	80 Nos CCCOR/WCR/JBP
17	94/10/2011/6049/1	Supply of GI bend pipe B Class 40mm dia.for cable entry in point machines as per Drg no.SUR/N/STD/26	13 Nos SSE/Sig/M/Satna
18	94/15/2011/6084/1	198 KV 10KA (Discharg class III) Rated metover metal oxide surge arrester to be used on normal voltage of 220 KV and Maximum voltage of 245KV for an M.C.OV,Of 16B KV (RMS)With solidly earthed neatural system comprsing of metal Oxide element her mettically sealed in a porcelain containers having pressure velliving arrangements at both ends with a line terminal connector (mode of all alby)suitable for ACSR Conductor with insulaty	01 Nos SSE/TRD/SGO
19	94/15/2011/6085/1	Flash Light similar to Eveready Digited Technology flash light Model DL 17 Brigadier operator On 4 R 20Size /DSIZE CZ 1.5V Leak proof battery/bulb LED 3.3V 20MVA/13LEDS illuminaty poaur 13X1500 MED Battery life 70 hrs intermitently use	55 Nos SSE/TRD/SGO
20	94/15/2011/6086/1	Head lamp similar to eveready Digiled technology model DL-19 Head lamp 7Leds white	85 Nos SSE/TRD/SGO

			story light operator on 3AA Size R6cz 1.5v leak proof battery life 20hrs inter mittently use 3 modes operations switch 2 led 7 led blinker/90 Degrus a ajustable head quantity electric elect/TRD.		
21	94/15/2011/6096/1	D.C.Moving cail type 90 deflection analog panel meter (72X72mm),range O-250V DC.	08	Nos	SSE/TRD/SGO
22	94/15/2011/6097/1	D.C.Moving coil type 240Din panel meters (144X144MM)Range O-200V DC,Seal O-200V DC,Accuracy + 1.5% of full scale make	08	Nos	SSE/TRD/SGO
23	94/15/2011/6098/1	D.C.Moving coil type 90 Deflection analog panel meters (72X72mm)range 0-75 MV DC,Scale O-10A DC,O-50A DC,Accuracy +15% of full scale make.	08	Nos	SSE/TRD/SGO
24	94/15/2011/5006/1	AC moving coil Rectifier type 240 degree Deflection Analog Panel Meters (144x144mm)Range 1/PTR:27.50K/110 VAC IMP/AE/MACO/IN DO TECH only.Authorized test Certificate or manufacture test Certificate to be submitted at the time of supply,	14	Nos	SSE/TRD/SGO
25	94/05/2010/5017/1.	Transition Test-Kit Out put frequency 20 cyc.per second to 350 Cyc.per second Input voltage 72 V,Type:SCS TK- 25/43 UC 800 Or Equivalent	01	No	OS/S/C&W/JBP
26	94/05/2009/5280/1.	Mirror silvered size:- 5x370x445 mm.make Modi Guard/Saint Govind/I.A.S	300	Nos	OS/S/C&W/JBP

Conditions:-

- 1.Please send seprate quotation envelop for each case & quote case No.& Due date on the top of envelop.Firm Should quote rates in words and figure both.
- 2.Normal payment term is 100% against receipt note and offer with other payment terms are likly to passed over in general.

3. Conditional discount (for early payment, delivery at other than specified location etc.) will not be considered for determining inter-se-ranking.
4. Offer valid for less than 60 days may be ignored, Whenever no validity is quoted, 60 days will be taken.
5. Give quotation for those items only for which the firm has registered.
6. Tender should quote the exact percentage of VAT that They will charging extra.
7. While quoting the rates, tenderer should pass on (by way of reduction in prices) the set off/input tax credit that would become available to them by switching over to the system of VAT from the existing system of sales tax, duty stating the quantum of such credit per unit of them quoted for.
8. The suppliers while claiming the payment will furnish following certificate to the paying authorities: " We here by declare that additional set offs/input tax credit to the tune of Rs----- has accrued and accordingly the same is being passed on to the purchaser and to that effect the payable amount may be adjusted".
9. For the state in which the VAT has not yet been introduced, the existing system of sale tax shall continue.
10. 100% payment shall be made receipt and acceptance of material by consignee.
11. Divisional Material Manager Has full right to accept any tender complete or partially without assigning any reasons. In this regard no correspondence shall be made.

For On behalf of the President of India
Divl. Material Manager WCR Jabalpur
Phone No 0761-2623491

Signature Of Firm With Stamp