## West Central Railway

Bulletin No:-DMM.JBP.BT-04 due on 29.06.2011

DRM's Office Jabalpur Phone & Fax -0761-2623491 Dated:-07/06/2011

| 10   |  |
|------|--|
| M/S, |  |
|      |  |

The Tender Opening Date 29-6-2011.closing time 11.30 Hrs Opening Time 11:45 Hrs. Please submit your quotation to the office of the Divl. Material Manager DRM's Office before closing time and dates stipulated. This bulletin tender is also available at web site www.wcr.indianrailways.gov.in.

| S  | Case No           | Description of Material  | Quantity | Unit | Consignee           |
|----|-------------------|--|----------|------|---------------------|
| 1  | 94/04/2010/5816/1 | Attendant indicator complete to Drg. No. ICF/STD/7-6-014<br>Col -I ALT A. Make Ramyaa or similar   | 10       | Nos  | SSE/AC Cog/JBP      |
| 2  | 94/04/2010/5856/1 | weather proof unarmoured PVC insulated PVC sheathed Alluminum conductor cable, no. of cores: three circular, size of the cable in Mtr sq mm: 10, type of conductor- 7 stand, product similar to model no ANSU make- CABCOM, ATC, ANSHU,  | 1000     | Mtr  | SSE/ELECT/M/JBP     |
| 3  | 94/04/2010/5819/1 | Compact Flourescent Lamp (CFL) - 11 watts, type 2 pin, colour temprature-6500 K, 230/240 V, 50 Hz, AC supply. Make CGL,GE,SYLVENIA,HAVELLS,WIPRO,ANCHOR, Philips, Osram, CG, Bajaj, Surya only. Authorised dealer and one year guarantee certificate should be submitted with the offer.   | 200      | Nos. | SSE/ELECT MAINT/JBP |
| 4  | 94/04/2010/5354/1 | single core multistarnded unsheathed 1100 Volts PVC insulated wire with copper conductor size 2.5 sq mm as per IS 694/1990. Make CCI,INCAB, RPG,SKYTONE,UNIFLEX, HAVELLES,ANCHOR,PLAZA, RR CABLE,LEADER, UNISTAR, FINOLEX, ASIAN, KEI in 100 Mtr coil. ISI marked.   | 900      | Mtr  | SEE/CONST/JBP       |
| 5  | 94/04/2010/5355/1 | single core multistarnded unsheathed 1100 Volts PVC insulated wire with copper conductor size 4 sq mm. Make PLAZA, PARAGON, FINOLEX, RR CABLES, ASIAN, CCI, CAB, ARUN MFG DELHI, HAVELS, KEI, POLYCAB, UNISTAR, HPL only in 100 Mtr coil ISI Mark.   | 600      | Mtr  | SEE/CONST/JBP       |
| 6  | 94/04/2010/5356/1 | single core multistarnded unsheathed 1100 Volts PVC insulated wire with copper conductor size 1 sq mm. Make PLAZA, PARAGON, FINOLEX, RR CABLESCCI, INCAB, NICCO, RPG, SKYTONE, UNIFLEX, CABLE VISHAL BRAND OF DASHMESH CABLES, HAVELLES, ANCHOR, LEADER, UNISTAR, FINOLEX, ASIAN, KEI only in 100 Mtr coil. Authorised dealer Cartificate should be submitted with offer.  | 1900     | Mtr  | SEE/CONST/JBP       |
| 7  | 94/04/2010/5635/1 | Steinel sensor model lux meter BLS part no. 720414 including relay model no. 01E/N-63 for controlling lights suitable for 230 Volts, 50 Hz, and complete with all accessories. Make PAMMVI/SCHNIEDER/ESULUX  | 2        | No   | SSE/ELECT MAINT/JBP |
| 8  | 94/04/2010/5675/1 | Bracket fan 225 mm sweep 110 Volts AC confirming to IS 6680-92. The fan base, motor body & bracket shall be elegant, light weight, alluminum body, anti corrosive, and FRP blades. The fan shall have all bearings at both ends with SKF/NBF ball bearing. The guard shall be crazh worthy Drg No. ICF/SK/7-6-158/Col II Alt "d". The overall diameter of the guard shall be suitably altered in accordance sweep of fan with powder coated. Bracket will be stainless steel, with ON-OFF toggle switch & way 0 type connections suitable for 2 pole connection. | 20       | Nos  | SSE/AC-Cog/JBP      |
| 9  | 94/04/2010/5843/1 | Heat shrinkable type for air bunch cable 33 Kv, earth outdoor end termination kit size 70 x 3 sq mm as per IS:13573. Make Cabseal, Mahindra & Mahindra, M - Seal only. Authorised dealer certificate & Test certificate should be submitted with the supply.   | 02       | Nos  | SSE/ELECT MAINT/JBP |
| 10 | 94/04/2011/5915/1 | Shock treatment chart in hindi & english size 35"X22" with 12 figures,printed on 210 GSM Paper pasted on 10mm tuf board framed with PVC Reep & laminated with glass chemical laminated.  | 40       | No   | Sr.SEE/M/JBP        |

| 11 94/04/2011/6120/1 | FRLS,PVC unsheathed single core wire nominal area of conductor- 04 sq mm, number / nominal diameter of strands: 56/.3 mm, thickness of insulation (nominal):-8 mm, apprx. overall diameter of wire- 4.4 mm, as per conductor class 5 of IS 8130/1984. Make Finolex, Asian, Havells, Anchor, plaza, or RR cable.   | 150 | Mtrs | SSE/ELECT/MAINT/JBP |
|----------------------|---|-----|------|---------------------|
| 12 94/04/2011/6125/1 | Enclosure fitted with one earth metal plug & socket 20 Amps & one MCB 20 Amps s/ pole as per IS 8828/1978/1996.  Make HPL, Havells, GE, MDS, CGL or Anchor only.  | 15  | Nos  | SSE/ELECT MAINT/JBP |
| 13 94/04/2011/6126/1 | Starting capacitor 80-100 MFD, 440 Volts, single phase 50 Hz, AC supply, round shape for AC motor as per IS 1709/1990. Make CGL, Indian capacitor, EPCOS, Shakti, Seimens, Unistar or Shriram only. OEM challan should be submitted with the supply.  | 50  | Nos  | SSE/ELECT MAINT/JBP |
| 14 94/04/2011/5014/1 | Off -load change over switch 63 Amps, 4 pole, three phase, 415 Volts, 50 Hz, AC supply as per IS 13947 (part 3) . Make ABB, L&T, Seimens, Havells, C&S, Indo Asian, or HPL only. Authorised dealer certificate should be submitted at the time of offer, OEM challan & one year guarantee certificate to be submitted at the time of supply.                      | 10  | Nos  | SSE/ELECT/MAINT/JBP |
| 15 94/04/2011/5017/1 | Power capacitor IEC 60831-1/2, super heavy duty rectangular type & rating 25 KVAR, rated voltage 440 Volts as per relevant IS. Make C&S, ABB, Voltas, USHA or L&T (MEHAR) make only. Authorised dealer certificate should be submitted at the time of offer, OEM ORIGINAL challan & one year guarantee certificate to be submitted at the time of supply.         | 10  | Nos  | SSE/ELECT/MAINT/JBP |
| 16 94/04/2011/5018/1 | Power capacitor IEC 60831-1/2, super heavy duty rectangular type & rating 10 KVAR, rated voltage 440 Volts as per relevant IS. Make C&S, ABB, Voltas, USHA or L&T (MEHAR) make only. Authorised dealer certificate should be submitted at the time of offer, OEM challan & one year guarantee certificate to be submitted at the time of supply.                  | 30  | Nos  | SSE/ELECT/MAINT/JBP |
| 17 94/04/2011/5020/1 | Modular type switch 6 Amps 230 Volst AC, similar to NV-100 model of SSK type for garib rath express coaches, sample approved before supply. make SSK, Carbtree, CONA, ROMA.   | 200 | Nos  | SSE/AC/Cog/JBP      |
| 18 94/04/2011/5021/1 | Double ball bearing SKF 2211 EKTN9, material from authorised dealer only. Make SKF, FAG, NBC, RHB only.   | 04  | Nos  | SSE/AC/Cog/JBP      |
| 19 94/04/2011/5022/1 | Mini manual motor starter, over load relay range 6.80-11.7 Amps, single phase, 230/240 Volts, 50 Hz, AC supply. Make GE, L&T, BCH, Seimens, ABB or Minilac. Authorised dealer certificate should be submitted at the time of offer, OEM challan & one year guarantee certificate to be submitted at the time of supply. Sample to be approved before bulk supply. | 50  | Nos  | SSE/ELECT/MAINT/JBP |
| 20 94/04/2011/5023/1 | Cleat & anchoring arrangement for outgoing cable for alternator. CRWS/BPL/EL/SK/2000/6 Alt 1 or latest  | 300 | Nos  | SSE/ELECT/MAINT/JBP |
| 21 94/04/2011/5039/1 | Fully automatic star delta motor starter in sheet steel encloser type MN with SPP feature (motor rating AC-3, duty, 415 Volts, 50 Hz, 3 phase)for 25 HP CF pump relay range 14-23 Amps, MN 25 FASD Cat Ref SS 94364 of L&T. Make L&T, CG, Seimens, BCH or GE only. OEM challan should be submitted with the supply.   | 02  | Nos  | SSE/ELECT MAINT/JBP |
| 22 94/04/2011/5050/1 | CFL 18 Watt.6500K,4 Pin squire,1200 lumen, 220-230 volts,50 hz AC supply product similar to model No PL-C 865/4P Of philips make- philips hevells Osram HPL Or CGL Authorized dealer certificate submitted at the time of offer OEM Challan & one-year guarantee certificate submitted at the time of supply sample to be approved before bulk supply.            | 100 | Nos  | Sr SEE/M/JBP        |
| 23 94/04/2011/5052/1 | GI earthing pipe 40mm B Class 8 feet each along with 02<br>Nos GI Bolt with Nut & washer size 2 inch X1/2 inch, 10kgs<br>Salt ,10 kgs coal powder & chamber cover size 1 feetX1 feet  | 05  | Nos  | Sr SEE/M/JBP        |
| 24 94/04/2011/5093/1 | CFL 36 watt.4000K, 4 pin, cape size 2G11, 220-230 Volts ,50 Hz AC supply product similar to model no. Master PL-L 840/4P OF Philips. Make:-Philips, Havells,Osram, Hpl or   | 50  | Nos  | Sr SEE/M/JBP        |

|                       | CGL.Authorized dealer certificate submitted at the time of offer ,OEM challan & one year guarantee certificate submitted at the time of supply.sample to be approved before bulk supply.  |      |     |                     |
|-----------------------|---|------|-----|---------------------|
| 25 94/04/2011/5101/1  | 16 Amps HRC fuse bolted type. make RBC,CG,S&S,ABB,L&T.  | 1500 | Nos | SSE(AC/TL)JBP       |
| 26 94/04/2011/5102/1  | petroleum jelly suitable for lead acid train lighting battery to IS:6887-1980 First revision.   | 200  | kg  | SSE(AC/TL)JBP       |
| 27 94/04/2011/5161/1  | Capacitor IEC 60831-1/2, super heavy duty,rectangular type rating 2 KVAR, rated voltage 440 Volts, as per relevant IS. Make C&S, ABB,Voltas, Usha or L&T (MEHAR). Authorised dealer certificate along with offer should be submitted and OEMs original challan along with one year guarantee certificate at the time of supply to be submitted. | 50   | Nos | SSE/ELECT/MAINT/JBP |
| 28 94/04/2011/5166/1  | C-power air circuit breakers type CN-CS-800 IN-800A 415 V,50/60 HZ,ICV -50KA,ICW -50KA for IS-ICS-50KA Suitable 690 v for with SPL Arc shuits MAKE L&T LTD  | 01   | No  | SSE/AC/Cog/JBP      |
| 29 94/04/2010/5559/1. | Hermetically sealed cape land scroll compressors capacity 3.75 ton, three phase, 440 Volts, 50 Hz, AC supply, product similar to model no. ZR61KC-TFD 522 of cape land make - Kirloskar, Capeland, Tecumshah, Shriram only. Authorised dealer certificate & one year guarantee certificate should be submitted with the offer                   | 4    | No. | SSE/E/M/JBP         |

## Conditions:-

- 1. Please send separate quotation envelop for each case & quote case No. & Due date on the top of envelop. Firm Should quote rates in words and figure both.
- 2. Normal payment term is 100% against receipt and acceptance of material by consignee and offer with other payment terms are likely to be passing over in general.
- 3. Conditional discount (for early payment, delivery at other than specified location etc.) will not be considered for determining inter-se-ranking.
- 4. Offer valid for less then 60 days may be ignored, Whenever no validity is quoted, 60 days will be taken.
- 5. Give quotation for those items only for which the firm has registered.
- 6. Tender should quote the exact percentage of VAT that They will charging extra.
- 7. While quoting the rates, tenderer should pass on(by way of reduction in prices) the set off/input tax credit that would become available to them by switching over to the system of VAT from the existing system of sales tax, duty stating the quantum of such credit per unit of them quoted for.
- 8. The suppliers while claiming the payment will furnish following certificate to the paying authorities: "We here by declare that additional set offs/input tax credit to the tune of Rs----- has accrued and accordingly the same is being passed on to the purchaser and to that effect the payable amount may be adjusted".
- 9. For the state in which the VAT has not yet been introduced, the existing system of sale tax shall continue.
- 10. Divisional Material Manager Has full right to accept any tender complete or partially without assigning any reasons. In this regard no correspondence shall be made.

For On behalf of the President of India Divl. Material Manager WCR Jabalpur

Signature Of Firm With Stamp