

West Central Railway

Bulletin No:-DMM.JBP.BT-05 due on 13.07.2011

DRM's Office Jabalpur
Phone & Fax -0761-2623491
Dated:-22/6/2011

To
M/S,

The Tender Opening Date 13-7-2011.closing time 11.30 Hrs Opening Time 11:45 Hrs. Please submit your quotation to the office of the Divl. Material Manager DRM's Office before closing time and dates stipulated. This bulletin tender is also available at web site www.wcr.indianrailways.gov.in.

Sr No	Case No	Description of Material	Quantity	Unit	Consignee
1	94/10/2010/5516/1	Quartz Clock 24 Inch dia,White Dial Fiber Body Workable 1.5 Volt Pencil Cells Make Samay,Orpat only	2	No	SSE/Tele/ M/JBP
2	94/10/2010/5525/1	Professional Performance Series Super cardioid DYNAMIC MICROPHONE Model SHURE SM-58 as per specification-Type Dynamic (moving coil) ,Frequency response 50 to 15000 Hz,Polar pattern Unidirectional (cardioid),rotationally symmetrical about microphone axis, uniform with frequency, sensitivity(at 1000 Hz open circuit voltage)-54.5 dBV/Pa (1.85mV) 1Pa=94 dB SPL, Impedance Rated impedance is 150 ohms (300 ohms actual) for connection to microphone inputs rated low impedance, Polarity positive pressure on diaphragm produces positive voltage on pin 2 with respect to pin 3, Connector Three-pin professional audio connector (male XLR tyre) , Net Weight 298 grams (10.5 oz)	2	Nos	SSE/Tele/ M/JBP
3	94/10/2010/5744/1	Supply of dual band GSM flop phone FCT (Fixed cellular phone) with built in battery of 1200 mAH and extendable battery chager as per specification attach.	4	No	SSE/TELE/ M/JBP
4	94/10/2010/5856/1	Supply of LAN Extender (make-DAX,DASAN,CTC.CUGNUS, D-Link.etc.) as per specification (1)should support 2 wire swisted pair copper of 0.5mm gauge.(2)G.SHDSL-ITU-TG.991.2 (3)Should support Lan to lan connectivity through dead copper pair at a distance upto 6.7Km {4.2miles} through dead copper wire(4)RJII interface for WAN and RJ45 Interface of 10 base T For LAN (5)Nx64 Kbps Data rates from 192 Kbps to 2.304 Mbps.(6) should have bridging of IEEE 8021Q transparent learning bridge.(7)should support IP Routing,static routing RIPv1/RIPx2IP Masquerading NAT,DHCP,Server,DNS Relay and caching.(8)Network management through SNMPv2 Agent MIB II (9) Configutation through local console (RS-232)telnet, web (HTIP) And password control (10)software upgradeable (11)PPPoA and PPPoE Support user authentication with PWP/CHAP/MS-CHAP.(12)Power supply-input power may be-48v,DC and 230V,AC Both.Vender shall specifically quite the make & model nos.of product they offer.	06	No	SSE/Tele/ M/STA
5	94/10/2011/5944/1	Supply of additional Evalutor Input/Output cards for relay	01	No	SSE/Sig

		drive and final clearance relay.			/M/STA
6	94/10/2011/6018/1	Supply of GSM Fixed Cellular terminal (FCT)FCT Should be compatible for inter connection with EPABX Through junction of subscriber port it should be based on GSM 900 MHz/1800 MHz system with with power on self test controlled by microprocessor circuit make Nokia/paxtel/Beetel	04	Nos	SSE/TELE /M/JBP
7	94/05/2011/6034/1	Wall/Bed Reading lamp with 05 watt CFL AS per attached specification	80	Nos	CCCOR/ WCR/JBP
8	94/10/2011/6049/1	Supply of GI bend pipe B Class 40mm dia.for cable entry in point machines as per Drg no.SUR/N/STD/26	13	Nos	SSE/Sig/ M/Satna
9	94/15/2011/5008/1	HPSV Tobulor Lamp 70 watt with complete fittings.make- Philips.GEC	03	Nos	SSE/TRD/ SGO
10	94/10/2011/5139/1	PVC SWITCHCH BOARD CABLE 05 Pair/0.5mm conductor dia as per Tech. specification GR/WIR-06/03 OF march 02 or latest.	03	km	SSE/Tele/ M/JBP
11	94/10/2011/5092/1	Supply of GI Bend pipe,B Class,40 mm dia, for cable entry in point machines as per Drg. no. SUR/N/STD/26	50	Nos	SSE/Sig/ M/KTE
12	94/10/2011/5115/1	Telephone Drop wire flat type PVC insulated Twin core copper conductor 0.1/8 inch dia.lengthy of roll 500 mtr. minimum. Make-Network cables or similar.	10000	Mtrs	SSE/Tele/ M/JBP
13	94/10/2011/5116/1	Wire rope steel galv. D/W 6x19 mm-60/70 tons tensile strength.	2500	Mtrs	SSE/Sig /M/KTE
14	94/10/2011/5141/1	HDPE DUCT 40/33 mm Qty. 01 km.as per TEC GR No. G/CDS/08-02 Nov. 2004 or latest, along with following accessories. 1)End plug Qty. 04 nos.2)cable sealing plug Qty. 04 no. 3)plastic coupler s slip fit/push fit type Qty. 02 no. 4)Rotary duct cutter for cutting the duct with replaceable blade Qty.02 no.	01	km	SSE/Tele /M/JBP
15	94/10/2011/5142/1	Installation & wiring of class D TYPE Surge protection Device for oneQuad (two pairs) of conductors as per the circuit diagram and drawing no. WCR/Tele/06/04 and as per the instructions of Railway supervisor at site.	10	No	SSE/Tele /M/JBP
16	94/10/2011/5143/1	PVC CASING & CAPING for cable trunking & ducting systemin gray colour 20 mm X 10mm in standard length of 2 meters.	2000	Mtrs	SSE/Tele /M/JBP
17	94/10/2010/5397/1.	Insulated side cutterpliers 165 mm make Taparia, Johnson, Eastman,GVS.	250	Nos	SSE/Sig /M/JBP
18	94/10/2010/5363/1.	Box spanner with bar no. 30 make Taparia, Johnson, Eastman, GVS.	170	Nos	SSE/Sig /M/JBP
19	94/10/2010/5426/1.	Adjustable screw wrench 12" make Taparia, Johnson, Eastman, GVS.	180	Nos	SSE/Sig /M/JBP
20	94/15/2011/5162/1	AC Moving coil rectifier type 240 deflection analog panel meter (144x144mm) range I/PCTR 100-200/5A AC (dual scale) scale 10-150A AC & 20-300A AC Accuracy +- 1.5% of full scale make 1 mp/AE/MACO/IN DOTECH. Authorised test certificate or manufacture test certificate is to be submitted at the time of supply.	16	Nos	SSE/TRD /SGO
21	94/15/2011/5167/1	3 pole power contactor 415v,40A,50Hz 2 no+2 nc Aux.	08	Nos	SSE/TRD

	contacts to ML-3 contactor of L/T, Coil voltage 230v make L/T Siemem only OEMS test certificate to be submitted at the time of supply.			/SGO
22	94/15/2011/5168/1	AC moving coil rectifier type 240 deflection anlog panel meters (144x144 mm) range I/PCTR 500-1000/5 AAC(Dual scale) scale 10-500aac, scale 20-1000 AAC, Accuracy +- 1.5% of full scale make IMP/AE/MACO INDOTECH Authorised test certificate or manufacture test certificate in to be submitted at the time of supply.	28	Nos SSE/TRD /SGO
23	94/15/2011/5193/1	3 Pole Power Contactor 415v,70A,50HZ With 2NO +2NC AUX Contact Similar to M L 4 Contactor of L/T Coic Voltage 230v,make L/T Siemen Only OEMS Test certificate to be submitted at the time of supply.	08	Nos SSE/TRD /SGO
24	94/05/2011/5197/1	Combi brush (Scrubbing and Suqeegee on One) alluminium handle size- 140cm.Similar to Model PB 45A Of make Unger/Surie Polix/Gala for Combi Brush Size 45cm Similar to Model MWSTC Of make- Unger/Surie Polix/Gala	35	Nos OS/S/ C&W/JBP

Conditions:-

1. Please send separate quotation envelop for each case & quote case No. & Due date on the top of envelop. Firm Should quote rates in words and figure both.
2. Normal payment term is 100% against receipt and acceptance of material by consignee and offer with other payment terms are likely to be passing over in general.
3. Conditional discount (for early payment, delivery at other than specified location etc.) will not be considered for determining inter-se-ranking.
4. Offer valid for less then 60 days may be ignored, Whenever no validity is quoted, 60 days will be taken.
5. Give quotation for those items only for which the firm has registered.
6. Tender should quote the exact percentage of VAT that They will charging extra.
7. While quoting the rates, tenderer should pass on(by way of reduction in prices) the set off/input tax credit that would become available to them by switching over to the system of VAT from the existing system of sales tax, duty stating the quantum of such credit per unit of them quoted for.
8. The suppliers while claiming the payment will furnish following certificate to the paying authorities: " We here by declare that additional set offs/input tax credit to the tune of Rs----- has accrued and accordingly the same is being passed on to the purchaser and to that effect the payable amount may be adjusted".
9. For the state in which the VAT has not yet been introduced, the existing system of sale tax shall continue.
10. Divisional Material Manager Has full right to accept any tender complete or partially without assigning any reasons. In this regard no correspondence shall be made.

For On behalf of the President of India
Divl. Material Manager WCR Jabalpur

Signature Of Firm With Stamp