

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.10.WB-191

Date: 09.08.2011

निविदा बंद होने की तिथि.....

समय 14.30 बजे

19.08.2011

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल  
Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}  
सुपुर्दगी अवधि : 30 दिन ँ भंडार उपलब्धता के अनुसार  
Delivery Terms : 30 Days / Ex stock

1.	68.11.5465	Nozzle mixing cutter with one ANM nozzle size 1/16" bottom position lever, angle head 90 degree, length 450mm,NMC-250of ESAB make, 303 of Ador make, profile cut of L&T or NMC-250 of weld star make as per IS 7653-1975,firm's make and IS No. should be embossed on the forged body of cutter with OEM authorize certificate.	18 Nos
2	68.11.5466	Oxygen regulator single stage confirming to IS: 6901-1988 inlet pressure 0-200 bar outlet pressure 0-10 bar, inlet connection 5/8" BSP RH (Male), outlet connection 3/8" BSP RH (Male) with two gauges model 10x -13 B of ESAB or silver line 4821S/O of Adore or OX-85 of weld star make.	15 Nos
3	68.11.5467	M.S. Lavatory Door stopper. IS: 1079, CRW/SK-643.	2000 Nos
4	68.11.5468	Ladder IS: 1079/94,2062/99,FE-410.WA-ICF/M/D/SP-102, WGSCWAC6-6-4-606 Col-1 Alt-F.	140 Nos
5	68.11.5469	Set of Ladder one set Consisting Col-I =08 Nos, Col-II=01No. Col-III=01 No, IS: 1079/94, 2062/99, FE-410 WA-ICF/M/D /sp-102, SCN-5-6-4-506 ALT-g (One Set=10 Nos)	10 Set
6	68.11.5470	Carbon Brush suitable for Compton Greaves Make 150 H.P. slip ring induction motor, Cat No- M-15 E, Size-Length-40mm, Breadth-40, Thickness-20 mm. Sample is also attached.	30 Nos
7	68.11.5471	HRC Fuse, Rating-20 Amp/415V, Type-NS20 Make- Havells/HPL/Indo Asian.	100 Nos
8	68.11.5472	Metal clade- Three pin plug ( 2 pole + Earth) Rating- 10 Amp/ 230 V,AC, Item code No- HP 2 P 10, Make- HPL/Havells,Crompton Greaves	50 Nos
9..	68.11.5473	Bakelite fuse fitting complete with base and carrier of 415 VAC/63 AMP. HRC fuse/ front connection. Item code- HPFCM63, Make- HPL/Havells/GE/ Standard.	30 Nos
10	68.11.5474	Electric Bench Grinder, 150mm (6") single phase, 235 volt, 265 watt, speed=2950 rpm, Weight=12.4 kg. With Wheel, Wheel size=( 150x16x12.7xmm) out put power- ¼ H.P. Make- Railway or B&D (Black & Deccor).	02 Nos
11	68.11.5475	Tubular Florescent lamp for general lighting purpose with star marking rating 36 watt colour temp in Deg- K- 6500 star marking -5 star. Make – Surya/ Bajaj /Crompton Greaves.	500 Nos
12	68.11.5476	HRC Fuse Holder accommodate NS type fuse HRC fuse link to (IS: 13703) 10 Amp ISI .Make-similar to RBCO type RN SH-32 Make- Siemens, L&T,RBCO, GE,C&S or any other BIS certificate.	200 Nos
13	68.11.5477	Compact Fluorescent Lamp 11 Watts 4 pin type Length 215 mm Make- Philip, OSRAM, Surya, Havells, Wipro, Anchor, CGL (CEE WCR Approved)	1000 Nos
14	68.11.5478	" Screw Self Taping M.S. Parker Kelon Slotted Round head 'AB' type cone end No.8x20mm. IS:NPK(A type) IS:5957,ISI Marked.	562.00 Hundred
15	68.11.5479	" Blue tack nail Size 1.8x15mm" IS: 6734/72 ISI Marked.	144 kgs
16	68.11.5480	Screw self tapping M.S. parkar kelon slotted raised CSK Head 'AB' type cone end No. 8x40mm IS, NPK (A Type) IS: 5957.	244 unit
17	68.11.5481	" Alluminium Angle Moulding" Size -30x10x3600x2mm thick As per IS: 733/1983.	180 kgs
18	68.11.5482	Padding Cotton (WABBING) 1/8 inch Bundle of 12 yards 3.2mm thick. As per G/TEX/18 B.	1440 Nos

AMM/CRWS/BPL

19	68.11.5483	Modified Seat frame for single seat (LH) AS per Drg No. Gs-6-1-003. alt.2 'e'	162 Nos(LH)
20	68.11.5484	" Set of pipe wrench" Make- Jhalani, Tapariya, Gedore. One set consisting of (1) Size-300mm (12") (2) Size-350mm (14") As per IS:4003/Part/1978/95	12 Set
21	68.11.5485	Alluminium Boss for water tank (40mm) as per Drg.No.T-6-3-010 alt.'e'.	540 Nos.
22	68.11.5486	Suspension Bracket for under slung water tank. as per Drg.No.ICF/SK-6-3-461.	06 Nos.
23	68.11.5487	Alluminium 'U'Channel." Size-25x30x25x500mm length x 2mm thick duly anodized as per IS:737/86	784 Nos.
24	68.11.5488	"G.I.Reducing Hex Nipple." Size-20x15mm. as per IS:1239/Part.II	250 Nos.
25	68.11.5489	Alluminium 'U'Channel." Size-25x65x25x150mm length x 2mm thick duly anodised as per IS:737/86	996 Nos
26	68.11.5490	Set of Alluminium Cover plate duly anodized one set consisting of (1) Item No.1=44 Nos.(2) Item No.2=64 Nos. as per Drg.No. CRW/SK-486 Item No.1&2.	60 Set.
27	68.11.5491	Compact. Fluorescent Lamp Fitting 2x11 watt's to RCF Drg.No.CC-76216 operative voltage 110DC complete with 02 CFL 4Pin type and 02 Invertors.	80 Nos.
28	68.11.5492	Set of tyre, tube and flap. one set consisting tyre size 9.00x20.00x16PR=01 NO, Tube Size 9.00x20.00=01 NO. AND Flap size 9.00x20.00=01 No. Make- APOLLO/MRF/CEAT/DUNLOP.	06 SET.
29	68.11.5493	Set of tyre and tube. One set consisting tyre size 195/70-R14=01 No, and tube size 195-R14=01 No. Make- Apollo/MRF/CEAT.	10 SET
30	68.11.5494	Boiled water Resistance grade plywood." Size-2440x1220x18mm as per IS:303/89	39 Nos.
31	68.11.5495	Set of tyre, tube and flap. one set consisting tyre size 7.50x16.00x16PR=01 NO., Tube 7.50x16.00=01 No. and Flap size 7.50x16.00=01 No.. Make Apollo/MRF/Ceat/Dunlop.	06 set
32	68.11.5496	Set of spares for Machinery and Plant .One set consisting as per Enclosed Annexure	01 set
33	68.11.5497	Boiled water Resistance grade plywood." Size-2440x1220x25mm as per IS:303/89	34 Nos

AMM/CRWS/BPL.

Annexure of T.No.68.11.5496

Sr.No.	Description	Qty
1	Matelic flexible colent pipe for drill machine (Size 1/2" BSPX300MM Long)	02 Nos
2	PVC flexible colent pipe for drill machine (Size 1/2" BSPX300MM Long )	03 Nos
3	C.A.F. Joint sheet size 3mm	10 kg
4	C.A.F. Joint sheet size 1.5mm	10 kg
5	PVC Foot valve size 65mm (ISI brand)	12 Nos.
6	Araldite (180 gm)	10 Nos.
7	Flexible Matelic pipe for cylincer of vehicle size 50mm	10 feet
8	Star rubber L-150	06 Nos.
9	Oil Seal (size 40x65x10)	12 Nos
10	Oil Seal (size 45x65x10)	12 Nos
11	M-Seal	05 kg
12	Squar head bolt M10X50 for tool past of lathe machine	12 Nos
13	Allen bolt size 6x35mm	20 Nos
14	Allen bolt size 6x55mm	20 Nos

One set Consist of 14 item.

- Note:**
- (1) Separate quotations should be submitted for each tender enquiry separately.**
  - (2) Rates should be quoted in figures as well as in words clearly.**
  - (3) Taxes, freight charges etc must be mentioned clearly terms like “taxes as applicable” and “freight charges as per actual expenditure” will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.**
  - (4) Firms should quote rates on FOR destination basis.**
  - (5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.**
  - (6) Offers submitted through FAX to be followed by original copy of offer.**
  - (7) Late tenders will be summarily ignored.**

Fax No. 0755- 2743643, Timing-10.00 to 17.30 hrs  
2747414, Timing-17.30 to 09.30 hrs

Email ID: [dycmm.pps@gmail.com](mailto:dycmm.pps@gmail.com)

AMM/CRWS/BPL.