

NO.	O	TENDER_DATE	ORD_PL_DESC	TENDE R_TYP E	PUBLISHED_ ONDATE	NO. OF OFFER	TEND_OPEN_D ATE	PO_NO	PO_DATE	VENDER NAME	PO_VALUE	QTY	LOW EST(Y/N)	DELIVERY_D ATE
1	20103561	24-Mar-2011	Areva make Rubber replacement kit of AOH,IOH,POH of VCB 20 CB. One set comprising of 13 items 31 Nos. as per . BSL/ELW/SK No.9057,Alt-2 or latest. Accepted Firm's Offer:- As per enclosed annexure, AREVA MAKE.	Limited	N.A.	1	29-Apr-2011	20103561101851	14-Jul-2011	TRINITY HOUSE (INDIA) Pvt.Ltd.	2,027,499.60	33 sets	Y	22-Mar-2012
2	20114058	31-Jan-2011	IMPELLER FOR OIL COOLING BLOWER AS PER SPEC.NO. CLW/ES/3/SK7/0023, ALT-H OR LATEST Accepted firm's offer:- Aluminium Impeller for Oil Cooling Unit for Transformer of WAG-9 Locomotives as per CLW Specn. No. CLW/ES/3/0023 Alt. H to Part No. 42.869.10.102 of Make BEHR/Germany.	Open Advt.	09.02.2011	2	15-Mar-2011	20114058101741	04-Jul-2011	PPS INTERNATIONAL	2,057,500.00	02 nos	Y	07-Jan-2012
3	30101465	11-Mar-2011	Set of cushioned seat & back rest for GS Coaches (BG) as per Spec. no. CRWS/BPL/GS/cushion material/STR004, Ver.-03, dated 01.07.2010 (This tender is for supply only & fitment shall be done later by Railway's).	Open Advt.	16.03.2011	8	19-Apr-2011	30101465101790	08-Jul-2011	SUKATA TRACTOR PARTS PVT.LTD.	6,812,663.85	62 sets	Y	15-Apr-2012
4	30101772	19-Oct-2010	Coupler Body for Non-Transition CBC to RDSO Drg. No.- SK-62724, Alt.-22, Item No.- 1. confirming to STR No.- 48-BD-08.	Open Advt.	27.10.2010	10	30-Nov-2010	30101772101872	19-Jul-2011	RAUSHEENA UDYOG LIMITED	4,404,357.50	339 nos	Y	30-Sep-2011
5	30101776	16-Feb-2011	Yoke for High Tensile CBC to RDSO Drg. No.- 62724, Alt- 20, Item No.-3, confirming to STR No. 48-BD-08.	Open Advt.	23.02.2011	8	29-Mar-2011	30101776101756	06-Jul-2011	Rine Engineering Pvt. Ltd.	2,570,714.97	287 nos	Y	15-Nov-2011
6	30103366	06-Apr-2011	ATL Upper Housing assembling for Twist Lock (BLC) PT No. 71474	Single- PAC	N.A.	1	18-Apr-2011	30103366101724	01-Jul-2011	SANROK ENTERPRISES,	2,402,242.67	432 nos	Y	23-Aug-2011
7	30103386	06-Apr-2011	Bolster Spring Outer IS 3195 (BLC), Drg. No. CONTR--9404- S/7 Item-1, Alt-5 or latest and confirming to RDSO spec.No.WD-01-HLS-94, Rev-3 jan letter no-QAM/Spring dtd-09.03.2011.	Open Advt.	13.04.2011	9	18-May-2011	30103386101910	22-Jul-2011	G.B.SPRINGS (P) LTD.	2,172,555.00	1800 nos	Y	31-Oct-2011
8	30110026	06-Jun-2011	Non-asbestos 'L' type composition brake blocks for freight stock with 1000 mm wheel dia and container flat wagons of Indian Railway to Drg. No.- WD-99062-S-01, Alt.- 2 or latest & RDSO specification WD-13-ABR-2006 of December-2006 with latest amendments if any.	Open Advt.	13.04.2011	9	18-May-2011	30110026101785	07-Jul-2011	GREYSHAM (INTERNATIONAL) SUPER FRICTION PVT. LTD.	2,428,750.00	7250 nos	Y	15-Oct-2011
9	30111268	16-May-2011	Non Asbestos based 'K' type High friction composit brake block to drg. no.- RDSO/SK-98066,alt.4 or latest & RDSO Spcen.- C-9809 (Rev.-4) May-2009.	Open Advt.	19.05.2011	7	21-Jun-2011	30111268101904	22-Jul-2011	BONY POLYMERS (P) LTD.	4,851,045.00	14061 nos	Y	30-Aug-2011
10	30111795	22-Feb-2011	Knuckle for High Tensile CBC to RDSO Drg. No.- SK-62724, Alt.-20, Item no.- 2 & confirming to STR No. 48-BD-08.(Alteration & specification will be applicable as on the date of tender opening).	Spl. Limited	N.A.	3	28-Feb-2011	30111795101789	08-Jul-2011	Rine Engineering Pvt. Ltd.	2,103,835.00	500 nos	Y	31-Oct-2011

NO.	O	TENDER_DATE	ORD_PL_DESC	TENDER_TYP E	PUBLISHED_ ONDATE	NO. OF OFFER	TEND_OPEN_D ATE	PO_NO	PO_DATE	VENDER NAME	PO_VALUE	QTY	LOW EST(Y/N)	DELIVERY_D ATE
11	30111868	18-Apr-2011	Brake Beam complete with bush to RDSO Drg.No.- WD-89033-S-1, Item No.-1 to 15, Alt-20 .	Open Advt.	20.04.2011	13	24-May-2011	30111868101864	18-Jul-2011	COSMIC ENGINEERS	2,028,100.41	525 nos	Y	15-Oct-2011
12	30112259	24-Feb-2011	Modified Flap door arrangement consisting of item no.- 1, 4, 5,6,7,9 & 10 to RDSO Dr g. no.- WD-90007-S-1, Alt-13 .	Open Advt.	03.03.2011	17	05-Apr-2011	30112259101743	04-Jul-2011	CHOURASIA GROUP KATNI	2,172,500.00	500 nos	Y	15-Sep-2011
13	34103031	19-Apr-2011	PAINT READY MIXED ,FINISHING,GENERAL PURPOSE, SYNTHETIC, RED OXIDE ISC 446 AS PER RDSO SPECN.NO. M&C/PCN/122/2006 The date of supply of the material should be within 60 days from the date of manufacture.	Open Advt.	28.04.2011	5	31-May-2011	34103031101862	18-Jul-2011	RAHUL PAINTS,	2,643,835.46	34680 ltrs	Y	30-Dec-2011
14	50098035	04-Nov-2010	Underground Armoured Jelly Filled Quad Cable of Size 6 Quad having 0.9 m m conductor dia as per RDSO Spec. No. IRS:TC 30-2005 (Ver.-1) with Amnd. No. 4 or latest. (Note: Price variation as per Price Variation Clause shall be applicable. However, the maximum allowed updated basic price shall be Rs. 1,84,000/- per KM). Price Variation Clause: The above basic rate is variable as per IEEMA price variation formulae is as below: $P = P_o + 0.146(Cu-Cu_o) + 0.272(Al-Alo) + 0.664(CC-CC_o) + 0.881(Fe-Fe_o)$ The variation will be based on price of raw materials as prevailing on 1st November, 2010 as per IEEMA circular which are as below: Po i.e. Price per KM of cable as per purchase order. Cuo i.e. Price of copper wire rod is Rs. 4,21,163/- per MT. Alo i.e. Price of EC Grade Aluminium rods is Rs. 1,40,600/- per MT. CCo i.e. Price of PVC compound Grade CW-22 is Rs. 97,000/- per MT. Feo i.e. Price of steel flat is Rs. 57,000/- per MT. P is price payable per KM as adjusted in accordance with price variation clause. The raw material prices in Rs. per MT for Cu, Al, CC, Fe as prevailing on 1st working day of the date of purchase order. The maximum allowed updated basic price shall be Rs. 1,84,000/- per KM.	Open Advt.	18.11.2010	7	21-Dec-2010	50098035141120	14-Jul-2011	SRI RAM CABLES PVT. LTD.	48,890,603.87			30-Nov-2011
15	50098035	04-Nov-2010	same as above.	Open Advt.	18.11.2010	7	21-Dec-2010	50098035141120	14-Jul-2011	SRI RAM CABLES PVT. LTD.	48,890,603.87	237.550 km	N	30-Nov-2011
16	50108073	16-Jul-2010	As above	Open Advt.	28.07.2010	13	31-Aug-2010	50108073141124	20-Jul-2011	DELHI TELECOM PRIVATE LIMITED	10,437,515.84			30-Nov-2011

NO.	O	TENDER_DATE	ORD_PL_DESC	TENDER_TYPE	PUBLISHED_ONDATE	NO. OF OFFER	TEND_OPEN_DATE	PO_NO	PO_DATE	VENDER NAME	PO_VALUE	QTY	LOW EST(Y/N)	DELIVERY_DATE
17	50108073	16-Jul-2010	<p>PVC Insulated Armoured, Unscreened, Underground, Railway Signalling Cable with copper conductor of Size 24 Core X 1.5 sqmm conforming to RDSO Spec. No. IRS:S-63/2007 with Amnd. No.- 2 or latest.</p> <p>Price Variation: The basic price will be subject to variation as per IEEMA Price variation formula as given below:</p> $P = Po + 0.313(Cu - Cuo) + 0.481(CC - CCo) + 0.398(Fe - Feo)$ <p>Where base indices as per IEEMA circular of July 2010 are Cuo=Rs. 351142/- per MT, CCo=Rs. 93500/- per MT, Feo=Rs. 57000/- per MT. Final price of raw materials (Cu=Price of Copper wire rods in Rs. Per MT, CC=Price of PVC compound of grade CW-22 in Rs. Per MT, Fe=Price of steel of armouring Flat 4mmx0.8mm in Rs. Per MT) shall be applicable for calculation of price variation amount as per IEEMA prices prevailing on the first day of the calendar month covering the date one month prior to the date of inspection call letter.</p>	Open Advt.	28.07.2010	13	31-Aug-2010	50108073141124	20-Jul-2011	DELHI TELECOM PRIVATE LIMITED	10,437,515.84	50.550 km	N	30-Nov-2011
18	50108187	12-Jan-2011	Remote terminal unit with 64 digital and 16 analog inputs as per RDSO specification IRS-S-99-2006 as per Annexure A1.	Open Advt.	19.01.2011	3	22-Feb-2011	50108187141126	22-Jul-2011	EFFTRONICS SYSTEMS PVT.LTD.	2,040,000.00	17 nos	N	30-Oct-2011
19	50108187	12-Jan-2011	Remote terminal unit with 64 digital and 16 analog inputs as per RDSO specification IRS-S-99/2006 as per Annexure A1.	Open Advt.	19.01.2011	3	22-Feb-2011	50108187141126	22-Jul-2011	EFFTRONICS SYSTEMS PVT.LTD.	2,040,000.00	17 nos	N	30-Oct-2011
20	50113081	10-May-2011	<p>Low Maintenance Lead Acid Secondary Cell. 2 Volt, 80 AH. As per RDSO Spec.No. IRS:S-88/2004 or latest.</p> <p>ACCEPTED OFFER: HI- POWER LEAD ACID LOW MAINTENANCE STATIONARY CELL, TYPE SB 80 st 2V 80Ah CAPACITY AT 10 HR RATE OF DISCHARGE AT 27 DEG C ASSEMBLED IN HARD RUBBER CONTAINER WITH TUBULAR POSITIVE AND PASTED NEGATIVE PLATES CONFORMING TO RDSO SPEC NO. IRS.S.88/2004 UNDER PART 1 CATEGORY. THE CELL SHALL BE SUPPLIED WITH MICRO POROUS VENT PLUG CUM SEALED FLOATS, INTER CELL CONNECTORS, NUT BOLTS AND WASHERS. THE CELLS SHALL BE SUPPLIED IN DRY AND UNCHARGED CONDITION.</p>	Open Advt.	19.05.2011	5	21-Jun-2011	50113081101956	28-Jul-2011	SOUTHERN BATTERIES PVT. LTD.	3,451,273.41	1897 nos	N	15-Nov-2011

NO.	O	TENDER_DATE	ORD_PL_DESC	TENDER_TYPE	PUBLISHED_ONDATE	NO. OF OFFER	TEND_OPEN_DATE	PO_NO	PO_DATE	VENDER NAME	PO_VALUE	QTY	LOW EST(Y/N)	DELIVERY_DATE
21	50118002	21-Feb-2011	Installation and Supply of Earth Leakage Detector 8 Channel Card (4 Channel card for monitoring 110 V AC and 4 Channel card for monitoring DC voltages 24 V, 60V 110V) as per RDSO Specn No. RDSO/SPN/256/2002 with latest ammendments. (Channel configuration should be got approved from the executive incharge of the work). INSTALLATION OF ELD: (1) ALL THE MATERIAL REQUIRED FOR INST ALLATION WORK LIKE CABLES/W IRES AND LABOUR SHALL BE PROVIDED BY T HE RAILWAYS. (2) BEFORE INST ALLATION FIRM SHALL PROVIDE TO RAILWAYS A DETAILED FORMAT (PRE-COMMISSIONING OF ELD - 4 PAGES) WHICH GIVES THE TOTAL REQUIREMENT OF THE MATERIAL AT THE TIME OF INSTALLATION APART FROM THE ELD, LIKE LENGT H AND TYPE OF WIRES AND EARTH AND POWER SUPPLY ETC. (3) FIRM SHALL BE INFORMED MINIMUM 2- 3 WEEKS IN ADVANCE BEFORE T HE INSTALLATION DATES. NAME, ADDRESS, TELEPHONE NUMBERS OF T HE OFFICER TO BE REPORT ED SHOULD BE FURNISHED IN ADVANCE ON PAGE 2 OF PRE-COMMISSIONING LIST .	Open Advt.	23.02.2011	3	30-Mar-2011	50118002141116	12-Jul-2011	ANU VIDYUT	9,255,510.00	99 nos	N	30-Mar-2012
22	65098054	12-Nov-2010	Color Doppler Ultra Sound Machine (As per attached annexure.) Model: SONOACE x 8 of M/s Medison Systems India Pvt. Ltd.	Open Advt.	25.11.2010	2	28-Dec-2010	65098054141114	12-Jul-2011	INTERSALES	2,060,100.00	01 no.	Y	14-Nov-2011
23	65118001	17-Feb-2011	Semi Automatic CO2, 400A Welding Plant as per attached specification.	Open Advt.	16.03.2011	3	19-Apr-2011	65118001141128	27-Jul-2011	J.J. SALES & SERVICE	3,685,233.30	40 nos	Y	31-Dec-2011
24	80101038	21-Feb-2011	Inhibited Miniral Insulating Oil for Transformer Conforming to Table-1 of IS 12463/(latest) also conforming to additional Characteristics/Requirement, 1.Oxidation stability: (a) Neutralization value after oxidation (Max): 0.2mg KOH/g, (b) Total sludge after oxidation (Max): 0.05 percent by weight. 2.Presence of oxidation inhibitor (DBPC-2, 6 Di-tertiary-Butyl-paracetamol 4): Range-0.25 to 0.30 % by mass.	Open Advt.	23.02.2011	4	30-Mar-2011	80101038101882	20-Jul-2011	APAR INDUSTRIES LTD.	7,987,165.27	96335 lts	Y	31-Oct-2011
25	80101140	23-Mar-2011	CO2 Gas for welding to IS 307-66 (Re affirmed in 1996) grade-I having purity 99.7 percent min. CO2 by volume to be filled in Railways owned empty Cylinder as and when required (PL No 81040222).	Open Advt.	06.04.2011	2	10-May-2011	80101140101901	21-Jul-2011	JETHALAL HIRJIBHAI,	2,726,606.81	150000 kgs	Y	31-Dec-2012



Your complimentary use period has ended. Thank you for using PDF Complete.

[Click Here to upgrade to Unlimited Pages and Expanded Features](#)

NO.	O	TENDER_DATE	ORD_PL_DESC	TENDER_TYPE	PUBLISHED_ONDATE	NO. OF OFFER	TEND_OPEN_DATE	PO_NO	PO_DATE	VENDER NAME	PO_VALUE	QTY	LOW EST(Y/N)	DELIVERY_DATE
26	90111101	10-Mar-2011	Aluminum chequered sheet 2.03 X 830 X 2940 mm. IS:737 GR 65032 W P OR Latest.	Open Advt.	16.03.2011	7	19-Apr-2011	90111101101943	27-Jul-2011	BHARAT ALUMINIUM COMPANY LIMITED,	10,600,708.50	45399 kgs	N	31-Dec-2011