

उप मुख्य सामग्री प्रबंधक कार्यालय
Dy. CMM/CRWS/BHOPAL

No. 68.10.WB-194

Date: 04.09.2011

निविदा बंद होने की तिथि..... समय 14.30 बजे

13.09.2011

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, सडिपुका, मेन स्टोर, भोपाल
Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}
सुपुर्दगी अवधि : 30 दिन ६ भंडार उपलब्धता के अनुसार
Delivery Terms : 30 Days / Ex stock

1	68.11.5543	Sun Mica Sheet as per sample, to size 2440x1220x1.0mm thick.	40 Nos
2	68.11.5544	Commercial Plywood BWR Quality to size 2440x1220x3.0mm Thick.to is -303/09.	40 Nos
3	68.11.5548	HRC Fuse link HN Type Square Body 160A 80KA at 500 V to IS: 13703 with ISI Mark similar to RBCO code No.SI Make-RBCO, GE, Ishwari.	20 Nos
4	68.11.5550	M.S. Hexagonal Head Bolt, Size 12x120mm full Thread, IS: 1363/Part II /1984.	600 Kgs
5	68.11.5551	M.S. Heavy duty Equal .Elbo 20 MM IS : 1239/Part II/1982.	320 Nos
6	68.11.5552	M.S. Hexagonal Bolt and Nut Size 6x50 mm Bright zinc Plated in assembled condition IS-1363, Part-II.	50 Kgs
7	68.11.5553	Left Hand Side Tool Holder for VTL M/C, Specification- PSBNL 32x32 P 19 Tool Holder Shank Length -80mm (Make- Widia/Sandvik/ Taegufec/ Ceratizit /	02 Nos
8	68.11.5554	Fully insulated open head electrode holder, 600 Amps.of Make – ESAB or JACKSON, USA or LINCOLN, USA. Model: similar to JACKSON A3-S with feature (a) suitable for 95 mm core dia, Aluminium cable (b) Holder should have embossed/ cast. Identification mark of manufacture of holder.	125 Nos
9	68.11.5555	Set of Dot Matrix Printer Head (One set Consists of 02 WEPLQ5235 & 01 No.TVSE MSP 355 Printer Head)	01 Set
10	68.11.5556	DVD Drive for Toshiba satellite 100 LAP TOP (DVD RW) Make: Toshiba or better.	01 No.
11	68.11.5557	Set of Hex Head bolt M24x180 to IS: 1364 pt-1-92, B-8,8,CE,WF coating to MDTS 057 with prevailing torque type nut M 24, to IS :7002-1991-8 Coating to MDTS 057 and Punch Washer A-26 to IS:2016-1967 steel coating to MDTS 057 in assembled condition. As per drawing RCF drawing No. AW05100 alt –f- item No.25,26 and 27.	160 Set
12	68.11.5558	Stopper for pin alternator, As per drawing CRWS/SK-364 Alt. 1	650 Nos
13	68.11.5559	Welding leather hand gloves, Make ESAB Part No.700005008 or equivalent to" Ansell "or" Lincoln" Make.	175 Nos
14	68.11.5491	Compact. Fluorescent Lamp Fitting 2x11watt's to RCF Drg.No.CC-76216 operative voltage 110DC complete with 02CFL 4Pin type and 02 Invertors.	80 Nos
15	68.11.5480	Screw self tapping M.S. parkar kelon slotted raised CSK Head 'AB' type cone end No. 8x40mm IS, NPK (A Type) IS: 5957.	244 Unit
16	68.11.5482	Padding Cotton (WABBING) 1/8 inch Bundle of 12 yards 3.2mm thick. As per G/TEX/18 B.	1440 Nos
17	68.11.5470	Carbon Brush suitable for Compton Greaves Make 150 H.P. slip ring induction motor, Cat No- M-15 E, Size-Length-40mm, Breadth-40, Thickness-20 mm. Sample is also attached.	30 Nos

Cond.....2

AMM/CRWS/BPL

18	68.11.5485	Alluminium Boss for water tank(40mm)as perDrg.No.T-6-3-010 alt.'e'.	540 Nos
19	68.11.5469	Set of Ladder one set Consisting Col-I =08 Nos, Col-II=01No. Col-III=01 No, IS: 1079/94, 2062/99, FE-410 WA-ICF/M/D /sp-102, SCN-5-6-4-506 ALT-g (One Set=10 Nos)	10 Set
20	68.11.5478	" Screw Self Taping M.S. Parker Kelon Slotted Round head 'AB' type cone end No.8x20mm. IS:NPK(A type) IS:5957,ISI Marked. (01 UNIT = 100 NOS)	562 Unit
21	68.11.5481	" Alluminium Angle Moulding" Size -30x10x3600x2mm thick As per IS: 733/1983.	180 Kg
22	68.11.5468	Ladder IS: 1079/94,2062/99,FE-410.WA-ICF/M/D/SP-102, WGSCWAC6-6-4-606 Col-1 Alt-F.	140 Nos
23	68.11.5512	Armored hose pipe for DA gas consists of rubber hose pipe ID-08mm and outside MS worc braided with both end crimped brass nipple and nut size 3/8" BSP of 01 meter length suitable for working pressure 28 kg/sq.cm.	100 Nos
24	68.11.5456	110 DC Bracket type carriage Fan 225mm Sweep to IS; 6680-92 with annexure 'H' Revised in Dec-2005 to RDSO/Drg. No. RDSO/PE/SK/TL/0026-2002(REV-'O') with cross worthy type guard Blade.	30 Nos
25	68.11.5404	"Push Type Flushing valve copper alloy body with chromplating" As per Drg. No. CC-63805 alt. 'a' .	82 Nos
26	68.11.5083	Open Top Rectangular Tank suitable for making electrolyte 650 Liters thickness 05mm (Minimum) Make-Polycon , Sintex, water well material – Molded polyethylene (Height Not more then 80cm)	08 Nos
27	68.11.5174	Set of Plastic crate. one set consisting of size 7.5"x5"x3.5"=25 Nos,Size10"x7"x4.25"=50 Nos and Size 10.5"x7"x5.75"=50 Nos.Make- Nilkamal/cello/supreme	01 Set
28	68.11.5265	Hand Hydraulic Compression tools (Innovative Hydraulic Crimping system of new millenium)capacity:25mm to400mm,Dies H-25 to H-400(11sets)weight-7.500 kg similar to model No.ASHOKA-400"OF Jainson, Kamlesh Industries Dowells	02 Nos
29	68.11.5489	Alluminium 'U'Channel."Size-25x65x25x150mm lengthx2mm thick duly anodised as per IS:737/86	996 Nos
30	68.11.5487	Alluminium 'U'Channel."Size-25x30x25x500mm lengthx2mm thick duly anodized as per IS:737/86	784 Nos
31	68.11.5410	Transparent Nylon Braided P.V.C. Hose pipe, Size= (12mm IDx19 mmOD) WP=15 Kg/CM2 & BP= 45 Kg/CM2 as per IS: 12492 Type=II, Along with Testing Certificate, Make= Samson or samsonex or Samson reguloer.	1400 Meter

AMM/CRWS/BPL

- Note: (1) Separate quotations should be submitted for each tender enquiry separately.**
- (2) Rates should be quoted in figures as well as in words clearly.**
- (3) Taxes, freight charges etc must be mentioned clearly terms like "taxes as applicable" and "freight charges as per actual expenditure" will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.**
- (4) Firms should quote rates on FOR destination basis.**
- (5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.**
- (6) Offers submitted through FAX to be followed by original copy of offer.**
- (7) Late tenders will be summarily ignored.**

Fax No. 0755-2743643, Time-10.00 to 17.30 hrs
2747414, Time-17.30 to 09.30 hrs

Email ID: dycmm.pps@gmail.com (Tender available on www.wcr.indianrailways.gov.in)

