

## West Central Railway

Bulletin No:-DMM.JBP.BT-11 due on 12.10.2011

DRM's Office Jabalpur  
Phone & Fax -0761-2623491  
Dated:-08/09/2011To  
M/S, .....

The Tender Opening Date 12-10-2011.closing time 11.30 Hrs Opening Time 11:45 Hrs. Please submit your quotation to the office of the Divl. Material Manager DRM's Office before closing time and dates stipulated. This bulletin tender is also available at web site [www.wcr.indianrailways.gov.in](http://www.wcr.indianrailways.gov.in).

Sr No	Case No	Description of Material	Qty	Unit	Consignee
1	94/10/2011 / 5341/1	6" High quality wall mounting box speaker 6W/100V super white for indoor use,Has an additional 12 position rotary switch for desire sound level attenuation.Make model -AHUJA WS-664 T Or similar.	45	Nos	SSE/Tele/M/JBP
2	94/05/2011 / 5087/1	Synthetic carpet as per attched specification.1-Size-1200 Sq.Ft 2. Width As per the requirement of the consignee (Red in 4/5 Ft. and Brown in 10 Ft. or more as per size of room 3. Colour- Red & Brown as required by consignee 4. Quality- Sample approval must be necessary before P.O.Sample to be seen at this office	1200	sq. ft.	CCCOR/W CR/ JBP
3	94/10/2011 / 5092/1	GI Bend pipe,B Class,40 mm dia, for cable entry in point machines as per Drg. no. SUR/N/STD/26	50	Nos	SSE/Sig/M/KTE
4	94/10/2011 / 5115/1	Telephone Drop wire flat type PVC insulated Twin core copper conductor 0.1/8 inch dia.lengthy of roll 500 mtr. minimum. Make-Network cables or similar.	10000	Mtrs	SSE/Tele/M/JBP
5	94/10/2011 / 5142/1	Installation & wiring of class D TYPE Surge protection Device for oneQuad (two pairs) of conductors as per the circuit diagram and drawing no. WCR/Tele/06/04 and as per the instructions of Railway supervisor at site.	10	No	SSE/Tele/M/JBP
6	94/10/2011 / 5406/1	Paint chlorinated rubber based electrically insulated high viscosity suitable for applying insulated rail joint make in 20 liters capacity drum grey colour make-Shalimar/Asian/Burger.	375	Litrs	SSE/Sig/M/JBP
7	94/05/2011 / 5222/1	1/2" dia ss elbow of ss 304/316 with inside thread.	50	Nos	OS/S/C&W /JBP
8	94/10/2011 / 5315/1	Field wire/cable D-8 conferrming to spec.no. CR/83/NSpecn/Telecom/2 Date/07-4-1983(1)conductor composite of 4 tined and three galvanized high tensile steel wire insulation HDPE insulation to 2.35 mm dia twisting twin having 150 mm patch (2)Resistance of conductor 76 ohm/km test voltage AC-1000 V length of wire minimum 500 mtrs. Roll minimum make Network cable or similar.	10000	Mtrs	SSE/Tele/M/JBP
9	94/10/2011 / 5316/1	Line Drivers model 2301 with 232 cable connectors.(2 M length)make United Network or similar.	08	Pair	SSE/Tele/M/JBP
10	94/10/2011 /5318/1	Single line cordless telephone(1-line operation)2.4 GHz.Techonology,3 line back lite display,30 caller memory,10 to touch memory hand set locator,optional hand set caller ID & caller waiting, make BPL model UDN 246C/Beetel/Panasonic/sony.	25	Nos	SSE/Tele/M/JBP
11	94/15/2011 /5320/1	Auto range Digital Insulation Tester Voltage 5000 VDC Insulation range 200/2000/20000/200000 m ohm auto range regdution 001 m ohm accuracy+/-3 % make Electrons Deviecs model DIT/5000,MOTWANI,SHANTI,NIPPEN.	02	Nos	SSE/ TRD /SGO
12	94/10/2011 / 5336/1	Fiber patch cord PC-PC to APC E 2000 lenght of patch cord 10 mtrs suitable for connecting the STM equipment in FMS.	60	Nos	SSE/Tele/M/JBP
13	94/10/2011 /5337/1	Optical fiber cable and connector spray 500 ml can Aerosol(with extension tube)as per specification (1)clean efficiency with high pressure(2)leave no	30	Nos	SSE/Tele/M/JBP

		residue(3)instantly evaporates(4)non flammable, non-corrosive & non staining(5)safe on all surface make moly-Graph/STANVAC/ITW			
14	94/10/2011 / 5352/1	Seald maintenance free battery 12 volts/7AH capacity make chloride or Base terminal weight of battery not less than 2.5 kg.	50	Nos	SSE/Tele/M/KTE
15	94/10/2011 / 5355/1	Line cord 2 way for auto telephone both side RJ 11 lenght full size make Alpha or similar.	2000	Nos	SSE/Tele/M/KTE
16	94/10/2011 / 5356/1	Hand set 4 way coiled cord for auto telephone both side RJ 11 Connector lenght 2 mtrs make Alpha or similar.	2000	Nos	SSE/Tele/M/KTE
17	94/05/2011 / 5330/1	Ultra sonic Thick ness Gauge and spare accessories model MP 200L.specification-(1)ultrasonic thickness gauge one no.1)Technical DATA MP-200L 2)Frequency(Mhz) 2.5 & 5.0 3)Range 1.5 to 199.9 4)Probes standard MPss-5 5)Optional MPsc5,mPTH-2,mP-200 6)Resolution mm 0.1 & 0.01 7)Accuracy +/-0.1 or +/-0.03 8)output To mPRINT or CENRONICS 8 9)Logger(reading) 200 in one file 10)LCD Display 5 digit with legends 11)Battery(penlite-AA) 4 12)Life (Hours) 30/40.(2) ACCESSORIES SPARE. 1)mPSS-5 Probe: stanared probe one no. 2)WS210:Stepwedge.	01	Set	CCCOR/W CR/JBP
18	94/10/2011 / 5357/1	Electronic push button CLIP Telephone model Beetel N 53 Or equivalent conforming to tech. spec.GR/TEL/07/02 with Amnd.1 or latest, following features having DTMF/FSK Compatible,80 incomming call memory,24 outgoing call memory phone book facility coller ID & Digital volume control speaker phone as per Tech. spec. GR/TEL/07/02 with amnd 1 or latest offer accepted for make BPL Model no. 9090 c.	100	Nos	SSE/Tele/M/KTE
19	94/10/2011 / 5358/1	Installation of coil cord assembly suitable for NERA world phone (satellite phone)	02	Nos	SSE/Tele/M/JBP
20	94/10/2011 / 5359/1	Sealed maintenance free battery capacity 12 volt/7AH Make Chlorideor base terminal weight of battery not less than 2.5 kgs.	50	Nos	SSE/T /M/Satna
21	94/10/2011 / 5361/1	Electronic push button auto telephone with rossett & RJ 11 Model No. 6390 make BPL/BEE TEL.As per specification CR/Tele//02/04 Sep.2002 with flash Redial/Pulsp & Ringing Volume Make- BPL or Similar	100	Nos	SSE/T /M/Satna
22	94/10/2011 /5362/1	SMPS based battery charger cum power supply unit of rating 12 v/10 Amps suitable for 25 watt VHF sets.	24	Nos	SSE/T/ M/Satna
23	94/10/2011 / 5363/1	Coller ID Display phone compatiable with ISD/CARD each with outgoing incoming call memories number book facikity speaker volume adjustable,music on hold ect.	75	Nos	SSE/T /M/Satna
24	94/10/2011 /5364/1	Field wire/cable D/8 wire confirming to spec.no. CR/83/N/specn/telecom/2 Date/07-04-1983 1)conductor composite of 4 tined and three galvanized high Tensile steel wire insulation HDPE insulation to 2.35 MM dia twisting twin having 150 mm patch 2)Resistance of conductor 76 ohm/km test voltage AC 1000 v lenght of wire minimum 500 mtrs,roll minimum make Network cable or similar.	14000	Mtrs	SSE/T/M/K TE
25	94/05/2011 /5392/1	Set of double open end spanner drop forged chrome plated one set contains 10x11,12x13,14x15,16x17,18x19,20x22,21x23,22x24,24x26,24x27,25x28,27x32,30x32 mm sizes of double end spanner (total 13 nos)make-Geodre.Indre,Taparia,Eastman,Everest only.	20	Set	OS/S/ C&W /JBP
26	94/05/2011 / 5393/1	Steel measuring Tape 5 mtr x 19mm.with 03 breaks,metal clip,with magnetic hook,Rubber case,MM,CM,Inches and Feet Printed on tape make 3M,Stanly,Freemans.	300	Nos	OS/S /C&W/ JBP
27	94/05/2011 / 5394/1	Set of socket ranges from 8-32mm with extension bar 125mm,250mm universal joint 75mm,sliding handle 12" ratchet reversible 265mm and speed brace 410mm make-Geodre,Indre,Taparia,Eastman,Everest only.	15	Set	OS/S/ C&W /JBP
28	94/05/2011 /5395/1	Set of Bihexagonal ring spanner drop forged chrome plated one set contains 10x11,12x13,12x14,14x15,16x17,17x19,18x19,19x21,19x22,20x22,21x23,10x12,22x24,24x26,24x27,25x28,27x32,30x32 mm sizes of ring spanner (total 18 nos)make-Geodre.Indre,Taparia,Eastman,Everest only.	12	Set	OS/S/ C&W/ JBP

**Conditions:-**

1. Please send separate quotation envelop for each case & quote case No. & Due date on the top of envelop. Firm Should quote rates in words and figure both.
2. Normal payment term is 100% against receipt and acceptance of material by consignee and offer with other payment terms are likely to be passing over in general.
3. Conditional discount (for early payment, delivery at other than specified location etc.) will not be considered for determining inter-se-ranking.
4. Offer valid for less then 60 days may be ignored, Whenever no validity is quoted, 60 days will be taken.
5. Give quotation for those items only for which the firm has registered.
6. Tender should quote the exact percentage of VAT that They will charging extra.
7. While quoting the rates, tenderer should pass on(by way of reduction in prices) the set off/input tax credit that would become available to them by switching over to the system of VAT from the existing system of sales tax, duty stating the quantum of such credit per unit of them quoted for.
8. The suppliers while claiming the payment will furnish following certificate to the paying authorities: " We here by declare that additional set offs/input tax credit to the tune of Rs----- has accrued and accordingly the same is being passed on to the purchaser and to that effect the payable amount may be adjusted".
9. For the state in which the VAT has not yet been introduced, the existing system of sale tax shall continue.
10. Divisional Material Manager Has full right to accept any tender complete or partially without assigning any reasons. In this regard no correspondence shall be made.

For On behalf of the President of India  
Divl. Material Manager WCR Jabalpur