

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.10.WB-201

Date: 20.10.2011

निविदा बंद होने की तिथि.....

समय 14.30 बजे

04.11.2011

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन ६ भंडार उपलब्धता के अनुसार

Delivery Terms : 30 Days / Ex stock

1	68.11.5669	Alluminium filler wire size-3.2x1000mm long as per IS:5897 Grade S-NG-21(OLD)/S-AL-43000(New) Embossing NG-21/4043 In each respective .Make-ESAB/ARCON/ADVANI.only.	120Kg
2	68.11.5670	Sets of Lugs (a)Insulated crimp type copper terminal,size-16mm ² ,E-Dia-8-1mm type fork jainson cat No-178979.(b)Non-insulated copper ring tongue terminal end,size-35mm ² ,E-dia-12.7mm,jainsons cat No.170409.One set consists of one number of each above.Make-Jaainson/Dowells/Multi.	200Sets
3	68.11.5671	Contacto-ML2-AC,3Pole Aux contact-2No+2NC,Rating-32Amp,Cat No.SS 90701 (a) Coil Voltage-220VAC-10Nos.(b)Coil Voltage-110VAC-05 Nos.Make-L&T/Siemen/GE Manufacturer test certificate to be submitted at the time of supply.	15 Nos
4	68.11.5672	Euro connected CCT4 Adopter Assly.with nozzle extension and fitted with moulded cap-nut suitable for ESAB Make- K-400 Co2 M/C.	20 Nos.
5	68.11.5674	Four Legged Polyster sling with one end round ring & other side lifting hook with proof test certificate,Proof Load capacity 08 Ton/03Mtrs.	02 Nos
6	68.11.5676	Sets of Lugs (a) Ring type alluminium lug,size-95mm ² ,E-Dia-10.2mm Jainson cat No.-19-227.(b)Ring type copper lug-95mm ² ,E-Dia - 12.7mm jainson cat No.319-20.One set consisting of one number each of above,type..Make-Jaainson/Dowells/Multi.	500 Sets
7	68.11.5677	Alarm Pull Handle Complete for CZCoaches. AS per Drg.No.CRW/SK-725 Alt.2 Item No.1,2,3,6,9 &10 in assembled condition.	1200 Nos
8	68.11.5678	Set of spares to suit Godrej Make Forklift cap.3 Ton. One set consisting as per enclosed Annexure, Proof of purchase from OEM to be submitted along with supply.	01 set
9	68.11.5624	Hex Lock Nut M-20 (Galvanized) to IS:1364 (Pt.-4)04-85 Tab.1 as per Drg.No.T-3-2-803 Alt.5 &k item 15.	10400 Nos
10	68.11.5645	OFF Line UPS Rated KVA-1.0with 02 Nos 7AHX12 Volt SMF Batteries with Minimum 01 Year warranty.Make-TVSE/Microtech/APC/UNILINE.	05 Nos.
11	68.10.5508	Inter unit battery connectors to RDSO Drg.No.SKEL-4037 Alt'4item No.3 for AH Lead Acid Battery.	300Nos.
12	68.11.5262	Pipe Vice Hinged type self locking size 6 Inches,Make-Hira or Jhalani Or Taparia.	02 Nos
13	68.11.5588	Reusable type Ear plug, Tripple flanged design with braided cord in bright orange colour with storage care.	1200 Nos
14	68.11.5083	Open Top Rectangular Tank suitable for making electrolyte 650 Liters thickness 05mm (Minimum) Make-Polycon , Sintex, water well material – Molded polyethylene (Height Not more then 80cm	08 Nos
15	68.11.5684	Hasp & STAPPLE FOR VESTIBULE SEALING DOOR IS:1079 as per Drawing No. CRW/SK-506.	780Nos.
16	68.11.5685	Nylon Mobile case for CN Coaches. As per sample.	400Nos
17	68.11.5686	H.S.S.Parrallel shunk twist drill size-5.2mm as per IS:5101-1991.Make-Totam.IT, Addition or Minda.	500 Nos
18	68.11.5687	M.S.Chromplated Piano Hings. Size-3/4"x3/4"x6' long thickness 1.1mm ±0.2mm as per IS:3818/92.	550 No

AMM/CRWS/BPL

Cond.....2

19	68.11.5456	110 DC Bracket type carriage Fan 225mm Sweep to IS; 6680-92 with annexure 'H' Revised in Dec-2005 to RDSO/Drg. No. RDSO/PE/SK/TL/0026-2002(REV-'O') with cross worthy type guard Blade.	30 Nos
20	68.11.5688	Split Pin Size: 5x35mm Long , Bright Zink Plated to IS:549	38000Nos.
21	68.11.5289	Berth Number Indication sticker for ACCN & ACCW Coaches (50 set ACCN AND 20 Set ACCW) Total.=70 Coaches set as under:- 1. Set of berth Number indication sticker for ACCN Coaches- 50 set. 2. Set of berth Number indication sticker for ACCW Coaches-20 set Note:-One set consist of 02 itemes =70 set.	70 Set
22	68.11.5517	Heavy duty Metal plug DS-6-63 Amp, Type- DS-5 pin with integral switching device, Cat No- DS 6A 7A 1, Make- BCH/ Siemens/L&T Offer should be along with OEM authorization.	15 Nos
23	68.11.5516	Contactora -three pole power with 2No.+2Nc Aux Contact, type- ML 1.5; Rating-AC-3/25 Amp/ 415 Volt, Cat No.- SS91851, Coil voltage-220 VAC Make- L&T/ Siemens/BCH, Offer should be along with OEM authorization.	15 Nos
24	68.11.5689	Set of (a)Normal actuator with holder for contact block red colour ,type-3SB5000-OAC01 (B)Normal actuator with holder for contact block green colour type-3SB5000-OAE01,(C)Adopter plate for replacing 30mm PB by 22MM,TYPE-3SB5921-OAE. One set consists of Sr.No.-(a+b+4c). Make-siemens/Raas.	50 Sets
25	68.11.5691	Set of rotary switch (a)Rating-40Amp,ON-OFF,2POLE 250-440V AC,type-SRPM23,(B)Rating -60Amp,On-Off,2pole,250-440V AC .type SRPM625. One set consists of one number each of above type .Make-Kaycel /HPL/Siemens/Salzer.	12 Sets
26	68.11.5692	Insulator for traverser as per drawing No. CRWS/BPL/EL/SK/2006/9 enclosed Material -FRP Sheet Reinforced polyester Resin (SMC).	30 Nos.
27	68.11.5693	Digital Multi meter Model-Rish multi-14S Features-3 3/4digit,3100counts ,Auto power off (power economizing circuit), Auto/ Manual Ranging,warming for Blown fuse & over load condition ,Automatic terminal blocking system Min/Max value storage data hold,digital cum analog bar graph indication for better sampling rate (20 reading /sec.)Holster of soft rubber for shock &drop protection supplied with set of lead,user manual ,test & calibration certificate,Rubber holster,carrying belt, Basic Accuracy 0.25%,D.C.Voltage-30MV TO 1000V ,AC Voltage -3V to 1000V,DC Current-300µa to 10A,AC Current-300 Ma to 10 A,Resistance-30 Ohm to 30 Mohm,Diode continuity. Make-Rishabh/meco/Testbay.	09 Nos
28	68.11.5694	Heavy Duty switch ,on-off meter control switch in open execution 415V,50 Hz,7.5 KW,63Amp,type-3LA0601-1YB,Make-Siemens/GE.	02 Nos.
29	68.11.5695	O'Ring for nut to bearing face to suit inventum make Hydraulic bearing extractor model-MIW-02/DWT-130". Make-Inventum or Mark. Material should be high nitrile rubber with magnesium 0.2%, Silicon 0.5% self hardness of ring Is 90 shore Hardness. Ring should not break while bending and with stand pressure 1000 kg/cm sq-1200 kg/cmsq,along with OEM/Authorise dealer certificate.	1000 Nos.
30	68.11.5240	Submersible Pump Motor Set Energy Efficient Stainless steel,2HP,25Stages Head 124Mtrs Dischrge 40LPM,Phase-Single,Dia -4" Delivery size 1.5"Bone size6" with test certificate and guarantee card.Make- Laxmi/Rana Pratap/Shakti(OEM Certificate will be submitted by dear at the time of supply of material.)	02 Set
31	68.5683	Push type flushing valve copper alloy body with chromplating.as per Drg.No. CC-63805 ALT.'a'	150 Nos

AMM/CRWS/BPL

Anexure of Tender No. 68.11.5678

Sr.No.	Part No.	Description	Qty
1	38700169	Internal circlip	02 Nos
2	38700170	Ballbearing	02 Nos
3	38700173	External circlip	02 Nos
4	38700793	Nut	02 Nos
5	38700262	Clutch cover assembly	03 Nos
6	38700263	Clutch disc	03Nos
7	MH38700179	Drive plate-FC	02 Nos.

AMM/CRWS/BPL

- Note: (1) Separate quotations should be submitted for each tender enquiry separately.**
- (2) Rates should be quoted in figures as well as in words clearly.**
 - (3) Taxes, freight charges etc must be mentioned clearly terms like “taxes as applicable” and “freight charges as per actual expenditure” will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.**
 - (4) Firms should quote rates on FOR destination basis.**
 - (5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.**
 - (6) Offers submitted through FAX to be followed by original copy of offer.**
 - (7) Late tenders will be summarily ignored.**

Fax No. 0755-2743643, Time-10.00 to 17.30 hrs
2747414, Time-17.30 to 09.30 hrs

Email ID: dycmm.pps@gmail.com
(Tender available on www.wcr.indianrailways.gov.in)

AMM/CRWS/BPL