

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.10.WB-204

Date: 14.11.2011

निविदा बंद होने की तिथि.....

समय 14.30 बजे

25.11.2011

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल
Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}
सुपुर्दगी अवधि : 30 दिन ६ भंडार उपलब्धता के अनुसार
Delivery Terms : 30 Days / Ex stock

1	68.11.5724	Wire Rope Sling ½” Dia. Single Legged,with standard Loops at both ends (Mechanical Spliced) Effective length 06 Feet. Sling should be durably marked with maximum S.W.L. and Identification No. Manufacturers Test Certificate should also be provided of each wire rope sling.	10 Nos
2	68.11.5725	“Boiled Water Resistance grade Ply wood.” Size-2440x1220x18mm as per IS:303/89.	40 Nos.
3	68.11.5726	“Boiled water Resistance grade plywood.” Size-2440x1220x25mm as per IS:303/89.	34 Nos
4	68.11.5727	Fixing Arrangement for HDPE Chute. Made out of Mild steel sheet 3.15±0.5mm thick, powder coated silver colour in thickness 80-90 Micron to IS:2062. as per Drg.No.-RDSO/Drg.No.CG-K.4011 Alt-1. Consisting Item No. 1,3,4,8&9.(For Dimension Purpose only) &item No. 5,6,7,10&11. as per drawing.	500 set.
5	68.11.5729	Forged steel union heavy duty with single brass sheet (3/8”) 10mm B.S.P. Thread IS:1239 tested for 1000 Lbs., Standard item.	900 Nos.
6	68.11.5730	“Rubber Profile for window groove (Two piece glass shutter) as per RDSO Drg.No. 98151 alt.1.,item No.2. in 15Mtrs running length.	3000Mtrs.
7	68.11.5672	Euro connected CCT4 Adopter Assly .with nozzle extension and fitted with moulded cap-nut suitable for ESAB Make- K-400 Co2 M/C.	20 Nos
8	68.11.5637	Double boiled linseed oil to IS:77-1977(Type-II)in 20 litres Packing	100 litres
9	68.11.5570	Lighting Distribution transformer Rating 3 KVA input 415 VAC phase, 50 HZ output Voltage 190 V 3 phase 4 wire AC suitable for EOG AC Coaches as per RDSO specn. No. EL/EOG/4/74.	03 Nos
10	68.11.5227	Set of Rain suit rubberized water proof cloth in consisting of legging hood & jacket, mixed colour on military khaki& Dark grey ,size M/L-25 Sets,XL-15 Sets,XXL-12 Sets. Make-ACME AQUASHIED,DUCK BACK OR Equivalent.	52 set
11	68.11.5392	Spare part's of Kalsi Make Three Phase selfpriming 0.5HP/ 0.37 KW Monoblock pump as per RDSO, Spceification No. RDSO/PE/Spec/AC/0022(Rev-O) 2002 As per Annexure ,Attached 'A' (01 Set of 21 item = 436 Nos	01 set
12	68.11.5511	Annealed copper tubes seamless size outer dia. 8mm, inner dia. 5mm heavy duty suitable for pressure 224 kg/sq.cm. confirming to BS: 2871-72-for Oxygen and CO ₂ gases with test certificate.	40Kg
13	68.11.5731	HRC Fuse link Din type 315 A 500 V,AC, 80KA Confirming to IS: 13703 Part- 2 Sec -1 ICF/RDSO/Approved sources Make- Siemens, L&T,C&S, GE, Power, KEL or any other BIS Certified and Marked.	30 Nos
14	68.11.5732	Thermal Over load Relay Rang 32-48A, Make- Cropton greaves, Siemens, L&T, RCH Havells.	40 Nos
15	68.11.5733	Clip on Type fuse link with staggered tap 20 Amp 500V to IS: 13703 with ISI Mark, Make- RBCO, GE,Ishwari.	200 Nos
16	68.11.5735	Hard wood block for Shunting tractor size 5” x5”x6½’ long as per IS:- IRF-K-2-66 .	08 Nos.

17	68.11.5736	ANVIL similar to CP. Part No-KP136451 to suit CP—721 Air Impact wrench of CP Brand.	01 No.
18	68.11.5737	Brazing Rod brass size-3mm dia x750mm long.	05 kg.
19	68.11.5738	Hydraulic Hose for tractor trolley cap 5 ton .size ½” BSP both side nut x1200mm long quality-100 R2 AT WP-276 bar.Make- Radhika/ MONTEX/ Mask well.	12 Nos
20	68.11.5739	Brake Shoe and Liner Assembly similar to Jost part No. JE 030500 to suit Jost Make- Platform Truck.	24 Nos
21	68.11.5740	“G.I.Equal Tee size—40x40x40mm.” As per IS:1879/II. (ISI Marked).	600 Nos.
22	68.11.5741	Safety Spectacle / Eye Wear to provide protection against impact and flying particles as per specification of ANSI Z 87.1 OR DINEN 166 & DINEN 170 and as per annexure attached Uvex-Xact or X-one OF UVEX Make or Kleen guard V-30 of Kimberly Clark or 3MQx Black Spatulla/Clear lens soft nose of 3M India Ltd. Bangalore.	150Nos
23	68.11.5742	Set of spares for 1210 SE Dumper. One set consisting as per Enclosed Annexure.	01 Set.
24	68.11.5184	Twisted Twin unsheathed flexible PVC Insulated copper to IS:694-1990 Latest cross section area 0.5 Sqmm(16/0.20mm).Make- Skytone,NICCO,Universal,Anchor,Havells,CCI,RPG.	8000Mtrs.
25	68.11.5648	M-16X65 Hexagonal head half thread bolt galvanized having 4mm dia hole, Hole center at the distance of 08mm from threaded end with 01No. Spring washer, 01No.Nut & 01Nos Split Pin size-3.7x40.0mm Length in assembled condition. Spec. Bolt as per IS:1363 Part-I, spring washer IS:3063 & Nut as per IS:1363Part-III.	2400 nos.
26	68.11.5700	Inspection gauges for axle box guide arrangement-As a set.one set consist of three gauges-(1)Longitudial gauge size-570mm as per Drg.No. RDSO SK-68072 JIG No.1158.(2) Transverse gauge size-2159mm as per Drg.No. CRW- SK-022 Guage No.2.(3)Diagonal guage-size-3612mm as per Drg.No.CRW-SK-022 Gauge No.3. Hardened and tempered to 50/55 HRC with calibration certificate from Govt. approved test house.	07 Set
27	68.11.5701	INJECTION Moulded silent block for Anchor link .Specificatio:- RDSO Spec.No RDSO/2006/cg-15. As per Drg.No. RDSO Drg.No. –CG-K6124 Alt.3 Type-B.	80 Nos

AMM/CRWS/BPL

Annexure of Tender No.68.11.5392

One Set Consisting of following items

S.N.	Part No.	Description	Qty per set
01	KMW 2	Pump bracket	06
02	KMW 3	Gun Metal impeller (Size-big)	10
03	KMW4	NR V Set	30
04	KMW6	Suction flange	30
05	KMW 7	Dummy cap	10
06	KMW 8	Delivery flange C.I.	30
07	KMW 9	Gasket for delivery flange	40
08	KMW 10	Machanical Seal (15)mm With circlip	30
09	KMW11	Cooling fan	20
10	KMW 12	Terminal Plate (Three Terminals)	15
11	KMW 13	Handle (big size)	10
12	KMW 14	Drain plug 3/8" BSP with rubber Washer	10
13	KMW 15	Pump casing	10
14	KMW 16	Water deflector	10
15	KMW 17	Aluminum terminal box	25
16	KMW 19	Rear cover	05
17	KMW 20	Parallel Key (4*4*10mm)	30
18	KMW 21	O-Ring for shaft(16 mm)	30
19	KMW 22	O-Ring for pump cover (68mm)	60
20	KMW 23	Set of fasteners for one pump set (Bolt=12, Nuts=5, Studs=3, Screws=10, Spring washers=25)	20
21	KMW 24	Terminal plate (five terminals)	05

One Set consist of 21 items= 436 Nos.

Annexure of Tender No.68.11.5742.

One set consisting of following items.

Sr. No.	Description	Qty
1	Gear lever assembly.	01 No.
2	Second gear (32teeth) make Telco/ Delux / Gajra	01 No.
3	Twin gear (22/17 teeth). Make- Telco/ Delux/Gajra	01 No.
4	Packing kit	01 No.
5	Shaft lock patti	24 Nos
6	Center bearing rubber	03 Nos
7	Side glass	02 Nos.

AMM/CRWS/BPL

Annexure of Tender No. 68.11.5741.

Specification for safety Goggles (Spectacle type) clear type.

Detailed Description : Safety spectacle /Eye wear to provide protection against impact and flying particles (Spatters) and should meet both physical and optical requirements of ANSI Z 87.12003, or DIN EN 166+DIN EN 170, supplier should be also submit Product Data Sheet of Technical Specification mentioned in Point-1&2 below:-

(1) Frame:- Material- Polycarbonate.

(2) Lens:-

Material –Lens should be made of polycarbonate.

Thickness of Lense- should be 2.2m.m to 2.5m.

Filter-2-1,2 according to DIN ENI 70,UV-filter.

Colour:- clear,Zero power.

Optical class-1

Impact Resistance:-F,45 Meter/second according to DIN EN 166.

Protection :- 99,999 UV Protection.

Marketing-

Impact Resistance.(F) on Lens,optical class-1

UV filter (2-1,2),

Manufacture's name,C.F.

Make:-

(1) Uvex x-act or X-ONE OF Uvex make

Or

(2) Kleen Guard V-30 or of M/s Kimberly Clark

or

(3) 3M Q x Black Spatula/Clear lens soft nose of M/s 3M India Ltd.Banglore.

AMM/CRWS/BPL

