

SR NO	TENDER NO	TENDER DT	PO_DESCRIPTION	PURCHASE ORDER ABOVE 20 LAKHS OF MONTH OCTOBER '2011				PO_NO	PO_DATE	FIRM(B.APPL_SR_NO)	ORD_QTY	UNIT	LOWES T(Y/N)	PO_VALUE	DELIVERY DATE
				TEND_TYPE	PUBLISHED ONDATE	NO OF OFFER	TEND_OPEN DATE								
1	20112095	28-Jul-11	AOH SERVICE KIT FOR TRC 1000 MN ELGI MAIN COMPRESSOR, AS PER M-S ELGI CODE NO.K 0701011 CONSISTING OF 26 ITEMS.	Single-PAC	-----	1	19-Aug-11	20112095102782	17-Oct-11	TRINITY HOUSE (INDIA) Pvt	428	SET	Y	2,590,680	30-Jun-12
2	20112096	28-Jul-11	IOH SERVICE KIT FOR TRC 1000 MN ELGI COMPRESSOR. AS PER M/S ELGI'S CODE NO.072420029(ONE SET COMPRISING OF 44 ITEMS 130 NOS.).	Single-PAC	-----	1	19-Aug-11	20112096102725	11-Oct-11	TRINITY HOUSE (INDIA) Pvt	74	SET	Y	2,600,982	30-Jun-12
3	20112863	13-Jul-11	Inductive Shunt Assembly SJ-NR59 A1 CLW Drg.No.2TWD.133.021 Alt-3 or latest.	Open Advt.	20-Jul-11	3	23-Aug-11	20112863102785	17-Oct-11	DESIGN & PROTOTYPES	12	NOS.	N	2,119,560	15-Jan-12
4	20113594	29-Jun-11	IOH kit for Pantograph type AM-12 . Each kit consists of 98 items and 224 nos as per annexure attached. As per RDSO TC No. RDSO/2007/EL/TC/0094 Rev.-0Dtd.08.06.07 Firm's offer"IOH kit for Pantograph type TM-12,each kit consists of 98 Items as per Annexure-I enclosed(Firm's offer confirms to tender specification)-	Open Advt.	7-Jul-11	2	10-Aug-11	20113594102832	21-Oct-11	STONE INDIA LTD	80	SET	N	2,688,849	31-Mar-12
5	30101040	2-Jun-11	Hanger Block for Bolster suspension to Drg. no.- T-0-5-638, Alt-13 & B, RDSO STR NO.CK-202/Jan.2002.	Open Advt.	9-Jun-11	9	12-Jul-11	30101040102787	17-Oct-11	EMSON TOOLS MFG. CORP	19,980	NOS.	N	2,517,480	30-Dec-11
6	30103352	8-Jun-11	Distributor Valve for BLC Wagons-type KE2c SLA-14G or C3W2 with Pressure Transformer and Adopter with Isolating Cock, without Common Pipe Bracket and Control Reservoir. Other technical requirements confirming to STR No.02-ABR-02 read with all amendments latest amdt. No.3 of April 2010 or latest.ACCEPTED:"C3W DV WITH CSP ASSLY TO FTIL PART NO.620006000" EXACTLY CONFIRMING TO TENDERED SPECIFICATION.	Open Advt.	16-Jun-11	4	19-Jul-11	30103352102728	11-Oct-11	FAIVELEY TRANSPORT IND	108	NOS.	N	2,592,000	15-Feb-12
7	30111044	1-Jun-11	Wearing piece for Side bearer to drg. no.- T-0-5-649, Alt.-18 & 'k'.	Open Advt.	16-Jun-11	9	19-Jul-11	30111044102652	3-Oct-11	S.S.ENGINEERING CO.	600	NOS.	Y	3,430,459	30-Apr-12
8	30111044	1-Jun-11	Wearing piece for Side bearer to drg. no.- T-0-5-649, Alt.-18 & 'k'.	Open Advt.	16-Jun-11	9	19-Jul-11	30111044102652	3-Oct-11	S.S.ENGINEERING CO.	1,662	NOS.	Y	3,430,459	30-Jun-12
9	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102764	14-Oct-11	STANDARD ENGG. & PUMP	300	NOS.	N	2,870,764	15-Jan-12
10	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102764	14-Oct-11	STANDARD ENGG. & PUMP	400	NOS.	N	2,870,764	30-Apr-12
11	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102764	14-Oct-11	STANDARD ENGG. & PUMP	551	NOS.	N	2,870,764	30-Jun-12
12	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102765	14-Oct-11	KRISHNA ENGINEERING	300	NOS.	N	2,868,463	15-Jan-12
13	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102765	14-Oct-11	KRISHNA ENGINEERING	400	NOS.	N	2,868,463	30-Apr-12
14	30111378	9-Jun-11	Center Stiffener for Head Stock as per Drawing No-CRW-SK-399, Alt-6.Material should be Seamless tube to IS:1161-98 YST 210 only.	Open Advt.	16-Jun-11	9	19-Jul-11	30111378102765	14-Oct-11	KRISHNA ENGINEERING	550	NOS.	N	2,868,463	30-Jun-12
15	30111409	28-Apr-11	Block Hanger for Bogie Brake to Drg. no.-RDSO-CG-K 9117, Alt-2 with STR No. C-9808 (REV.4) and corrigendum MC-ICF-B-D on 26.10.09.	Open Advt.	4-May-11	6	7-Jun-11	30111409102827	20-Oct-11	RAMKRISHNA FORGINGS L	4,796	NOS.	N	2,238,190	28-Feb-12

16	30111772	27-May-11	Coupler Body for Non-Transition CBC to RDSO Drg. No.- SK-62724, Alt.-20, Item No.-1. confirming to STR No.- 48-BD-08 or latest.	Spl. Limited	-----	3	6-Jun-11	30111772102835	21-Oct-11	RANEKA INDUSTRIES LTD.	125	NOS.	Y	2,026,763	30-Apr-12
17	30112121	12-Jul-11	Side frame key for CTRB (for CASNUB bogies with narrow & wide jaw adapters) to RDSO Drg. No.SK- 69594 ALT. 34 or as applicable on the date of tender opening,ITEM 6.	Open Advt.	20-Jul-11	10	23-Aug-11	30112121102808	20-Oct-11	SEMCO FORGE (P) LTD.	5,000	NOS.	Y	3,514,027	30-Jan-12
18	30112121	12-Jul-11	Side frame key for CTRB (for CASNUB bogies with narrow & wide jaw adapters) to RDSO Drg. No.SK- 69594 ALT. 34 or as applicable on the date of tender opening,ITEM 6.	Open Advt.	20-Jul-11	10	23-Aug-11	30112121102808	20-Oct-11	SEMCO FORGE (P) LTD.	11,000	NOS.	Y	3,514,027	31-Mar-12
19	30112121	12-Jul-11	Side frame key for CTRB (for CASNUB bogies with narrow & wide jaw adapters) to RDSO Drg. No.SK- 69594 ALT. 34 or as applicable on the date of tender opening,ITEM 6.	Open Advt.	20-Jul-11	10	23-Aug-11	30112121102808	20-Oct-11	SEMCO FORGE (P) LTD.	18,450	NOS.	Y	3,514,027	30-May-12
20	30112122	16-Jun-11	Bolster Spring Outer for CASNUB bogies to RDSO DRG NO. WD-83069-S-1, alt-13, item-1 and confirming to RDSO Spcen. WD-01-HLS-94, (Rev -2, of FEB 2004) with latest amendments (RSK drg. no.-BOLSTER OUTER (X01) of drg. no.-WD-83069-S-1, alt-13). Alteration & specification will be applicable as on the date of tender opening.	Open Advt.	22-Jun-11	12	26-Jul-11	30112122102809	20-Oct-11	KALIMATA VYAPAAR PVT.L	5,123	NOS.	Y	4,871,973	30-Mar-12
21	30112182	21-Jun-11	Brake wear plate for CASNUB bogies to RDSO drg. no.-SK-69597, alt-41 or latest, item- 9.	Open Advt.	30-Jun-11	6	2-Aug-11	30112182102855	25-Oct-11	COMET TECHNOCOM (P) L	15,284	NOS.	N	2,305,234	30-Apr-12
22	40112613	29-Jun-11	100 VA individual static inverter for LAPTOP / MOBILE phone charging points in coaches. ICF specification no ICF/ELEC/922/REV-'0' OF	Open Advt.	7-Jul-11	5	10-Aug-11	40112613102656	5-Oct-11	IC ELECTRICALSCOMPANY	400	NOS.	Y	2,223,718	15-Feb-12
23	40112613	29-Jun-11	100 VA individual static inverter for LAPTOP / MOBILE phone charging points in coaches. ICF specification no ICF/ELEC/922/REV-'0' OF	Open Advt.	7-Jul-11	5	10-Aug-11	40112613102656	5-Oct-11	IC ELECTRICALSCOMPANY	371	NOS.	Y	2,223,718	30-Apr-12
24	50103083	1-Jul-11	Low maintenance lead acid secondary cell, 2V/200 AH to IRS:S-88/2004 or latest up to the date of tender opening.	Open Advt.	7-Jul-11	6	10-Aug-11	50103083102683	10-Oct-11	EXIDE INDUSTRIES LTD.	742	NOS.	N	2,675,205	15-Feb-12
25	50108096	30-Dec-10	Common Description as above.	Open Advt.	27-Jan-11	3	1-Mar-11	50108096141251	31-Oct-11	STATCON POWER CONTRC	70	NOS.	Y	41,051,821	7-Mar-12
26	50108096	30-Dec-10	Supply and commissioning of Integrated Power supply system (IPS) with SMPS charger as per RDSO specn.No.RDSO/SPN/165/2004 (Amend-5) or latest at the time of opening of tender and as per WCR/Drg No.WCR/N-HQ/IPS/6 Lines/P1/08/01 (Copy enclosed). Supply and commissioning of IPS should be as per RDSO Ltr. No. STS/E/IPS/Genl/ dtd. 03/04-04-2008. Supply of minimum spares as per Annexure-II of the RDSO specification. Transportation from Consignee's stores to installation site, installation and other civil works shall be arranged by railways as per RDSO Ltr.No.STS/E/IPS/Genl/dtd.03/04-04-08.	Open Advt.	27-Jan-11	3	1-Mar-11	50108096141251	31-Oct-11	STATCON POWER CONTRC	35	NOS.	Y	41,051,821	7-Mar-12
27	50108096	30-Dec-10	Common Description as above.	Open Advt.	27-Jan-11	3	1-Mar-11	50108096141251	31-Oct-11	STATCON POWER CONTRC	24	SET	Y	41,051,821	7-Mar-12

28	50108096	30-Dec-10	Supply and commissioning of Integrated Power supply system (IPS) with SMPS charger as per RDSO specn.No.RDSO/SPN/165/2004 (Amend-5) or latest at the time of opening of tender and as per WCR/Drg No.WCR/N-HQ/IPS/6 Lines/P1/08/01 (Copy enclosed). Supply and commissioning of IPS should be as per RDSO Ltr. No. STS/E/IPS/Genl/ dtd. 03/04-04-2008. Supply of minimum spares as per Annexure-II of the RDSO specification. Transportation from Consignee's stores to installation site, installation and other civil works shall be arranged by railways as per RDSO Ltr.No.STS/E/IPS/Genl/dtd.03/04-04-08.	Open Advt.	7-Jul-11	3	1-Mar-11	50108096141251	31-Oct-11	STATCON POWER CONTR	12	SET	Y	41,051,821	7-Mar-12
29	50118028	1-Jul-11	Supply and commissioning of Integrated Power Supply (IPS) with SMPS charger as per RDSO Specn. No. RDSO/SPN/165/2004/(Amend-5) or latest at the time of opening of tender and as per WCR/Drg. No. WCR/N-HQ/IPS/IBS/08/02/ALT-1. Supply and commissioning IPS should be as per RDSO letter no. STS/E/IPS/Genl dtd. 03/04.04.2008. Supply of minimum spares as per Annexure-II of the RDSO Specification . Transportation from consignee's stores to installation site, installation and other civil works shall be arranged by railways as per RDSO letter no. STS/E/IPS/Genl dtd. 03/04.04.2008.	Open Advt.	7-Jul-11	3	10-Aug-11	50118028141225	11-Oct-11	HBL POWER SYSTEM LTD.(	10	SET	Y	7,255,773	15-Jan-12
30	50118030	8-Jul-11	Electric Point Machine IRS make 110 V DC operation (AC Immunity 400 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No. RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
31	50118030	8-Jul-11	Supply of Electric Point Machine IRS Make 110 V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No. RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
32	50118030	8-Jul-11	Supply of Electric Point Machine IRS make 110 V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 With Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No. RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
33	50118030	8-Jul-11	Supply of Electric Point Machine IRS make 110 V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw Only as per RDSO Drg. No. RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12

34	50118030	8-Jul-11	Supply of Electric Point Machine IRS make 110 V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
35	50118030	8-Jul-11	Supply of Electric Point Machine IRS make 110 V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No RDSO/S-10800.	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
36	50118030	8-Jul-11	Supply of Electric Point Machine IRS make 110V DC operation (AC Immunity 160 V) NONTRAILABLE, Complete with lock, detector, cable termination box, and slides for lock and detector (Rotary locking) as per IRS: S-24/2002 with Amendment-1. Requirement of Point Machine is 143 mm throw only as per RDSO Drg. No. RDSO/S-10800	Open Advt.	13-Jul-11	4	16-Aug-11	50118030141237	18-Oct-11	SIGNAL & TELECOMMUNIC	161	NOS.	Y	7,114,590	30-Apr-12
37	61111682	8-Aug-11	COPPER COATED CO2 WELDING FILLER SOLID WIRE SIZE -1.2 MM IRS CLASS I & IA. IRSM 46.03 FOR CO2 WELDING WIRE LATEST IS : 6419/1966 GRADE S4 Special condition- Material is manufactured with 60 days of supply	Open Advt.	18-Aug-11	8	21-Sep-11	61111682102720	11-Oct-11	RAAJRATNA ELECTRODES	15,000	KGS.	N	3,013,379	30-Dec-11
38	61111682	8-Aug-11	COPPER COATED CO2 WELDING FILLER SOLID WIRE SIZE -1.2 MM IRS CLASS I & IA. IRSM 46.03 FOR CO2 WELDING WIRE LATEST IS : 6419/1966 GRADE S4 Special condition- Material is manufactured with 60 days of supply	Open Advt.	18-Aug-11	8	21-Sep-11	61111682102720	11-Oct-11	RAAJRATNA ELECTRODES	25,922	KGS.	N	3,013,379	30-Apr-12
39	80111014	30-Sep-11	MULTI GRADE OIL SERVO RR-606 MG PLUS WITH GROUP-II BASE OIL OR HP RR 813 M GROUP-II BASE OIL OR MAK RR513 M . Accepted Product- HP RR 813 M GROUP-II BASE OIL	Limited	-----	3	10-Oct-11	80111014102780	17-Oct-11	HINDUSTAN PETROLEUM C	200,000	LTR	Y	24,485,594	31-Dec-11
40	80111431	15-Jul-11	NATURAL FIBRE THERMOSTATE COMPOSITE (NFTC) SHEETS, SIZE: 3048 X 1524 X 1.5 MM TO RDSO SPEC. No. C-K511/OCT2005, COLOUR: ONE SIDE WHITE, for Roof Panelling of Railway Passenger Coaches.	Open Advt.	20-Jul-11	5	23-Aug-11	80111431102815	20-Oct-11	MICAPLY	1,729	NOS.	Y	3,777,778	30-Jan-12