

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.10.WB-209

Date: 27.12.2011

निविदा बंद होने की तिथि.....

समय 14.30 बजे

06.01.2012

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, सडिपुका, मेन स्टोर, भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन / भंडार उपलब्धता के अनुसार

Delivery Terms : 30 Days / Ex stock

1	68.11.5819	Set of POH Kit for KE Type Distributor Valve additional .22 item. as per annexure attached, Make-Escort, Knorr or any RDSO approved source.	50 Set
2	68.11.5840	Cutting Machine Heavy duty three phase induction motor with spindle lock to cut bar dia 75mm, pipe dia.-130mm. Technical specification-Blade dia.405mm power input. 2200watt.(Approx), No. Load speed. 2200 to 2300,RPM Weight not more than -86kg.Make-Hitachi or BOSCH or Wolf.	01 NO.
3	68.11.5841	Set of Lavotary door catch in assembled condition except check plate duly chromplated, chromplating thickness should be minimum 10 micron as per Drg.No.CA/DW/905,Note-(1)Length of spindle as per Drg.No.CRW/SK-474.(2)Material of catch should be class-II, steel, as per IS:2062/Latest.	240 Nos.
4	68.11.5843	Battery fully charged suitable for TOYOTA Qualis vehicle similar to SF Model JMP-700,12Volt, 65AH. Make-Exide/SF /Amron.Min.2Year warranty is required.Authorised dealer certificate is required with supply.	02 Nos.
5	68.11.5844	Nylon Handle for Lavatory Arch IS:4084/75 Drg.No. CRW/SK-707.	3200 Nos.
6	68.11.5730	"Rubber Profile for window groove (Two piece glass shutter) as per RDSO Drg.No. 98151 alt.1., item No.2. in 15Mtrs running length.	3000 Nos
7	68.11.5504	Hydraulic Nut to suit inventum make hy- bearing extractor model-" MIW- 02/DWT-130" Should have bholer special material hardness should be 40-to 45 HRC. Piston side area should be ground and lapped make inventum or similar. Along with OEM/ Authorized dealer Certificate	02 Nos
8	68.11.5502	Tie- Bar for Cranking arm to suit inventum make hy. Bearing extractor model-"MIW-02/DWT-130" Should be stand the load of 21 ton to 25 ton.threads should be rolled hardened and ground HRC-30-35.Make inventum or similar. Along with OEM/ Authorized dealer Certificate	10 Nos
9	68.11.5501	Banjo Bolt and T- Set to suit inventum make hy.bearing extractor model- "MIW-02/DWT-130" All Inner threads should be properly tapped and hardened HRC: 20-25, Make inventum or similar. . Along with OEM/ Authorized dealer Certificate	20 Nos
10	68.11.5652	Set of following coil suitable for 33 KV, SF-6 Gas circuit Breaker of Crompton Greaves Make and type 30 SFGP 25 (A) Tripple coil 24 Volt D.C.2-3 ohm, 5 Amps, (B) Closing Coil 24 Volt D.C.2-3 ohm, 5Amps.(Set Consists 01 No.of "A" + 01 No of "B" =02 Nos, in each set) Make CGL/L&T/Siemens.	04 Set
11	68.11.5753	"CSK Machine screw." Size-8x25mm for BEML Coaches.	11 kg
12	68.11.5533	Set of Pin and Key for Draw bar Testing Machine .ONE Set consisting Pin as per Drawing No.CRW/SK-717=12 Nos and Key as per Drg.No.CRW/SK-522=06 Nos.	01 Set
13	68.11.5777	Electrode drying oven for 25kg. Model MOC -HT, 5 tray with ambient temperature 400 dgree Celsius of MV International or Ador dry-II of Ador welding Ltd.Make.Specification as per annexure attached.	01 No
14	68.11.5804	Battery Capacity 12 Volt, 19 Plat Type MHD- 1300 Make- Exide or Equivalent.	01 No
15	68.11.5633	Torque Wrench 05 to 23kg.LBFT 40-160NM.50-220.Make :Tohnichi or Norbar(UK).	05 Nos
16	68.11.5724	Wire Rope Sling ½" Dia. Single Legged,with standard Loops at both ends (Mechanical Spliced) Effective length 06 Feet. Sling should be durably marked with maximum S.W.L. and Identification No. Manufacturers Test Certificate should also be provided of each wire rope sling.	10 Nos
17	68.11.5798	Cable Box to Drg.No. WI.C2-7-1-202 Col-1 ALT.'K'.	30 Nos.

AMM/CRWS/BPL

Annexure of T.NO.68.11.5819.

			ANNEXURE
SET OF POH Kit for KE type Distributor Valve Additional 22 Items			
S. NO.	DESCRIPTION	Escorts Part NO.	Qty per set
1	Valve Plate	56	1 No.
2	" K " Ring	54	1 No.
3	" O " Ring	422	1 No.
4	Seal	192	1 No.
5	Pulling Piece	110/242	1 No.
6	Filter	191	1 No.
7	Compression Spring	9	1 No.
8	Compression Spring	13	1 No.
9	Compression Spring	37	2 No.
10	Compression Spring	41	1 No.
11	Compression Spring	48	1 No.
12	Compression Spring	247	1 No.
13	Compression Spring	68	1 No.
14	Compression Spring	96	1 No.
15	Compression Spring	97	1 No.
16	Compression Spring	98	1 No.
17	Compression Spring	130	1 No.
18	Compression Spring	137	1 No.
19	Compression Spring	147	1 No.
20	Compression Spring	152	1 No.
21	Internal Circlip 26X1.2	7	1 No.
22	External Circlip E 10	416	1 No.
<p>Note for Packing - Each Set should be packed individually alongwith details of spares identification, Qty of spares , date of manufacturing etc shall be available in each polythene bag.</p>			

AMM/CRWS/BPL

Specification of Tender No.68.11.5777

Specification of Electrode drying oven-

S. No.	Model No. - MOC-HT	
1.	Input Supply	23V AC/440V AC
2.	Load (Input power)	2.5 KW
3.	Temperature	Ambient to 400 degree Celsius
4.	Storage space(HWD)	380 x 300 x 480 mm
5.	Outer size(HWD)	800 x 510 x 760 mm
6.	Electrode capacity	25 Kg
7.	No. of tray	5
8.	Air circulation	Natural convention
9.	Colour outer side	Paint
10.	Colour inner side	Aluminium paint
11.	Temperature control	Digital control
12.	Light indicator	Yes
13.	Shape	Square
14.	Max. Electrode size	480 mm

AMM/CRWS/BPL

Note: (1) Separate quotations should be submitted for each tender enquiry separately.

(2) Rates should be quoted in figures as well as in words clearly.

(3) Taxes, freight charges etc must be mentioned clearly terms like "taxes as applicable" and "freight charges as per actual expenditure" will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.

(4) Firms should quote rates on FOR destination basis.

(5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.

(6) Offers submitted through FAX to be followed by original copy of offer.

(7) Late tenders will be summarily ignored.

Fax No. 0755-2743643, 2747414,

Email ID: dycmm.pps@gmail.com

(Tender available on www.wcr.indianrailways.gov.in)