

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.12-WB- 07

Date: 21.02.2012

निविदा बंद होने की तिथि.....

समय 14.30 बजे

05.03.2012

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन / भंडार उपलब्धता के अनुसार

Delivery Terms : 30 Days / Ex stock

1	68.12.5109	Maintenance free respirators for welders ,NIOSH approved, N-95 as per Annexure attached.	480 Nos
2	68.12.5110	Long Nose plier dropped forged hardened and tempered, insulated handles, specification referred IS:13765-1993, 150MM SIZE(6 Inch). Tapariya or Ajay Industries or Ambika or BAUM make.	75 Nos
3	68.12.5111	Cylinder Key for Oxygen, DA &CO2 valve for gas cylinder use	100 Nos
4	68.12.5112	Welding /Cutting goggle,as per Annexure attached.	100 Nos
5	68.12.5115	Long Travel wheel shaft for Goliath crane as per Drawing No. CRW/SK/391.	08 Nos.
6	68.12.5116	Oil Filter assembly to suit Atlas Copco Make Air Compressor Model GA-1107 Similar to Atlas Copco Part No. 1613610500. Make-Atlas /Copco/Mahle/Flit guard.	40 Nos
7	68.12.5117	Set of spares to suit Swaraj make Forklift Model FD-20 and FD.30. One set consisting as per Enclosed Annexure.	01 Set
8	68.12.5118	HRC Fuse Din type Rating 250 Amps Size 01,Breaking capacity 80KA,415V,AC,50Hz confirm to IS:13703 (Part –I& 2)/Sec.2/1993.Make-ABB,CGL,L&T,SIEMENS,C&S,BCH,Havells,HPL,GE.	50 Nos.
9	68.12.5119	PVC Sleeve ID-15mm Thickness 0.7mm ±0.1 mm in red &blue colour equal quantity.	12000 Mtrs.
10	68.12.5120	Steel wire Reinforced flexible vinyle hose norminal Dia 50mm to RCF Drg.No.CC-71248,ID-50 mm ±1.0,OD-56MM ±1.0mm material confirming to IS:6946.	1500 Mrts
11	68.12.5121	Manifold mounted flash Back Arrester Model FR63 of Make ESAB Part No.1300100424 or ADOR or Lincoln.	02 Nos
12	68.12.5122	Pneumatic Heavy duty straight Grinder along with adopter to connect 12mm Bore hose pipe and other accessories including tools .Make- E6 SG-60 of Edicon OR CP3220-S-5800 of Chicago pneumatic,OR,NG-150AD-RG of Fuji Air tools Specification-Free speed 5800 to 6300 RPM, Wheel size= 150x25 Spindle thread-16mm,Max.Weight 7.4kg.App.length,550MM.	7 Nos
13	68.12.5123	HSS Parallel shank twist drill size 5.2mm ,Make—ADDISON, Miranda, Indian tools.	800 Nos
14	68.12.5124	Hex Head M-8X35MM Steel full thread to IS:1363,Part-II with 01 Nut M-8 to IS1363 Part –III Bright Zinc plated to be supplied in assembled condition.	30000 Nos
15	68.12.5125	Switch Socket complete (SS) Combined 5 Pin ,15Amp.Make- Anchor, SS, Leader, Legrand .(CEE/WCR Approved List)	200 Nos
16	68.12.5126	Thermal Over Load Relay Rang -32-48A.Make-Crompton Greaves, Siemens, L&T, RCH, Havells	40 Nos
17	68.12.5127	Anchor Dyna switch plate with one switch, one way (Modular type) 240V,IS:3854 with ISI Mark –Anchor ,SSK, Leader, Legrand.(CEE Approved List.).	200 Nos
18	68.12.5128	Dust Mask with Exhalation valve for Respiratory Protection as/IS:9473/2002.	150 Nos
19	68.12.5129	Form type corded Ear plug test performance As per BIS IS:1967 -1979,IS:6229-1971.	200 Nos.
20	68.12.5073	Rim assembly similar to swaraj Part No. 1327220C to suit swaraj Make-Fork Lift Model FD.30.,offer submit along with OEM authorized certificate.	06 Nos.
21	68.12.5095	Porcelain bushing size 155mm long ,as per sample for use in LT side of distribution transformer 11/.433KV (Sampel enclosed)	03Nos.
22	68.12.5130	Gauge for side bearer type-B, Hardened and tempered to 50/55 HRC with calibration certificate from Govt. Approved test House. As per Drg.No. CRWS-G-33 Alt.1 type-B.	01 No

AMM/CRWS/BPL

Annexure of Tender No. 68.12.5117.

Set fo spares for swaraj male- Forklift Model FD-20 &FD-30

Sr.No.	Part No.	Description	Qty
1	512350	Crown wheel and pinion shaft set.	01 Set.
2	471770	Seal kit	12 Nos
3	515160B	Break shoe assembly	08 Nos
4	1360550	Hydraulic pump kit	03 Nos

AMM/CRWS/BPL

Annexure of T.No. 68.12.5112

SPEC.NO. - 05

Specification of Goggles light green

Application :- To use for gas cutting activities.

1. Description :-

- 1.1 The design of the goggle shall be similar to the model UVEX 9301-245 or Jackson Mono Goggle XTR with green lenses.
- 1.2 The goggles should conform to IS 5983:1980.
- 1.3 Comfortable for long use and it should have stretchable and adjustable head band.
- 1.4 This should be ergonomically designed lenses for unrestricted all round vision ,having ophthalmic zero power lenses of optical class-1 .
- 1.5 It should be scratch /fog /static resistant.
- 1.6 The material should be impact proof (grinding) and splash proof. Dust proof and resistance against the molten metal and hot solid splash and also have 100% protection from ultraviolet rays.
- 1.7 It can be worn comfortably over spectacles .
- 1.8 It shall be free from any significant defects likely to impair vision and cause discomfort in use, such as sharp edges, bubbles , scratches, inclusions, dull spots , pitting mould marks, scaling and undulation.
- 1.9 No parts of the eye -protector which are in contact with the wearer shall be made of material which are known to cause skin irritation.
- 1.10 Bidder must submit test certificate form CLI /Mumbai for conformation IS 5983:1980 at the time of bulk supply .

Inspection :- Inspection to be done by **RITES** at the firm's premises.

AMM/CRWS/BPL

Specification for Respirator for welders

1. **Application** :- Respirator to be used by welders and shot blasting staff of paint shop.

2. **Description** :-

The product shall be N95 i.e 95% filtering efficiency for non oil application.

- i. The product must approved by NIOSH 42 CFR 84.
- ii. The respirator should able to filter welding/grinding fumes & dust up to 0.3 micron.
- iii. It should have molded cup shape design .
- iv. It should have " ripple layer non woven electro statically charged polypropylene micro fibers filtering material .
- v. It should have cool flow one way exhalation valve having valve cover.
- vi. The weight of respirator shall be approximately 15 gram.
- vii. The head band shall be made of Braided elastic.
- viii. It should have aluminum nose clip posses hypoallergenic foam, Which will provide comfort and secure facial seal without irritation to the wearer.
- ix. Bidder must submit thermo graphical image of respirator to ensure performance of exhalation valve.
- x. Bidder must submit MSDS or any other data sheet to indicate material construction from it's parent company.
- xi. Headband shall be twin welded/stitched/stapled (cadmium free) and shall not cause irritation to the wearer.
- xii. Any puncture/leakage in the breathing zone of respirator shall not be accepted.
- xiii. The firm shall be submitted either OEM or latest authorization certificate of original manufacturer.

3. **Sample** :-

- i. Firm shall submit non returnable sample(s) with each of his offer.
- ii. In absence of sample offer (s) are liable to be ignored.

4. **Inspection** :-

- i. Visual Inspection shall be carried out by Dy.CME R or his authorized representative.
- ii. Firm must submit all test certificates of quoted product from CLI/Mumbai in absence of these certificates the offer may be ignored.

AMM/CRWS/BPL

(1) Separate quotations should be submitted for each tender enquiry separately.

(2) Rates should be quoted in figures as well as in words clearly.

(3) Taxes, freight charges etc must be mentioned clearly terms like "taxes as applicable" and "freight charges as per actual expenditure" will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.

(4) Firms should quote rates on FOR destination basis.

(5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.

(6) Offers submitted through FAX to be followed by original copy of offer.

(7) Late tenders will be summarily ignored.

Fax No. 0755-2743643, 2747414,

Email ID: dycmm.pps@gmail.com

(Tender available on www.wcr.indianrailways.gov.in)

AMM/CRWS/BPL