

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.12-WB- 08

Date: 06.03.2012

निविदा बंद होने की तिथि.....

समय 14.30 बजे

16.03.2012

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन / भंडार उपलब्धता के अनुसार

Delivery Terms : 30 Days / Ex stock

1	68.12.5135	Twisted twin unsheathed flexible PVC Insulated copper to IS:694-1990 Latest cross section area 0.5 sqmm (16/0.20mm) Make-Skytone,NICCO,Universal,Anchor,Havells,CCI,RPG.	8000 Mtrs.
2	68.12.5136	Master Nickel on steel code No.82-339-0084 for Galvano test 2000.	01 No.
3	68.12.5137	Chemical (Acid Alkali) Resistant Hand Gloves Made out of Beetadiene Achryenitrile Rubber with Fine Gripping size-Large (No.10 Green colour).	400 Pair
4	68.12.5138	Set of Chemicals as per list enclosed .AR Quanlity Rankem/CDH/E,Merck.	01 Set
5	68.12.5139	Master copper on steel code No.82-339-0081 for Galvano test 2000.	01 No.
6	68.12.5140	Master Chromium on steel code No.82-339-0035 for Galvano test 2000	01 No
7	68.12.5141	Alluminium stool type folding ladder of Alluminium 'C' Section of size 66mm x31mmx3mm with flad ,steps 2½"wide.AL Section should confirm to relevant IS: & of 'HE'grade material of size 18feet long complete with all accessories andTest certificate & Guarantee cards .Make-RELADS/MARSHAL/SUMER.	01 No.
8	68.12.5142	Submersible pump for Desert cooler head 5 feet operation on single phase 230 volt,50 Hz .Make-Crompton / Kaitan / Usha.	15 Nos.
9	68.12.5143	A.C.Electrical capacitor start & Run Motor 3 speed for Desert Cooler Single phase 230 Volt,50Hz,AC, 150Watt ,RPM 1400 Complete with capacitor 4MFD Blade of size 500mm.Bracket clamp,Nut Bolt rubber pad make- Crompton/ Khaitan / Usha.along with test certificate and authorized Dealer certificate.	05 Nos.
10	68.12.5144	High efficient FRP Fan blade dia-60" complete with FRP Hub CI Bush and SS Hardware, Suitable for cooling tower of Atlas Copco make air compressor model NoGA110,,Guarantee should be 24 month of fan FRP fan assembly from date of commissioning.	01 Set
11	68.12.5145	Industrial safety face shield with colorless transparent plastic tilting visor and chin protectors. They should provide protection to the face (i.e.Forehead,eyes,cheeks,nose mouth and chin) and neck ,when required from flying partices and sparys or splashes of hazardous liquids. As Per Annexure Attached,'A'.	150 Nos.
12	68.12.5146	Pull Handle as per Drg.No.CRW/SK-604.Alt.I	3000 nos
13	68.12.5147	Special Screw (Air vent Screw) as per Drg.No. T-0-1-616 alt.1.&15 item 2.	6200 Nos.
14	68.12.5148	Special Bolt for Anchoring Silent Block as per Drg.No.CC04118.	400 Nos.
15	68.12.5149	Galvanized Hex Nipple both side tapered thread size-15 mm.As per IS:1239/II/82 table-28.	2400 Nos
16	68.12.5150	"H.S.S.Thread tap-set." Size-M-8X1.25MM Right hand.Make-Totem,IT or Addition.	20 Sets.
17	68.12.5151	M-Seal Industrial grade product code FEL 803-4001 of Pidilite Indus Ltd or Equivalent Products Make-ITW or Hankar.	50KG
18	68.12.5152	Set of Central Transformer's (a) Control transformer-230 volt code No. ZATC-012,Suitable for L&T Make CO2 welding MIC Model-Zuper Arc-400T.Make-L&T /ESAB/ Techpro.One set Consist of one number each. Offer should be alongwith OEM Authorization certificate.	04 Sets.
19	68.12.5153	Hand tools for Air Brake shop as per Annexure Attached . Material should be supplied along with original equipment manufacturer (OEM) Certificate.Make-Taparia or Stanley or Gadore.	01 Set.
20	68.12.5154	"Bottom Rail for vestibule sliding door of all SCN Coaches to IS:226."as per Drg.No.CRW/SK-212 alt.1.	492 Nos.
21	68.12.5155	Galvanized Hex Nipple both side thread size-25 mm.As per IS:1239/II/82 table-28. ,Para-9-1-&13-1.As per Drg.No..GS2-6-3-203 Item No.10.	2400 Nos.
22	68.12.5104	Epoxy Compound Consisting two compound (Resinbase and Hardner)in stick from individually wrapped and sealed contain 4x125 gram of Resin & 4x125gram hardner ,M-Seal or similar.(Make-Pedilite/ITW or HANKAL)	100Kg.
23	68.12.5024	Nozzle Cleaner for Oxy-acetylene gas cutting nozzle consisting of stainless steel pins tempered qty.10Nos. size from 0.5mm dia.to 1.5mm dia And length 90mm each in mild steel box.	100 Nos.

24	65.12.5025	Spark lighter stone for spark lighter,size-length 20mm,dia.2mm.	2000 Nos
25	68.12.5042	Guard Emergency Brake Valve. As per Drg. No. RDSO Drg.No. SK-73549 Alt-5	100 Nos
26	68.12.5082	Pneumatic Tapping Machine, Portable type Pistol Grip Handle Forward speed=320-475RPM Reverse speed=580RPM($\pm 10\%$) wt.=1.5-2.9kg overall length=300-300mm, Capacity =03mm-13mm,Air consumption=0.60 M ³ /Min. Air Intel=RC $\frac{1}{4}$ Inch. working pressure=70-90PSI,Fitted with drill chuck ,Make=PTM or IR or C.P.N/S or IEC ,only. OEM authorization certificate should be submitted alongwith supply.	04 Nos
27	68.12.5084	Assembly Drive wheel for pug M/C,Code No. 1341155205 Make –Esab / Techpro /L&T/KONARK.Compable to above Code No of Esab Make.	04 Nos
28	68.11.5327	Porcelain wash basin colour Egg white containing waist COUPLING Along With complete M.S.Bracket suit in fitting of above send wash basin in the coaches size-1 8"x12" make-Hindustan,SOLO,ANUJ	50 Nos.
29	68.12.5090	Set of FRP Letter box & walkey Talkey box as per Drg.No.CRW/SK-819.	80 Set.
30	68.11.5866	Set of Spares of suitable for Eastman make heat gun model-EHG-8610,2000Watt/240Vlot (a)PCB,(b) Motor,(c),Fan (d)Heating Element. One set consist of above Sr.No. (1xa +1xb+1xc+2xd).	03Set.
31	68.12.5006	Air blow gun similar to CP Mdoel RC 8120 Suitable for working pressure 10kg/an ² Air connection size $\frac{1}{4}$ " Male BSPT.	12 Nos.
32	68.12.5035	Set of Spares suitable for Swaraj make Forklift Model FD-20,One set consisting as per enclosed Annexure.	01 Set
33	68.12.5105	Split Pin 4x36 mm.(Bright zinc plated) as per IS:549/1974.	150 Unit.
34	68.12.5049	Tripping/Closing Coil Assembly complete with coil,24V,DC for operation of 33KV,SF-6,Trippl pole circuit breaker type 30 SF GP25 Suitable for Crompton Greaves make-SF 6 CIRCUIT BREAKER (As per sample attached.).	04 Nos
35	68.12.5107	Set of Non insulated copper lugs fork type of sizes, 6,10& 16SQMM Make-JAINSON/DOWELLS/MULTI/LOTUS.(Set consist 01 No. of each size 6+10+16sqmm=03 Nos.in each set.).	100 Set.
36	68.12.5005	Set of wench for 3" size plug volve one set consisting wrench similar to L&T-ANDCO Size 7H=01No and Similar to L&T-Andco size-10H=01No.Make-L&T-Andco/ CP/Taparia.	06 Set

AMM/CRWS/BPL

Specification of Tender No.68.12.5145

Item :- Industrial safety face shield with chin protector and plastic visor generally conforming to IS:8521 (Part-I) –type 3.

Description :- Industrial safety face shield with colorless, transparent plastic tilting visor and chin protectors. They should provide protection to the face (i.e. Forehead, eyes cheeks, nose ,mouth and chin) and neck ,when required from flying particles and sprays or splashes of hazardous liquids.

Design :- Should be designed to fit the safety Helmets used in our workshops. The face shield should of the tilting type designed for quick and easy attachment to and removal from safety helmets. The face shield will consist basically of an attachment mechanism ,and adjustable visor support,a colorless transparent plastic visor and an acetate butyrate or equivalent material chin protector.

Construction and Material :- Material used in construction of face shield should combine mechanical Strength and lightness of weight and no irritating to skin preferably without metallic parts. Plastic parts used should be of slow burring type.

Attachment Mechanism :- It shall provide a firm sure fit with the safety helmet to ensure protection and permit easy replacement . The face shield should not become accidentally detached in use.

Visor & Chin protector dimensions:-

	Width (CM)	Length (CM)	Min.Thickness
Visor	36.5^{-7.0} x	16.5^{-3.5}	1.0mm
Chin guard-at least 11CM wide at center			1.4mm

Interchangeability and Marking :- Shall be as per IS Specification.

AMM/CRWS/BPL

- Note: (1) Separate quotations should be submitted for each tender enquiry separately.**
- (2) Rates should be quoted in figures as well as in words clearly.**
- (3) Taxes, freight charges etc must be mentioned clearly terms like “taxes as applicable” and “freight charges as per actual expenditure” will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.**
- (4) Firms should quote rates on FOR destination basis.**
- (5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.**
- (6) Offers submitted through FAX to be followed by original copy of offer.**
- (7) Late tenders will be summarily ignored.**

Fax No. 0755-2743643, 2747414

AMM/CRWS/BPL

Email ID: dycmm.pps@gmail.com
(Tender available on www.wcr.indianrailways.gov.in)