



West Central Railway

Office of the
Divisional Railway Manager
(Stores Branch)
Jabalpur-482001

Phone & Fax – 0761-2623491

Date 20/04/2012

Bulletin No:-DMM.JBP.BT-01 due on 30.05.2012

To

M/S,

The Tender Opening Date 30-05-2012, closing time 11.30 Hrs Opening Time 11.45 Hrs. Please submit your quotation to the office of the Divl. Material Manager DRM's Office before closing time and dates stipulated. This bulletin tender is also available at web site www.wcr.indianrailways.gov.in.

Sr No	Case No	Description of Material	Qty	Unit	Consignee
1	94/10/2011/5979/1	VRLA Battery set nominal voltage of 48 volt/200AH at 10 Hrs. rate fully charge. The battery bank shall be supplied with stackable single cell of 2volt/200 AH and shall be housed in metal trays to facilitate the required battery bank of 48 volt i.e. each cell shall consists of 24 Nos.of stackable single cell of 2 volt/200AH along with all necessary, i.e. inter cell connecting links. Nut bolts, & Insulators & 02 Nos of manual etc Confirming to IRS Specification No. S-93/96(A) with latest amendment.Make HBL/ Amar Raja or any RDSO approved make only.	01	Set	SSE/TELE/M/KATNI
2	94/05/2011/5028/1	Maintenance kit for common pipe Bracket for Distributor valve consisting of 06 items Sr.No.1)filter 01 no.similar to part No.191 of Escorts make. 2)seal 01 no.similar to part no. 192 of standard list of Escort make 3)seal- 01 No.similar to part no.196 of Escort make.4) "O" Ring - 02 Nos similar to part No.186 of Escort Make.5) "O" ring 01 no. similar to part no.182 of standard list of Escorts make 6) Sealing Ring-01 No.Similar to Part No.255 of standard list of Escorts Make.	85	Nos	OS/S/C&W/JBP
3	94/06/2011/5369/1	Dastoor malingering test appartus.	01	Set	SrDMO/JBP
4	94/15/2011/5645/1	Set of V Groove ring similar to ABB Part no. 92124 & 92125 for drive unit of 220 Kv circuit breaker ABB make.set consist of 02 items-02 Nos.	50	Sets	SSE/TRD/SGO
5	94/06/2011/5664/1	C-arm cover std white for use in OT Central Hospital WCR. JBP.	10	Nos	DMO/JBP
6	94/10/2011/5672/1	Installation of projector lamp assembly complete,5500 ANSI Lumens,suitable for multimedia projector SANYO PLC XP 57L Make & model SANYO-POA-LMP 101.or similar	02	Nos	SSE/T/M/JBP
7	94/10/2011/5681/1	Installation of GSM modem suitable for easy integration with RS 232 and audio interface with feature of circuit switched Data,SMS and GPRS as per feture given below (1)Quad*/tri band*/850/1800/1900 Mhz GS (2)Data (SMS text & PDU),Fax,Voice and GPRS(class-10)DC I/P voltage with AC external Adaptor (3)fully compliant with STSI,GSM Phase2 (4)Low power consumption (5)AT commands (6)1.8 V and 3V SIM interface (7)RS 232 interface (9pin D type female) (8) USB connectivity make & model VISIONTEK 81 GC or similar.	01	Nos	SSE/T/M/JBP
8	94/05/2011/5715/1	Gas cutting Equipment Technical specification as per Annexer- 1.Esab cutogen- 5/90/45mm or similar.2.Esab IDA 4 B regular with 2 Gauge or similar.3.Esab IOX 63B oxygen regulator or similar.4.Esab Dura hose 8mm Red & Blue or similar	01	Nos	CCCOR/JBP
9	94/10/2010/5863	Supply of VRLA Battery set nominal voltage of 48 volt/200 AH at 10 Hrs. rate fully charge.The battery bank shall be supplied with stackable single cell of 2 volt/200 AH and shall be housed in metal trays to facilitate the required battery bank of 48 volt i.e. each cell shall consists of 24 nos. of stackable single cell of 2 volt/200 AH along with all necessary, i.e. Inter cell connecting links. Nut bolts & insiators & 02 nos of manual etc.confiming to IRS specification no. S 93/96(A) with latest amendment. Make HBL or Amar Raja or RDSO approved make only.	01	No	SSE/T/STA
10	94/10/2012/5760/1	Rechargeable sealed maintenance free lead acid battery capacity 6 V/ 4 AH size 100mm x 65 mm x 47mm weight of battery approx 800-900 gms.make EXIDE/AMCO/ SUNKA/COLORIDE/PANASONIC.	350	Nos	SSE/T/M/JBP
11	94/10/2012/5771/1	Jumper wire twin twisted 1/0.5 mm dia tinned annealed copper conductor IRS-694-1990 PVC insulated color in Red and white and each bundle of 500 mtrs. Make-Network cables or similar.	10000	Mtrs	SSE/T/M/JBP
12	94/10/2012/5840/1	PVC Insulated flexible 3 core power cable shall confirm to spec.no.IS-694-1990 reaffirmed or latest and shall have sufficient cross section area of 4 sq.mm (min.) confirmed with installation thickness 0.7 mm seathing thickness 1.0mm and cross section area should be 4 sq.mm with stand power load 1100 volt Make-Finolex/Havels/RR cables/HPL	600	Mtrs	SSE/Tele/M/JBP
13	94/10/2012/5841/1	Data cable 4 pair (8core)14x38 SWG strand PVC insulated aluminium screened overall PVC jacket each conductor should have 14 wire of 38 SWG strand./Each conductor should be pre insulated all the pair should be screened over all. Make- Network or similar	600	Mtrs.	SSE/Tele/M/JBP
14	94/03/2012/5881/1	Lawn mover with double ball bearing HONDA ENGINE or similar 20 inch G.K.100 Side wheel type powermover having ball bearing in wheel lay shaft pully five blades cutting cylinder fitted with HONDA,or similar petrol/kerosine engine complete grass box shandle etc.	01	Nos	SSE/W/JBP
15	94/15/2012/5021/1	20 kg counter weight with one coat of red oxide paint.	20	Nos	SSE/TRD/SGO
16	94/15/2012/5022/1	L.V. box assembly with 63 Amp MCB(D/POLE)and 63 Amp porcelain cut out as per drag.no.ETI/PSI/0310 as per RDSO/CORE approved only.	08	Nos	SSE/TRD/SGO


[Handwritten Signature]
20/04/12

2/2

17	94/10/2012/5030/1	Electronic push button CLIP telephone confirming to TEC spec.GR TEL 07/02 with amendment no. 1 or latest.features having DTMF/FSK compatible,80 incoming call memory,24 outgoing call memory, phone book facility ,caller ID,digital volume control hand free speaker phone.make BEETAL,BPL,PANASONIC or equivalent model shall be TEC approved.	35	Nos	SSE/Tele /M/JBP
18	94/10/2012/5031/1	Peripheral power supply card(PPS)card suitable to work on flexicom 6000 exchange jabalpur make-Tadiran ECI Telecom.	01	Nos	SSE/Tele /M/JBP
19	94/10/2012/5032/1	Ringer power supply card(RPS card)suitable to work on flexicom 6000 exchange Jabalpur make Tadiran ECI Telecom.	01	Nos	SSE/Tele /M/JBP
20	94/10/2012/5033/1	Two line cordless telephone complete with AC adaptor associated cords and connector and rosette,battery as per specification 1)2.4 Ghz. 2 line caller ID cordless 2)50 caller ID memory 3)50 phonebook and dialer 4)3 way conference 5)hand set (locator on base 6)3 line back light LCD on hand set 7)hand set speaker phone 8)redial/hold/flash/pause 9)mute soft key 10)line 1 and 2 in use indicator in base unit 11)11 hrs.battery back up talk time 12)selectable ring tone-4 tones 13)handset jack 14)reversible hand set charging LCD facing up or down. make- similar to panasonic model 2480/sony/BPL/Sanyo.	12	Nos	SSE/Tele /M/JBP
21	94/10/2012/5034/1	UTP CAT-6 cable (4pair)as per TIA/EIA 568 B.2-1 cat-6 specification length of box not less than 300 mtr. make SYSTIMAX/D-LINK/TYCO.	600	Mtrs	SSE/Tele /M/JBP
22	94/10/2012/5035/1	UTP CAT-6 cable (4pair)as per TIA/EIA 568 B.2-1 cat-6 specification length of box not less than 1000 feet(305 mtrs.) make SYSTIMAX/D-LINK/TYCO.	20	Box	SSE/Tele /M/JBP
23	94/10/2012/5037/1	PVC Conduit pipe 1 inch dia 2 mm thick wall with cou;ler in lenght of 3 mtra in grey colour make- Anchor/crown/shrinath/or similar.	600	Mtrs	SSE/Tele /M/JBP
24	94/10/2012/5038/1	Drill twist 7.14 mm parallal shank make J.K., TAPARIA Or similar.	500	Nos	SSE/Sig /M/JBP
25	94/10/2012/5040/1	Power cable insulated flexible 3 core 1.5 squire MM dia, conductor size 48/0.2mm (48 strand of 0.2 mm dia)in length of 100 meters. confirming IS specification -IS 694 PART I OF 1977 Make Finolex/Havells/RR cables/HPL or equivalent.	1000	Mtrs	SSE/Tele /M/JBP
26	94/05/2009/5309	Water Wand(20 Gauges steel floor squeegee) Size 45 cm with Aluminium handle size 140 cm long,21mm dia .Model MW 450 or similar make Urger/Surie Polix/Gala for water wand,Model - MWST or similar for Aluminium handle	75	Nos	OS/C&W /JBP
27	94/05/2011/5925	Steel Almira as per specification- Multi bend construction and inter locking design and full length over lapping doors and side. Three way bolting mechanism.Spot welding & Co2 welding.Anti corrosion treated components and oven backed powder coating process. 1.Dimension outer- 1980x915x485mm (Approx)2.Top bottom,LH & RH main door with stiffeners material thickness=0.9mm 3.Back material thickness=0.8mm. 4.Removable RH & LH main door with stiffeners material thickness= 0.9mm. 5. Storewel plain comes with 4 plain adjustable shelves of thickness=0.9 Make- Designo,Deco Style, Godrej or Delite Com.	01	Nos	OS/C&W /JBP
28	94/05/2011/5395	Set of Bihexagonal ring spanner drop forged chrome plated. One set contains 10x11, 12x13, 14x15, 16x17,17x19,18x19,19x21,19x22,20x22,21x23,10x12,22x24,24x26,24x27,25x28,27x32,30x32mm sizes of ring spanner(Total 18 Nos.) Make- Geodre,Indre,Taparia,Eastman,Everest only.	12	Set	OS/C&W /JBP
29	94/05/2011/5392	Set of double openend spannerdrop forged chrome plated. One set contains 10x11, 12x13, 14x15, 16x17,18x19,20x22,21x23,22x24,24x26,24x27,25x28,27x32,30x32mm sizes of double end open spanner (Total 13 Nos) Make- Geodre,Indre,Taparia,Eastman,Everest only.	20	Set	OS/C&W /JBP
30	94/05/2010/5312	Glass laminated safety smoke colour with duly smooth all sharp edges 910x550(5mm to 5.5mm)	75	Nos	OS/C&W /JBP

Conditions:-

1. Please send separate quotation envelop for each case & quote case No. & Due date on the top of envelop. Firm Should quote rates in words and figure both.
2. Normal payment term is 100% against receipt and acceptance of material by consignee and offer with other payment terms are likely to be passing over in general.
3. Conditional discount (for early payment, delivery at other than specified location etc.) will not be considered for determining inter-se-ranking.
4. Offer valid for less then 60 days may be ignored. Whenever no validity is quoted, 60 days will be taken.
5. Give quotation for those items only for which the firm has registered.
6. Tender should quote the exact percentage of VAT that They will charging extra.
7. While quoting the rates, tenderer should pass on(by way of reduction in prices) the set off/input tax credit that would become available to them by switching over to the system of VAT from the existing system of sales tax, duty stating the quantum of such credit per unit of them quoted for.
8. The suppliers while claiming the payment will furnish following certificate to the paying authorities: " We here by declare that additional set offs/input tax credit to the tune of Rs----- has accrued and accordingly the same is being passed on to the purchaser and to that effect the payable amount may be adjusted".
9. For the state in which the VAT has not yet been introduced, the existing system of sale tax shall continue.
10. Divisional Material Manager Has full right to accept any tender complete or partially without assigning any reasons. In this regard no correspondence shall be made.


 For On behalf of the President of India
 Divl. Material Manager WCR Jabalpur