

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 01/12-13/NS

Date: 20/04/2012 11:4

Opening Date: 03/05/2012 11

Sr.	Tender no	Description	Unit	Quantity	Item Required
1.	53.12.5038	A set of Tee, Elbow & Adopter as per annexure attached. Material: Steel as per IS: 2062/2006 Grade 'A' galvanised.	Sets	1	Within 30 days
2.	53.12.5039	Wire Rope Steel, Round Strand for general Engg purpose, Fibre core. Right hand ordinary lay 6 x 37 ( 18/12/6-1) const., Tensile Strength designation of wire 1770 N/Sq.mm. Performed, Galvanised 'B' Type to IS : 1835 of 1976. Minimum breaking load of wire rope 52 KN Confirming to IS 2266 of 2002 Dia-10 mm	Metres	500	Within 30 days
3.	53.12.5040	Wire Rope Steel, Round Strand for general Engg. purpose, Fibre core. Right hand ordinary lay 6 x 37 ( 18/12/6-1) const., Tensile Strength designation of wire 1770 N/Sq.mm. Performed, Galvanised 'B' Type to IS : 1835 of 1976. Minimum breaking load of wire rope 101.90 KN Confirming to IS:2266 of 2002 Dia-14 mm	Metres	500	Within 30 days
4.	53.12.5041	A set of Aluminium lugs of eight sizes: (1) 150 Sq.mm - 100 nos. (2) 120 Sq. mm - 100 nos. (3) 95 Sq. mm - 100 nos. (4) 70 Sq. mm - 100 mm (5) 50 Sq. mm - 100 nos. (6) 35 Sq.mm - 100 nos. (7) 25 Sq. mm -100 nos.	Sets	1	Within 30 days
5.	53.12.5042	Gear Box Oil Servomesh - SP-68, make; IOC/BP/HP Note:- To be procured from authorised dealers of IOC/BP/HP only.	Litres	210	Within 30 days
6.	53.12.5043	Lubricating Oil Servoway -68, Male; IOC / HP / BP Note:- To be procured from authorised dealers of IOC/BP/HP only	Litres	210	Within 30 days
7.	53.12.5044	Heavy duty Analog millivoltmeter, Range- 1000 - 0 -1000 mV. Model no. Agronic PMDC or similar.	Number	10	Within 30 days
8.	53.12.5045	Hand lamp without lead with screw cap holder, suitable for 50W/75V DC, as per DLW specification no. DEL/SPN/131 Alt. 3.	Number	100	Within 30 days
9.	53.12.5046	Viton oil seal size - CR 25 x 45 x 7 mm HMS 5V, suitable for M/s Signotron make AC Crank Case motors.	Number	100	Within 30 days
10.	53.12.5047	Bow Shackles as per Sketch, Jaw in side width -80 mm, Jaw in side length -200 mm, Bow dia- 135 mm, Body material dia-50 mm, Pin dia-55 mm, Eye out side dia - 110 mm, Safe working load tones Grade 80 - 35 Ton.	Number	6	Within 30 days
11.	53.12.5048	Bow Shackles as per Sketch, Jaw in side width -100 mm, Jaw in side length -250 mm, Bow dia- 170 mm, Body material dia-63 mm, Pin dia-69 mm, Eye out side dia - 138 mm, Safe working load tones Grade 80 - 50 Ton.	Number	4	Within 30 days
12.	53.12.5049	Dee Shackles as per Sketch, Jaw in side width -70 mm, Jaw in side length -154 mm, Body material dia-43 mm, Pin dia-50 mm, Eye out side dia - 100 mm, Safe working load tones Grade 80 - 25 Ton.	Number	8	Within 30 days
13.	53.12.5050	Dee Shackles as per Sketch, Jaw in side width -80 mm, Jaw in side length -176 mm, Body material dia-48 mm, Pin dia-55 mm, Eye out side dia - 110 mm, Safe working load tones Grade 80 - 35 Ton.	Number	6	Within 30 days
14.	53.12.5051	Dummy for Fuel Booster Pump as per NKJ/SK/1488	Number	300	Within 30 days
15.	53.12.5052	Washer for centrifugal lube oil cleaner as per P. P. part no. 0204 W or equivalent in dimension, material and fitment.	Number	50	Within 30 days
16.	53.12.5053	Spring for centrifugal lube oil cleaner as per P.P. part no. 0204 - SP or equivalent in dimension, weight, and material.	Number	50	Within 30 days
17.	53.12.5054	Circlip for centrifugal lube oil cleaner as per P. P. part no. 0306 - C or similar in demension, material & fitment.	Number	25	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

**Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction**

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 01/12-13/NS

Date: 20/04/2012 11:4

Opening Date: 03/05/2012 11

Sr.	Tender no	Description	Unit	Quantity	Item Required
18.	53.11.5165	Gasket coupling flexible 3" as per EMD part No. 8479602	Number	150	Within 30 days
19.	53.11.5185	1/2" fuel oil Regulating valve (Fuel - Flo- valve ) as per CR Drg No. CI/ENA - 21 Alt `Nil` or latest.	Number	70	Within 30 days
20.	53.11.5277	Clutch plate assembly Part No. 9002 - 0 -AF, Dia - 14". Suitable for Tata, Leyland Truck.	Number	2	Within 30 days
21.	53.12.5002	A set of spare contact for Coon contactor 40A, Supply voltage 415 Volts. Set consisting of two items (1) 08 Fixed main contacts Qty. = 20 Nos. (2) 04 Moving main contacts, Qty. = 20 Nos. Make : BCH/ Havells/Sciemens. Sample must be approved before bulk supply	Sets	1	Within 30 days
22.	53.12.5003	A set of suitable spare parts for maintenance of ACB CS 800C 4 pole Sr. No. Ex. 234500of L&T make, set consist of 05 items (1) Fix Arc Contact, Qty. = 04 Nos. (2) Moving Arc contact, Qty.= 12 Nos. (3) Spring kit, Qty. = 01 No. (4) Hard Ware kit,qty-01 no (5) charging motor qty-01 no	Sets	1	Within 30 days
23.	53.12.5006	"Over hauling kit for R6 Relay valve as per FTIL, part no. - 790534203 . One set consist(12 items 12 Nos.) Note:- To be procured from RDSO/DLW approved sources for air brake valve."	Number	100	Within 30 days
24.	53.12.5007	Locking plates for ABB VTC - 304 TSC ABB P. No. 21005 DLW P. No. 10247002.	Number	450	Within 30 days
25.	53.12.5009	High Tensile Hex Head Bolt full threaded M-12 x 40 mm, class - 8.8, IS -1364. Make- LPS/TVS/Unbreko	Number	2000	Within 30 days
26.	53.12.5010	A set of spare part of 03 items for MPI equipment Model OCW/EMCD - 05 of M/s Oriental Chemical Works (P) Ltd Kolkata. (1) 415V, 10AMP, Cam switch, 3 Pole 4 way make- Hikson or similar. Qty.= 02 Nos.(2) 415V, 10AMP, Cam switch, make- Hikson or similar qty-10 nos (3) 24 AC 110 Ohm relay make PIA or similar qty-02 nos	Sets	1	Within 30 days
27.	53.12.5011	Bolt insulated for contactor mounting to C.Rly Drg No.CI/EL-492 Alt-2.	Number	270	Within 30 days
28.	53.12.5012	Push button switch STOP (Actuator red) , Oil tight push button, Type T,30.5 mm. Flush Type ,confirming to EN/IEC -60947-5/IS 13947,Protection Degree IP 65. Button 5A.250V.BCH Electric Cat no.TSFB-R with 2N/O & 2N/C contacts.Cat no.050N2 and 050N3, similar in L&T and siemens make	Number	60	Within 30 days
29.	53.12.5013	Switch engine push button (actuator Black) DRP ref. Index Alco Cat no.Cr 2940UA203B 6A415VAC.Oil tight push button ,Type T,30.5 mm Flush Type, confirming to EN/IEC-60947-5/IS 13947-5,Protection Degree -IP 65. As per BCH Electric Cat.No.TSFB-B with 1 NO & 1 NC contact cat no 050 N1 and legend plate with fixing screws"START" CAT NO 5011 OR similar in L&T and siemens make	Number	60	Within 30 days
30.	53.12.5014	A set of 20 items in original sealed pack for chemical analysis as per attached annexure.	Sets	1	Within 30 days
31.	53.12.5015	"Micro Switch 2A 250 V AC, 0.25A 250 V DC for Power- diode rectifier panel. Make:- Bushman, Denmark, 170 H 0069. MSW 710 - IS or equivalent."	Number	60	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

**Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction**

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 01/12-13/NS

Date: 20/04/2012 11:4

Opening Date: 03/05/2012 11

Sr.	Tender no	Description	Unit	Quantity	Item Required
32.	53.12.5016	`O` Ring for rotor assly of centrifugal lube oil cleaning machine as per RDSO Drg. No. SKDP- 3832.	Number	50	Within 30 days
33.	53.12.5017	`O` Ring for cover nut of centrifugal lube oil cleaning machine as per RDSO Drg. No. SKDP-3832	Number	50	Within 30 days
34.	53.12.5018	Bottom bush for centrifugal lube oil cleaner as per RDSO Part No. 10.15 0 985	Number	20	Within 30 days
35.	53.12.5019	Plug for centrifugal lube oil cleaner as per P. P. part no. 0204P or equivalent in dimension, weight and material.	Number	40	Within 30 days
36.	53.12.5020	Band clamp assembly of centrifugal lube oil cleaner suitable for Model No. FM-600 or similar in dimension, material, weight and fitment.	Number	20	Within 30 days
37.	53.12.5021	"A set of items for water cooling system consisting of following items. (1) Modified water filling cap as per Drg. No. NKJ/SK - 1593. Qty = 01 No. (2) Socket as per Drg. No. NKJ/SK - 1610, Qty = 01 No."	Sets	150	Within 30 days
38.	53.12.5022	Blocking rectifier with 4 diodes CPR Panel (Type of Diode- Silicon IN 1200A ,2592 )	Number	80	Within 30 days
39.	53.12.5023	Bar type LED panel -8 indication Panel	Number	20	Within 30 days
40.	53.12.5024	Epoxy fire retardent liminated sheet Insulator (SSG-15) of PDR panel as per Skech.	Number	100	Within 30 days
41.	53.12.5025	Copper pipe seemless 10 MM x 1. 6 MM thick to IS 2501, Material to IS 191 Grade DPA fully annealed. PL No. 91101372	Kilograms	75	Within 30 days
42.	53.12.5026	Copper pipe seemless 6 MM x 1. 6 MM thick to IS 2501, Material to IS 191 Grade DPA fully annealed. PL No. 91101244	Kilograms	72	Within 30 days
43.	53.12.5027	Resistor Tube 15 Ohm (v) 140 Watts for Generator Field Risistor Panel	Number	50	Within 30 days
44.	53.12.5028	Resistor Tube 15 Ohm (F) 140 Watts for Generator Field Risistor Panel	Number	30	Within 30 days
45.	53.12.5029	Nose Mask as per Escorts model no. 2008 or similar. Make:- Escorts/Globus/Jainson/ 3M	Number	100	Within 30 days
46.	53.12.5030	Pipe cutter as per Dewalt Model No. D28871. Make & Model No. Dewalt D28871/ Hitachi CC 145 F / Bosch GCO - 2000	Number	1	Within 30 days
47.	53.12.5031	"Ratcheting type Heavy duty Snap Ring Plier as per Kennedy make model No. KEN - 568 - 6700, Type = Internal, Jaw = Straight 90 degree angled, Capacity = 165 to 300 mm., Overall length = 510 mm.  Make:- Kennedy/ Blue Point/ Snap - On.	Number	2	Within 30 days
48.	53.12.5032	Double head 10 degree offset Box end wrench with chrome satin finish, 12 point. Size = 3/4" x 7/8" as per snap on (milliams) make part no. 7731A.Make:- Snap on (milliams) / Blue Point / Bahco.	Number	30	Within 30 days
49.	53.12.5033	Heavy duty grease gun piston dia = 5/8" . Grease holding capacity of barrel = 500 gms. Make:- Prima/Nagpal/YAMOTO	Number	10	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

**Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction**

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 01/12-13/NS

Date: 20/04/2012 11:4

Opening Date: 03/05/2012 11

Sr.	Tender no	Description	Unit	Quantity	Item Required
50.	53.12.5034	Snap ring for cam gear nut. Part no. 15345130. Drg. No. 15077073 Alt `C`	Number	100	Within 30 days
51.	53.12.5035	Cylinder liner Low pressure standard size to C.Rly. Drg. No. CI/EN - 883 Alt. 4.	Number	20	Within 30 days
52.	53.12.5036	8 LED INDICATION PANEL, SCS Type: SAP- 52 B1 M or equivalent.	Number	20	Within 30 days
53.	53.12.5037	"A set of brass test sieves 8"" dia with lid and receiver of following sizes. (1) ASTM test sieve No. 10. Qty. = 01 No. (2) ASTM test sieve No. 30. Qty. = 01 No. (3) ASTM test sieve No. 50. Qty. = 01 No. (4) ASTM test sieve No. 80. Qty. = 01 No. (5) Lid and reciever for 8" dia sicvcr qty 01 no"	Sets	1	Within 30 days

**Closing Time : 13.00 Hrs.**

**Opening Time : 13.15 Hrs.**

**SMM (D)/D/NKJ**

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

**Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction**