

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 05/12-13/NS

Date: 25/05/2012 11:3

Opening Date: 14/06/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
1.	53.11.5239	"Wire Rope Sling of 12mm dia, as per Drg. No.CR/NKJ/SK/459R1 Item No.7 Note-Material to be purchased from OEM or Authorised dealer"	Number	50	Within 30 days
2.	53.11.5329	Injector (Nozzel) sleeve expander big end to DLW part no. 15510323	Number	1	Within 30 days
3.	53.11.5300	SDW - 1 relay valve with bracket for panel mount SIL part no. - 2929105010 or equivalent to SD Technical - No. - SD - 9005/OOD	Number	3	Within 30 days
4.	53.11.5312	Air flow measuring valve panel mounted version for condition base spare FTIL part no. - 714006500 & SIL part no. - 29193401	Number	5	Within 30 days
5.	53.11.5321	Repair kit without coil for ML-2 contactor Cat. No. SS 90544/ SS 95307, 6 fixed and 3 moving contacts. Make:- L&T, Sciemens, Havells.	Number	20	Within 30 days
6.	53.12.5073	PERMACEL Self Adhesive Foam Tape P708 (Size 32 mm Width x 10 Mtr. Length Roll x 10 mm +/- 1 mm Thickness) having tensile strength 10 Kg/2. 5 CM min.; elongation 30% min.; Density 67 +/- 5 Kg/cubic meter & adhesive properties (1) Thickness 0. 11 mm.0.11 mm (02) Adhesion to steel 3000 GMS/2.5 CM or Equivalent Along with test certificate from Government approved lan/national lab.	Number	60	Within 30 days
7.	53.12.5074	A set of flexible PVC & Iron condute pipes, set consist of (1) Flexible PVC pipe ID 1/2" wall thickness 3/32" Qty. - 100 mts. (2) Flexible PVC pipe ID 1" wall thickness 3/32" Qty,- 200 mts. (3) Flexible Iron condute pipe ID 1" Qty. - 200 mts.	Sets	1	Within 30 days
8.	53.12.5075	'O' Ring for cover of centrifugal lube oil cleaner machine as per RDSO Drg. No. SKDP 3832.	Number	50	Within 30 days
9.	53.12.5076	4" LED ring for LED gauges as per RDSO Drg. No. SKDP - 3533, Alt - 1 note to be arocured from RDSO/DLW Approved sources	Number	150	Within 30 days
10.	53.12.5077	6" LED ring for LED gauges as per RDSO Drg. No. SKDP - 3533, ALT - 1.note to be procured from RDSO/DLW Approved sources	Number	150	Within 30 days
11.	53.12.5078	A set of item for Installation of Vigilance Control Device for MEP system, consisting of 07 items, "as per attached annexure." Material steel as per IS: 2062/2006 Grade 'A' Galvanised.(note-for retrofitment of M&P system)	Sets	1	Within 30 days
12.	53.12.5079	Element Retaining pin DLW Pt. No. - 11369802 as per drg. No. TPL 0360 Alt. N., sheet no. 3/5 Item no. 9. Material steel class IS: 1875 class IV with (one no. MS castle nut)	Number	100	Within 30 days
13.	53.12.5080	Plunger spring for valve regulating as per C.Rly. Drg no.CI/MISC - 620 Alt. Nil.	Number	50	Within 30 days
14.	53.12.5081	Copper washer for Elgi Compr. Dipistic plug as per drg. No. NKJ/SK - 1891 Alt. - nil.	Number	200	Within 30 days
15.	53.12.5082	Bush for gear drive L/Oil pump body of compressor as per RDSO Drg. No. SK-DP- 3113 Alt. - 3	Number	16	Within 30 days
16.	53.12.5083	"A set of thermometer having liquid in glass thermometer with test certificate of following specification and range. (1) IP - 15 C (-5 to 110 degree C x 0. 5 degree C) Qty. = 03 Nos. (2) IP - 28 C (- 6 to 400 degree C x 2 degree C) Qty. = 03 Nos. (3) IP -41C (100 TO 230 DEGREE C X 1 DEGREE C) QTY=03 NOS (4) IP-5C(-2 TO 300 DEGREECX1 DEGREE C) QTY=02 NOS (5) IP-6C (-2 TO 400 DEGREE CX1 DEGREE C) QTY 02 NOS"	Sets	1	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 05/12-13/NS

Date: 25/05/2012 11:3

Opening Date: 14/06/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
17.	53.12.5084	Water still (Antomatic) Manesty type Water still should be condenser opening type, wall mounting, constant level arrangement for water inlet, fitted with automatic safety ejection type immersion heaters water cock cord pin, M.S. bracket for wall mounting and made of stainless steel for pyrogen free distilled water with test certificate suitable for operation on 220/230 volts AC mains capacity-21 liter per hour.	Number	1	Within 30 days
18.	53.12.5085	Specific Gravity Hydrometer plain glass calibrated at 15 degree C with test certificate for petroleum products. Range - 0. 800 - 0. 900/ 0. 001.	Number	5	Within 30 days
19.	53.12.5086	Digital temperature controller PT - 100, 0 - 150 degree C, size 72 x 72 mm for SSR operated & RTD suitable for kinematic viscometer bath. Make :- PPI Unix - 72 or similar.	Number	2	Within 30 days
20.	53.12.5087	Connector for cyclonic filter as per the drg. No. NKJ/SK - 1895	Number	15	Within 30 days
21.	53.12.5088	90 degree heavy duty elbow - 1/4" x FPT x 3/8" suitable for hose no. 8. Material :- Steel FC - 4105, Spec. no. I.S. 226	Number	150	Within 30 days
22.	53.12.5089	Gasket for turbo super charger to pipe elbow as per the Drg. No. NKJ/SK -1819 item no. 4. OD = 218. 0 mm., ID = 205. 0 mm., thickness = 6. 5 mm.	Number	120	Within 30 days
23.	53.12.5090	Hex headed cap screw, Size - 1/2" - 13 TPI - 2 1/2" length to DLW Pt. No. 15032190. Drg. No. TPE - 130044 Alt. - 9.	Number	2000	Within 30 days
24.	53.12.5091	"Socket Accessories (Adaptor) Size = 3/4" F x 1" male as per Taparia make model No. AF 1M 34. Make:- Taparia/Everest/Griphold."	Number	10	Within 30 days
25.	53.12.5092	Toggel switch 10 Amps 250 V, double pole single throw ON- OFF with fiber knob Make : Suraj or equivalent	Number	200	Within 30 days
26.	53.12.5093	Adopter for magnet valve air pipe as per NKJ SK-1276	Number	1200	Within 30 days
27.	53.12.5094	A set of spares of Twin Beam head light, set consist of 1). Allen Screw/bolt (6 x 35) socket head, part no. 000237, Qty.- 200 Nos. 2). Spring loaded lamp holder, part No. 004004, Qty. - 200 Nos. 3). Strip type sponge gasket, part no. 00013, Qty. -200 NOS 4).FRONT COVER TOUGHENED GLASS 6 MM THIIICK PART NO 001589 QTY-50 NOS MAKE M/S SIGNOTRON OR SIMILAR	Sets	1	Within 30 days
28.	53.12.5095	'U' Type Neoprene gasket for 6 mm glass, Part no. 000130. Make; M/s signotron or similar.	Number	200	Within 30 days
29.	53.12.5096	20 Amps HRC Fues (TSA20), Part No. 001565, Make: M/s Signotron or similar.	Number	20	Within 30 days
30.	53.12.5097	Bar LED KLLB- 7205 or equivalent	Number	100	Within 30 days
31.	53.12.5098	Hydraulic Rod Cutter with hydraulic high pressure two stage hand pump mounting on 'U' frame with high pressure 10 mts long hose for cutting of 12 mm rods, Model Chakra - 12 or similar as per specification attached.	Sets	1	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 05/12-13/NS

Date: 25/05/2012 11:3

Opening Date: 14/06/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
32.	53.12.5099	Cloud and Pour point apparatus for Single test with insulated body as per IP.15: IS 1448 (P:10). The apparatus consists of a main cooling bath made of stainless steel sheet and stand unit with drain plug and cover with provision for fitting thermometer and a filling aperture for adding freezing mixture. A glass jar for containing oil, jacket disc and gasket as specified are also provided with work test certificate. Accessories-Thermometer IP IC (-38 TO 50 DEGREE C X 1 DEGREE C), thermometer IP 2C (-80 TO 20 degree C X 1 DEGREE C)	Number	1	Within 30 days
33.	53.12.5100	BIS Specifications as per the list containing 27 specification (Latest edition)	Sets	1	Within 30 days
34.	53.12.5101	90 degree elbow (forged) as per DLW Pt. no. 13329970 size 7/8" - 14 UNF & 1/2" - 14 NPTF & DLW Drg. No. CR/CI/PC - 217 Alt. - 1.	Number	150	Within 30 days
35.	53.12.5102	General purpose PVC pipe 1.25 inch, in side thickness - 3mm.	Metres	600	Within 30 days
36.	53.12.5103	Hose Flexible Metal Rein Forced Aeroquip N. 1503 - 24 specification. SAE - 100 R5. Inner dia 1.3/8", Outer dia 1.1/8" Hose N. 24.	Metres	140	Within 30 days
37.	53.12.5104	Gasket coupling Flexible 3". As per EMD, Part No. 8479602	Number	350	Within 30 days
38.	53.12.5105	Alluminium Oxide Grinding Wheel, Outside diameter = 350 mm., thickness = 50 mm, Bore size = 38.10 mm. Make:-Carborendum/Universal/ Norton Grindwell.	Number	4	Within 30 days
39.	53.12.5106	A set of HSS Ground thread Hand tap set, Size = 9/16" UNC, consist of 03 piece i.e., Taper, Second & bottoming confirm to BS 949 (Part 2) 1979 class 2 Tol. Make:- Addition/Totem/Sherwood.	Sets	4	Within 30 days
40.	53.12.5107	PTFE Teflon wire silver plated copper wire type EE/1000 volt, No. of strand and dia of strand 19/02 mm, Dia over Insulation 1.62 mm Min. & 1.82 mm Max., Current rating 11 Amps.	Metres	1500	Within 30 days
41.	53.12.5108	Dial Indicator Gauge, Range = 0.001" to 0.500", Least count = 0.001", as per Baker Model Type J 52. Make:- Mitutoyo/Tesa/Baker.	Number	6	Within 30 days
42.	53.12.5109	High tensile Hex head Bolt, Size - 5/16" x 1 1/2" with Nylock Nut, As per IS - 1367. Make:- LPS/Unbrako/TVS	Number	2000	Within 30 days
43.	53.12.5110	Dendrete PC- 65 or Fevicol 998 FW or Master bond 101 T or equivalent rubber adhesive for pasting leather or resin on metal surface in containers of capacity 05 liters. (Note:- Date of mfg. & supply date to be of the same month.)	Litres	150	Within 30 days
44.	53.12.5111	High tensile dowel pin - straight I. D. 5.4 mm, wall thickness 1.1 mm to 1.2 mm. Slat - 1.6 mm, dowel length - 45 mm.	Number	2000	Within 30 days
45.	53.12.5112	A set of HSS Ground thread Hand tap set consisting of 02 items. (1) Size = M10 x 1.5 pitch consist of 03 pieces i.e. Taper, Second & Bottoming confirm to IS: 6175 part 2 & 3, 1992 (6H Tol) Type B. Qty. = 04 sets. Make :- Addition /Sherwood / Totem. (02) Size=5/8" x 11 TPI UNC CONSIST OF 03 PIECES i.e.Taper second & bottoming confirm to BS 949 (Part-2)1979 class-2 tol make-addition/sherwood/totem qty=04 sets	Sets	1	Within 30 days
46.	53.12.5113	"Engine Oil - ServoPrimium CF4 15W40 or its equivalent. Make:IOC/HP/BP Noe: To be procured through authorised dealers of IOC/HP/BP only."	Litres	210	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D), DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 05/12-13/NS

Date: 25/05/2012 11:3

Opening Date: 14/06/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
47.	53.12.5114	Slit pin 3/16" x 2" IS: 549/61	Number	5000	Within 30 days
48.	53.12.5115	"Dial Indicator Gauge Range =0. 001"" to 1"" least count = 0. 001"". Make:- Mitutoyo/Tesa/Baker"	Number	6	Within 30 days
49.	53.12.5116	Nomex insulating Paper 10 Mill thickness, Weight 249 grm/sq. meter (approx).	Kilograms	20	Within 30 days
50.	53.12.5117	High tensile hex head bolt M-16, Size- 16 x 85 mm, pitch 2 mm, Thread portion -40 mm, As per IS 1364, material IS 1367, Class 10.9. Make - LPS/TVS/Unbrako.	Number	600	Within 30 days
51.	53.12.5118	High tensile hex head bolt M-24, Size- 24 x 55 full thread, pitch 3 mm, Class 8.8, IS 1364, material IS 1367. Make - LPS/TVS/Unbrako.	Number	500	Within 30 days
52.	53.12.5119	High tensile hex head bolt M-10, Size- 10 x 25 mm, Class 8. 8, full thread IS 1364. Make - LPS/TVS/Unbrako.	Number	1000	Within 30 days
53.	53.12.5120	PID Temperature contorller Model VGL of M/S Vigital or Similar for Hot air oven . Specification :- (1) Single set point Programmable Temperature Controller. (2) Size - 96 x 96 mm. (3) Supply - 85 - 275 VAC (SMPS Based) 220 VAC +/- 10% (Transfome based)(4) sensor input-Fe/ K-J Type cr/A1-K TYPE PT 100-RED AS REQUIRED(5) OUT PUT- SSR O/P&1-C/NO(3 AMP 220 VAC)OUT PUT	Number	2	Within 30 days
54.	53.12.5121	Suction blader double action (Anema bulb) Made of rubber.	Number	24	Within 30 days

Closing Time : 13.00 Hrs.

Opening Time : 13.15 Hrs.

SMM (D)/D/NKJ

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction