

उप मुख्य सामग्री प्रबंधक कार्यालय
Dy. CMM/CRWS/BHOPAL

No. 68.12-WB- 22

Date: 11.06.2012

निविदा बंद होने की तिथि.....

समय 14.30 बजे

26.06.2012

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन / भंडार उपलब्धता के अनुसार

Delivery Terms : **30 Days / Ex stock**

1	68.12.5301	M.S. Washer ID-14mm,OD-45MM thickness 8mm with three counter shunk hole at equal distance dia 5mm.	500 Nos
2	68.12.5263	Set of 'U' Clamp with-G.I. Hex M-6=02 Nos, .I. Spring washer=02 Nos, G.I. Plain washer=02 Nos=01 Set. As per Drg. No. T-6-3-767 ITEM Nos.15 (Galvanized).	2600 Sets
3	68.12.5304	Eye for catch for B.S. door (with slot) of BEML Coaches, Item No.2.As per Drg.No. CRW/SK-415,Item No.2	150 Nos
4	68.12.5017	"Alluminium Tig Rod size-3.2x1000mm."Make- ESAB brand Name Auto Rod 4043 or equilant of Advani Orikon or L&T.	120 KG
5	68.12.5262	"Drainage tray for porcelene wash basin." For AC Coaches. As per Drg.No.-571 alt.1 item No.1,2,&3 assembly.	240 Nos
6	68.12.5256	Single seat partition frame with bracket complete for ICF/GS Coach (LH) item No. 1 to 10 to IS:226,1732,1079,4923/95 as per Drg.No.CRW/SK-530	35 Nos
7	68.12.5257	Single seat partition frame with bracket complete for ICF/GS Coach (RH) item No. 1 to 10 to IS:226,1732,1079,4923/95 as per Drg.No.CRW/SK-530	35 Nos
8	68.12.5349	Toggle Switch SPST Rating 6Amp Terminal brass with chrome plating screw and solder type IR 100 Mega Ohm's at 500V,DC,Contact resistance 20MΩ(Max)Make Elmeco, Gillard, Kaycee.	500 Nos
9	68.12.5350	M.S. Locking Plate for battery box to Drg.No.,ETL/337.	5000 Nos
10	68.12.5351	P.K.Srew Pan Head size6x19mm to IS:5957/74 (Self Tapping) (01unit=100 Nos)	100unit.
11	68.12.5352	FRP Housing for single toggle switch to RCF Drg.No.RCF/SK/7-4-003 Without Hinges..	1000 Nos
12	68.12.5353	Metal Arc Welding Electrode .AWS 6013,SIZE3.15X450MM RDSO Class A2.	1000 Nos
13	68.12.5354	Welding /heating blow pope along with set swaged copper nozzle containing 06 tip size2,3,6,13,20 and 30 having gas connection 3/8" RH and LH,gas valve stainless steel spindle for oxygen and DA as per IS:7653-1995 of make ESAB,ADOR or KOIKE,ISI Mark embossed on the body of blow pipe.	02 Nos
14	68.12.5355	Recoil spring washer Drg.No.W/BD-350.	500 Nos.
15	68.12.5356	Housing for side bearer as per Drg.No. T-0-4-622 Alt.'q'	30 Nos
16	68.12.5357	End Fitting Assembly for flexible conduit of Nominal size 40mm to RCF Drg.No. CC-71247 Alt'b'.with PVC Check nut in place of Aluminum check nut.	1000 Nos
17	68.12.5358	Rotary switch 3pole 2wa with 10Amp 4 position 90 Degree 440 Voltage,AC,.Make-Kaycee,L&T with Manufacture Authorization & test certificate.	40 Nos.
18	68.12.5359	Ring Tangué type copper terminal end's 16Sqmm Asper Dowells Cat.No. 7128E-Dia 10.2mm (ICF/RCF Approved make.).	8000Nos
19	68.12.5360	Heavy duty Rigid PVC Long Bend suitable for 50mm OD-Rigid PVC Conduit to IS:9537 Part'3'with fire Retardant Properties (ICF Approved)make-Essorke Indus,PNA Indus,Sanco Plastic,P.Ltd., Precision Plastic.+Hirawat Indus,Banco Plastic.	2000 Nos
20	68.12.5361	Slotted Round Head screw M-6X20MM to IS:1366-1982 Bright zinc plated (01unit=100 Nos).	500 unit.
21	68.12.5362	Backtol Red Varnish required in 01 kg packing expiry date should be less than 11 month from the dat of supply ,Make-Elanlas Beck India Ltd or equivalent.	50 kg
22	68.12.5363	Complete Die Head Assembly to suit inder power Make- Pipe THREAMDING Machine Model 140A.	04 Nos.
23	68.12.5364	Set of Lavatory door arrangement (for AC Coaches) to Drg. No. ICF/STD-5-6-011 alt'u'. One set consist of Col No. -I,V Qty-01 No,&II,VI Qty-01 No. Note: Item No.2&21 are to be soured from the RDSO approved source only and the colour ,shade and pattern of panies shall be as per LP, Sheet Sample code No. AC-SPO 2 or as agreed to between' the purchaser and supplier .Frame should be hot galvanized. As per Drg.No. ICF/STD-5-6-011 alt'u'	24 Set
24	68.12.5365	Leather washer for fitting connection & Equalizing connecting size-ID-47mm,OD-80mm thickness 5mm.as per Drg.no. CRW/SK-465 ,Item No.4 to IS:3020-76.	1500 Nos.
25	68.12.5368	Miniral Turpentine Oil to IS:1745/78 Grde.145/205.	400 LTRS

