

उप मुख्य सामग्री प्रबंधक कार्यालय

Dy. CMM/CRWS/BHOPAL

No. 68.12-WB- 31

Date: 22.08.2012

निविदा बंद होने की तिथि.....

समय 14.30 बजे

31.08.2012

Tender to be closed on..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी अवधि : 30 दिन ६ भंडार उपलब्धता के अनुसार

Delivery Terms : **30 Days / Ex stock**

1	68.12.5544	Epoxy zinc phosphate primer (Two Pack) as per RDSO Specimen .No. M&C/PCN/123-06 Packing in 20ltrs New Non-returnable M.S.Drum.	440 Ltrs
2	68.12.5545	Black Japan Paint Type "B" As per IS: Specification No.341/1973 Packing in 20 Ltrs New Non –returnable M.S.Drum.Make-Capri,colourplus or Similar.	1200 Ltrs
3	68.12.5546	Paint spray Gun with 750ml top feed stainless-steel cup including hose coupling working pressure 2.5 to 5 kg/sqcm end connection Nipple O/D 8.0MM & Weight of Gun with cup 0.870 kgs approx. Make- Pilot, Bullows or Anestiwala.	20 Nos
4	68.12.5547	Brass bull nose for CO2 Cylinder pigtel.	100 Nos
5	68.12.5548	Brass bull nose for oxygen Cylinder pigtel.	100 Nos
6	68.12.5550	Bottle Holder Woven bag type.as per drg.No. CRW/SK-706 Alt-01.	150 Nos
7	68.12.5551	Set of Al. Self Supporting stand ladder made out of Al. 'C' Section of size 75x35x3.5mm and steps are squire/Round of size26mmplatform at top and rubber shoes at bottom Al. Section will confirm to IS:773/1983 of Sizes 4',8'&12' Make- Relods /SUMER/Marshal (Set Consist .one No. of above each size).	03 Sets
8	68.12.5552	Set of Miniature circuit breaker's (DC) Spec/E-12/1/04 of March 92 with Amndt 1 of June 93 & RDSO Drg. No. SKEL-3700Alt.1 dated 05.09.94.Make-LEGRAND,Indo Asian ,Havells's (ICF/RCF Approved) as per Annexure 'A' enclosed.	20 Sets
9	68.12.5553	HRC Holder accommodate NS Type fuse. HRC Fuse link to (IS: 13703) 10 Amp ISI Make. Similar to RBCO,GB.C&S or any other BIS Certificate.	300 Nos
10	68.12.5554	On Load change over switch encloser steel metal protection against in gress of water and dust as per ID-54 Classification Remark top & Bottom cover current 63 Amp 4pole rated voltage415V,AC,230V,50Sq insulation voltage 750V,Conf to IEC-947-3EN-60947,3AC-23A.	15 Nos
11	68.12.5555	Padding cotton (wadding) Length minimum-9000mm to 11000mm ,Maximum ,width minimum-725mm to 860mm-Maximum,thickness 1mm minimum (On oressed) weight per bundle minimum-450gms to 500gms and cotton padding should be packed suitably in bundle.	1500 Nos
12	68.12.5556	Chromplated Barrel bolt with eye 4" As per IS;204 (Part-I) 1991 table-1.	1200 Nos
13	68.12.5557	Pully Pullor for 4.5KW & 25KW Alternator to Drg.No.CRWS/BPL/EL/SK/2012/07.	02 Nos
14	68.12.5558	MCB (Three pole) 80Amps.'C' Cutive suitable for inductive load item code-TTPC-80 of HPL Make-240/415,AC,50HZ Breaking capacity 10KA Make-GE/Havells/L&T/MDS/Siemens/IndoAsian/CGL/Legrand/Standard/Scheider (Price list-attached.)	15Nos
14	68.12.5558	MCB (Three pole) 80Amps.'C' Cutive suitable for inductive load item code-TTPC-80 of HPL Make-240/415,AC,50HZ Breaking capacity 10KA Make-GE/Havells/L&T/MDS/Siemens/IndoAsian/CGL/Legrand/Standard/Scheider (Price list-attached.)	15Nos

15	68.12.5559	Set of Electronic Motor protection relay (A)Negative sequence current sensing phase failure relay with electronic overload &Dry run protection (Din Rail & Base Mounting)Model No. SPGD2=02 Nos .+(B)Current Sensor(to be used with SPGD2 Relay.)suitable up to 20Amps.Model No. CTS20=01No.(C) Current Sensor (To be used with SPGD2 Relay) suitable up to 40 Amps.Model No. CTS40 =01 No. Make-MINILEC/C&S.	10Set
16	68.12.5560	Analog time switch programmable for every 15 miini with a battery back up 200hrs.current capacity for 16Amps. Suitable for street light and pump operation. Make=THFRAN/INDO ASIAN/L&T.	15 Nos
17	68.12.5561	Set of clip ON Type standard terminal blocks (Melamine Hosing) of following sizes with khaki colour and partition plate- 1. Wire size 6mm ² ,Cat No. JCST 6,Rating-47 Amps,Size-H49.0XW10XT8.0mm.(Khaki). 2. Wire size 16mm ² ,Cat No. JCST16,Rating-87 Amps,Size-H55.0XW50XT12.0mm.(Khaki). Make- JAINSON/ELMAX. (Set consist 1No.of each size.)	100Sets.
18	68.12.5562	2x1.5sqmm colour black(white cover numbered black)electron beam irradiated 750V/1KV to Specification No. EDTS-132,REV-C,AM-3,Date sheet-4. OEM Certificate should be suitable.	300Mtrs
19	68.12.5563	4sqmm black thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	300Mtrs
20	68.12.5564	4sqmm yellow thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	300Mtrs
21	68.12.5565	4sqmm blue thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	500Mtrs
22	68.12.5566	4sqmm red thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	500Mtrs
23	68.12.5567	6sqmm blue thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	200Mtrs
24	68.12.5568	6sqmm red thin walled flexible clastomeric cable with copper conductor up to 750 V to Specification No.ELRS/SPEC/ELC/0019,Rev-2. OEM Certificate should be suitable.	200Mtrs
25	68.12.5569	Tube clamp to PG-16 with dimensions as per EDTS-291, Cor-1&2,Table-10,item No. 4 to RDSO Specification No.RDSO/PE/SPEC/AC/0138-2009 (Rev-0). OEM Certificate should be submitted RDSO Approved make.	2000Nos
26	68.12.5431	Bearing Grease for automobile vehicle.Make-Castrol/IOC/BP/PENSOL.Authorized dealer certificate to be submitted with supply.	60 Kgs

AMM/CRWS/BPL

Annexure 'A' OF tender No. 68.12.5552 due on 31.08.2012.

Set of Miniature circuit breaker (DC) One set is consisting of Following items.

Sr. No.	Description	unit	Qty per Set
1	MCB 4Amp	each	03 Nos
2	MCB 10Amp	each	02 Nos
3	MCB 16 Amp	each	03 Nos
4	MCB 40Amp	each	01 No.
Total			09 Nos

One set consist of 04 item;s =09 Nos.

AMM/CRWS/BPL

- (1) Separate quotations should be submitted for each tender enquiry separately.**
- (2) Rates should be quoted in figures as well as in words clearly.**
- (3) Taxes, freight charges etc must be mentioned clearly terms like "taxes as applicable" and "freight charges as per actual expenditure" will not be considered. Offers giving incomplete and ambiguous details about taxes & freight charges will not be considered and summarily ignored.**
- (4) Firms should quote rates on FOR destination basis.**
- (5) Unsigned quotation/offers sent through e-mail or otherwise will not Be entertained, and no communication will be made to that effect such offers are to be summarily ignored.**
- (6) Offers submitted through FAX to be followed by original copy of offer.**
- (7) Late tenders will be summarily ignored.**

Fax No. 0755-2743643, 2747414,

Email ID: dycmm.pps@gmail.com

(Tender available on www.wcr.indianrailways.gov.in)

AMM/CRWS/BPL