

01	98.12.5267	Transreceiver VHF hand held 5 W : synthesized battery 2200 Ni – mAh model Motorola GP -328 with spare battery pack Ni Mh, voltage 7.2, capacity 2200 MAH for Motorola GP 328 and rapid battery charger (As per item no. 113 of RC no. Transreceiver /it/1/RC 050100040410/81/02724/3084 dt 23.12.01 {Retender}	08 Nos.	Sr. DSO/BPL
02.	98.12.5229	CRCA sheet power coating body box type T-5 luminaire with commercial electronic ballast 1 x 28 watt as per detail technical specification as Annexure 'A' : - (1) Watts – 28 watts, (2) Nominal Voltage (V) – 240 volts, (3) Lamp type & wattage – 1xT 5 28W, (4) Mains current in amps. – 0.14 max. (5) Power factor - > 0.97, (6) Electronic ballast - < 10% THDHF, (7) Housing – Epoxy white powder coated CRCA sheet, (8) Choke – High frequency commercial electronic ballast, (9) Frequency – 50 Hz, (10) Suitable for – Direct mounting/ pendant mountings, (11) Make – Bajaj, CGL, GE, Osram, Philips, Surya, Sylvania, Havells, Anchor, Wipro, HPL or Equal {Retender}	25 Nos.	SSE/CSR/D/HBJ
03.	98.12.5014	Silent block for anchor link (injection moulded) type B as in attached drg. mentioned supplier firm should be RDSO approved vendor as per drg. no. CG – K 6124 type B {Retender}	32 Nos.	SSE/C&W/HBJ
04	98.12.5156	Four legged chain slings as per specification (specification can be seen in this office) Make – Supreme, E.E. Karachiwala {Retender}	02 Nos.	SSE/C&W/BPL
05	98.12.5251	Submersible pump suitable for air cooler with lifting head of 12 feet Make Tesla or equal	40 Nos.	SSEE/M/HBJ
06	98.12.5253	ISI mark, 125mm wafer type cast iron non return valve suitable for use in water pipeline {Retender}	05 Nos.	SSEE/M/HBJ
07	98.12.5254	ISI mark 100mm wafer type cast iron return valve suitable for use in water pipeline {Retender}	01 No.	SSEE/M/HBJ
08	98.12.5252	ISI mark, 150mm wafer type cast iron non return valve suitable for use in water pipeline {Retender}	05 Nos.	SSEE/M/HBJ
09	98.12.5300	Hermetically sealed compressor suitable for 15 ltrs. Capacity water cooler refrigerant used R-22, similar to Kirloskar Make Model no. KCJ 513, Make – Kirloskar, Voltas, Bluestar, LG, Hitachi, Sidwal or equal	05 Nos.	SSEE/M/BPL
10	98.12.5301	PVC insulation steel grip tape, ISI mark 1.90 cm width , 0.125mm thickness and 9 meters long Make Anchor, Steelgrip, Havells only	250 Nos.	SSE/T/M/BPL
11	98.12.5302	Retro reflective sheet 3mm “Golden Yellow Colour ultralight high intensity grade with seven year warranty certificate along with supply Make 3M Nikklite Scotlite in roll of 4’ x 100’ as per specification :- Retroreflective sheet ultra light intensity grade colour ‘GoldenYellow’ with minimum coefficient of retro- reflection coefficient per foot 2 degree observation and 4 degree entrance angle. The coefficient of the retro reflection of retro reflective sheeting minimum for seven years for ‘Yellow’ colour in 144 minimum coefficient. The coefficient of the retro reflection sheet shall not be less than 70% of the value for the corresponding colour. Make 3M scotchlite Nikkalite only with 7 years warranty. Certificate of authorized dealer/OEM	400 Sq.ft.	SSE/C&W/HBJ
12	98.12.5303	Pipe packing wooden (small) IS : K-2-66 as per drg. no. CRW/SK-86 {Drg. can be seen in this office}	3000 Nos.	SSE/C&W/HBJ
13	98.12.5299	Ammonia paper roll, size 1.02x10 mtr. Make – Clear, Camera, Arrow {Retender}	60 Nos.	Ch. OS/S&T/BPL
14	98.12.5183	Waste bin (PVC) bottom size apro 350 x 350 mm top apro – 500 x 500 height apro – 700mm capacity 100 ltrs. {Retender}	11 Nos.	SSE/W/HBJ
15	98.12.5230	High pressure spray gun with fanjet nozzle & 150mm lance type RL – 16 Make – Inventa, Elgi, Kranazle {Retender}	16 Nos.	SSE/Gen./C&W/Itarsi
16	98.12.5272	Godrej chair CH 7 B (Cushioned) + arms CH 7B back side 46.0 cm (W) x 27.0 cm (H), seat size 46.0 cm (W) x 40.0 cm (D) as per annexure {Annexure can be seen in this office {Retender}	04 Nos.	Pay office/Itarsi

17	98.12.5305	Tools as per annexure –I Make – Taparia, Jhalani, Hira {Annexure can be seen in this office}	01 Set	SSE/TRD/Itarsi
18	98.12.5134	Printer ribbon cartridge 5235 for printer LQ DSI 5235 Make Wipro, Wep, Epson {Retender}	108 Nos.	DRM/C/BPL
19	98.12.5135	Printer ribbon cartridge LQ 2090 for the use of DM printer LQ 2090 (EPSON) Make Epson, Wipro, Wep	12 Nos.	DRM/C/BPL
20	98.12.5260	Supply of thermo shrink jointing kit for jointing underground PIJF cable spec. no. RDSO/SPN/TC/57/2006 (Rev.0) Amdt – 1 (TSF-1), Make RPG, Rachem, Rohit. Inspection will be done by RDSO	10 Nos.	SSE/T/HBJ
21	98.12.5263	Supply of thermo shrink jointing kit for jointing underground PIJF cable spec. no. RDSO/SPN/TC/57/2006 (Rev.0) Amdt -1 (TSF -2), Make RPG, Rachem, Rohit	15 Nos.	SSE/T/HBJ
22	98.12.5264	Supply of thermo shrink jointing kit for jointing underground PIJF cable spec. no. RDSO/SPN/TC/57/2006 (Rev.0) Amdt -1 (TSF -3), Make RPG, Rachem, Rohit. Inspection will be done by RDSO	20 Nos.	SSE/T/HBJ
23	98.12.5270	Auto range digital insulation tester model no. DTI/500/1000 voltage 500/1000 volt DC insulation range 200/2000/20000 meg Ω auto range resolution 0.01 meg Ω Make – Electron Device, PICO, Shanti	08 Nos.	SSE/TRD/Bina
24	98.12.5271	Auto range digital insulation tester model no. DTI 2500 voltage 2500 voltage DC insulation range 200/2000/20000/200000 meg Ω auto range resolution 0.1 meg Ω accuracy \pm 3% Make Electron Device, PICO, Shanti	05 Nos.	SSE/TRD/Bina

अति आवश्यक सूचना
भुगतान के समय फर्म वाणिज्य विभाग द्वारा जारी टैक्स क्लियरन्स सर्टिफिकेट (फार्म – 64) प्रस्तुत करना अति आवश्यक है

बुलेटिन की सामान्य शर्तें

- 1 फर्मों से अनुरोध है कि अपने ऑफर के साथ OEM Certificate /Authorisies valid certificate अवश्य लगाये ।
- 2 बुलेटिन में प्रकाशित किसी भी या सभी मदों के क्रय को किसी भी समय रद्द करने का अधिकार रेलवे के पास सुरक्षित रहेगा ।
- 3 प्रत्येक ब्रान्डेड आइटम में पूर्ण मेक, स्पेसिफिकेशन,, आफर रेट, स्पष्ट लिखें एवं एम.आर.पी भी लिखें यदि आल्टरनेटिव मेक नहीं मांगा है तो कोट न करें । आपूर्ति के समय सामग्री की genuinness का प्रमाण मांगा जा सकता है ।
- 4 आफर में स्पेशल डिस्काउन्ट न दें। यदि डिस्काउन्ट देना चाहते हैं तो रेट में ही कम करके कोटेशन दें । रेट अंकों में एवं शब्दों में बुलेटिन में दर्शाये गये यूनिट के अनुसार ही दर्शायें ।
- 5 टेन्डर में सभी आइटम अति आवश्यक है। अतः रेडी स्टॉक होना चाहिए ।
- 6 बुलेटिन में लिखे स्पेसिफिकेशन/ ड्राइंग का ही सिर्फ मटेरियल चाहिए, आल्टरनेटिव स्पेसिफिकेशन/ ड्राइंग के कुटेशन न दें , अन्यथा मान्य नहीं होंगे फर्म पैड पर टिन नम्बर लिखा होना अनिवार्य है । प्लेन पेपर पर आफर मान्य नहीं होगा ।
- 7 दिनांक 01.04.2007 से लागू वेट ;VAT) टैक्स स्पष्ट लिखें कि आइटम वाइज़ कितना लिखा है और यह कुल मूल्य में शामिल है या अतिरिक्त है ।इन पर मिलने वाला सैट आफ शामिल है ।
- 9 हर टेन्डर नंबर का आफर फर्म के पैड पर लिख कर अलग अलग लिफाफे में बन्द कर डालें उस पर टेन्डर नंबर फर्म का नाम, टिन नंबर स्पष्ट लिखें । एक ही पैड पर कई मदों का टेन्डर ना डालें ।
- 10 **आफर की वैधता कम से कम 60 दिन होना चाहिये ।**
- 11 **ड्राइंग/स्पेसिफिकेशन बुलेटिन में दर्शाये गये मांगकर्ता से प्राप्त किये जा सकते हैं ।**
- 12 **जो फर्म इस कार्यालय में पंजीकृत नहीं हैं वे इस टेन्डर में कोट न करें । पहले अपनी फर्म का पंजीकरण इस कार्यालय में करवा लें अन्यथा फर्म के आफर रद्द समझा जायेगा ।**
- 13 क्रय आदेश में दिये गये डिलीवरी पीरियड का विशेष ध्यान रखा जायें अन्यथा लेट डिलीवरी पर रेलवे द्वारा निर्धारित एल.डी. 2 प्रतिशत प्रति माह के हिसाब से काटा जा सकता है तथा ,खराब परफार्मेंस नोट करते हुए रजिस्ट्रेशन भी रद्द किया जा सकता है ।
- 14 100: पेमेन्ट मटेरियल सप्लाय उपरान्त ही मान्य होगा ।
- 15 जिन फर्मों को खराब परफार्मेंस के कारण ब्लैक लिस्ट किया गया है या कुटेशन नहीं डालने को कहा गया है तो वह फर्म इस टेन्डर इन्क्वायरी में अपने कुटेशन न डालें । क्योंकि उनके कुटेशन को रद्द समझा जाएगा एवं टेन्डर में सम्मिलित नहीं किये जाएंगे ।
- 16 फर्म अपने कुटेशन में जो रेट कोट करते हैं और जो टैक्स इन्क्लूसिव लिखते हैं कृपया वह स्पष्ट दर्शायें कि कोट किए गए रेट में कितना प्रतिशत टैक्स सम्मिलित किया है ।
- 17 सूचना:- बुलेटिन टेण्डर WCR वेब साइट www.wcr.indianrailway.gov.in पर देख सकते है।

बुलेटिन की विशेष शर्तें

- 01 अपने आफर में अपना करेन्ट बैंक एकाउन्ट नंबर, बैंक का नाम तथा बैंक का कोड नंबर अवश्य लिखें यही विवरण उन्हें पेमेन्ट के लिए जमा करने वाले बिल पर भी लिखना होगा, ।
- 02 **क्रय आदेश जारी होने के बाद दी गई परिदान तिथि के अन्दर सामग्री सप्लाय नहीं करने पर क्रय आदेश रद्द कर फर्म का रजिस्ट्रेशन भी निरस्त किया जा सकता है।**

नोट : जो फर्म मं. सा. प्र. भोपाल में पंजीकृत नहीं है वो अपना पंजीकरण करायें ।

मंडल सामग्री प्रबंधक,भोपाल