

WEST CENTRAL RAILWAY
E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED
E-PROCUREMENT WEEKLY BULLETIN No. : 40/12

Tenders Due For Opening Between 01-OCT-12 And 07-OCT-12

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

IMPORTANT NOTE

TO TENDERER: Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

Sr No	Tender No	Description of Stores	Quantity Required	Unit	Delivery terms	Trade Group	Depot where the material is required	Inspection By
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)

Opening Date 01-10-2012 (MONDAY)

1	20.12.4043	TEMP.SENSOR OIL CIRCUIT TRANSFORMER .AS PER CLW SPEC. No. CLW/ES/3/0033/ALTE OR LATEST AND ABB PRODUCT No. - 3EHN424142R3000 OR LATEST(PL NO :29500035)	11.000	NOS.	Within 01.04.13.to 30.05.13.		SMM/ELS/TK D	MITES.
		Total			11.000			
		TEMP. SENSOR CONVERTER OIL (Pos No. 210.61).AS PER ABB DOCUMENT No. EHN 424142 R5000, REV. C OR LATEST(PL NO :29500084)	7.000	NOS.	Within 01.04.13.to 30.05.13.		SMM/ELS/TK D	
		Total			7.000			
2	61.12.1995	SCREW SELF TAPPING GALVD. M.S.PARKAR KALON SLOTTED RAISED CSK HEAD 'AB' TYPE CONE END(APPROVED BRAND) NO. 8 X 20 TO IS : 7169/74.(PL NO :73571600)	5166.000	HDS	within 60 days	7357	DY.CMM-D(CRWS) BHOPAL	CONSIGNEE.
		Total			5166.000			
3	61.12.2524	PNM Cutting nozzle size-1/16 inches for LPG (suitable for BMCG), Make: ADOR/L&T/EASBIS-7653(PL NO :76217474)	198.000	NOS.	WITHIN 60 DAYS	7630	DY.CMM/KOT A	CONSIGNEE.
		Total			198.000			
4	34.12.3030	Paint Ready Mixed Brushing Finishing Semigloss for General Purpose Class "B" Middle Brunswick Green ISC-226 To IS: 124/1979 Part III or Latest. Packing in 20 liters. Non Returnable New & Sound M.S. Drums to IS 2552/89 Gr. B II(PL NO :77091024)	540.000	LTR	WITHIN 60 DAYS	7706	DY.CMM/KOT A	MITES.
		Total			540.000			
5	61.12.2406	The Thermo plastic hose (synthetic textile reinforced) for water circulation system of conventional coaches, ISI marked, nominal bore size 20mm (+0.75-0.00 as per IS: 12585/1988 TYPE-2 (In length of 15 meters)(PL NO :75034803)	3726.000	MTR	after 01.04.13 & before 30.06.2013	7535	DY.CMM-D(CRWS) BHOPAL	MITES.
		Total			3726.000			
6	61.12.2458	PVC RE-INFORCED FLEXIBLE BRAIDED HOSE PIPE SIZE	1826.000	MTR	WITHIN 60 DAYS	7535	DY.CMM-D(CRWS)	MITES.

BHOPAL

		ID/OD= 25/33MM WORKING PRESSURE 15 KG/CM SQUARE SAMSON REGULAR BRAND TO IS: 12492/TYPE II ALONG WITH TEST CERTIFICATE (ONE ROLL HAVING 50METER PIPE IN ONE PIECE)IS: 12492/TYPE II ALONG WITH TEST CERTIFICATE(PL NO :75989128)	Total	1826.000			
7	20.12.3209	Bituminous Compound Tar plastic for water proofing of electric locomotives as per IS 1580 of 1991 Grade-I(PL NO :25980142)	5005.000 KGS.	Within 01.04.13. to 30.05.13.	2379	SMM-D(ELS) ITARSI	UTES.
			958.000 KGS.	Within 01.04.13. to 30.05.13.	2379	SMM-D(ELS) NEW KATNI JN	
			3250.000 KGS.	Within 01.04.13. to 30.05.13.	2379	SMM/ELS/TK D	
			Total	9213.000			
8	62.12.2004	COTTON GLOVES (MITTON COTTON) DARK GREY COLOUR, QUALITY DOUBLE LAYERED.(PL NO :79990393)	11376.000 PAIRS	WITHIN 90 DAYS		SMM-D(GSD)BPL	UTES. 2.ALL OTH
			Total	11376.000			
9	10.12.2086	HOSE COUPLING NO.16(MALE) DRP REF 2071. CAT NO 2402504.to C.RLY DRG NO.CI/PCA-27.ALT-NIL.(PL NO :11329634)	478.000 NOS.	WITHIN 02 TO 03 MONTHS	6224	SMM-D(D) ITARSI	CONSIGNEE
			150.000 NOS.	WITHIN 02 TO 03 MONTHS	6224	SMM-D(D) NEW KATNI JN	
			Total	628.000			
Opening Date 03-10-2012 (WEDNESDAY)							
10	30.12.1123	SIDE BUFFER RECOIL SPRING (BG) TO IRS DRG.NO.W/BD-2252, ALT 4 OR LATEST .(PL NO :37134012)	7637.000 NOS.	2000 nos. within 60 days and balance after 01.04.2013 but before 30.06.2013.	0044	DY.CMM-D(CRWS) BHOPAL	UTES
			Total	7637.000			
11	61.12.1053	RIVETS M.S.SNAP HEAD 20 MM X 90 MM LONG IS:1929/82 or latest & steel to IS-1148/1982 or latest(PL NO :73254447)	1614.000 KGS.	01.04.13 to 30.04.2013	7305	AMM-D(BOXN) NEW KATNI JN	UTES.
			4636.000 KGS.	01.04.13 to 30.04.2013	7305	DY.CMM/KOT A	
			Total	6250.000			
12	61.12.1994	P.K.SCREW SELF TAPPING ROUND HEAD "A" CR/CD/NI PLATED SIZE: 8X20 MM TO IS:NPK(A) TYPE.(PL NO :73570953)	14275.000 HDS	01.04.2013 TO 31.05.2013	7305	DY.CMM-D(CRWS) BHOPAL	UTES.
			Total	14275.000			
13	61.12.2132	RIVETS M.S.SNAP HEAD 12MM X 50 MM IS 1929/82/LATEST STEEL TO IS 1148/82/LATEST.(PL NO :73252220)	11700.000 KGS.	within 2to3months	7311	DY.CMM/KOT A	UTES.
			Total	11700.000			
14	61.12.2147	RIVETS M.S. SNAP HEAD DIA 20 X 63 MM LONG TO IS:1929/82 STEEL TO IS:1148/82(PL NO :73254101)	11067.000 KGS.	within 90 days	7305	DY.CMM/KOT A	UTES.
			Total	11067.000			
15	61.12.2408	TheThermo plastic hose (synthetic	2925.000 MTR	01.04.2013 TO	7535	DY.CMM-	UTES.

		textile reinforced) for water circulation system of conventional coaches, ISI marked, nominal bore size 50mm (+1.50-0.00mm) as per IS: 12585/1988 Type-2 (In length of 15 meter)(PL NO :75035017)		31.05.2013		D(CRWS) BHOPAL	
		Total		2925.000			
16	30.12.1991	BRAKE GEAR PIN FLAT HEAD (TYPE A) 51MM X 94MM LONG TO IRS DRG NO.L/PN- 611/M ALT.5 OR LATEST(PL NO :38324337)	1870.000 NOS.	1000 NOS TO NKJ WITHIN 03 MONTHS AND BALANCE WITHIN APRIL 2013 WITH PAYMENT AFTER 01.04.2013.	0010	AMM-D(BOXN) NEW KATNI JN	UTES.
			1400.000 NOS.		0010	DY.CMM/KOT A	
		Total		3270.000			
17	30.11.1840	Shaft bearing with sign plate to IRS Drg. No. W/BG-6186, ALT.-6 or as applicable on the date of tender opening.(PL NO :38141139)	2700.000 NOS.	WITHIN 04 MONTHS.	0010	AMM-D(BOXN) NEW KATNI JN	UTES. 2. THIS IS F
		Total		2700.000			
18	30.12.2235	LOADED TIE ROD FOR BOXN WAGON WITHOUT BUSH TO IRS DRG. NO. WA/BG-6342 ALT-NIL (REF DRG NO WD 80007-S-10 ALT 21 OR LATEST, ITEM 13)(PL NO :38983485)	428.000 NOS.	WITHIN MARCH 2013 WITH PAYMENT AFTER 01.04.2013.		AMM-D(BOXN) NEW KATNI JN	UTES.
			657.000 NOS.			DY.CMM/KOT A	
		Total		1085.000			
		Opening Date 04-10-2012 (THURSDAY)					
19	62.12.2514	JERSEYS WOOLLEN SUPERIOR MAROON CONFIRMING TO DGS&D'S SPECIFICATION NO.G/TEX/W-69/1992. Size 95 CMS(PL NO :79253751)	1109.000 NOS.	WITHIN 90 DAYS		SMM-D(GSD)BPL	CONSIGNEE.2. NC
		Total		1109.000			
20	61.12.1981	Hex Head Screw size:M16X1.5X50 mm long to IS:1364/67 table 2 & 7 property class 8.8 to IS 1367 /part III to Drg no.T.O.2.619 alt. 12/S, Item 1.(PL NO :73513088)	375.000 HDS	01.04.2013 TO 31.05.2013	7309	DY.CMM-D(CRWS) BHOPAL	UTES.
		Total		375.000			
21	61.12.1668	NOZZLE MIXING CUTTER WITH ONE ANM NOZZLE SIZE 1/16" BOTTOM POSITION LEVER, ANGLE HEAD 90 DEGREE, LENGTH 450 MM, NMC-250 OF ESAB MAKE, 303 OF ADOR MAKE, PROFILE CUT OF L&T MAKE AS PER IS: 7653-1975, FIRM'S MAKE AND IS NO. SHOULD BE EMBOSSED ON THE FORGED BODY OF CUTTER WITH OEM AUTHORIZE CERTIFICATEIS: 7653-1975(PL NO :76217450)	50.000 NOS.	within 90 days		DYCMM-D(CRWS) BHOPAL	UTES.
		Total		50.000			
22	62.12.3010	TIE POLYSTER COLOUR MAROON WITH IR MONOGRAM	968.000 NOS.	WITHIN 30 DAYS	7913	SMM-D(GSD)BPL	CONSIGNEE.2. NC

		PRINTED IN WHITE COLOUR GLOSSY BRIGHT FINISH AND TECH. DETAILS AS UNDER: (1) DENIER =WARP 156.3 D AND WEFT 160.5 D. (2) ENDS PER INCH 96 & PICKS PER INCH 72 (MIN) (3) MASS 124 GM PER SQR MTRS (MIN) (4) TYPE OF WEAVE 2/1 TWILL (5) SIZE 150 CM LONG X 10CM WIDTH AT BOTTOM (6) LINING CLOTH SHALL BE COTTON CELLUAR OF GOODS QUALITY AND PROPERLY STITCHED INSIDE.(PL NO :79222006)	Total	968.000			
		TIE POLYESTER NAVY BLUE WITH IR MONOGRAM PRINTED IN WHITE COLOUR GLOSSY BRIGHT FINISH AND TECH. DETAILS AS UNDER: (1) DENIER= WARP 156.3 D AND WEFT 160.5 D (2) ENDS PER INCH 96 & PICKS PER INCH 72 (MIN) (3) MASS 124 GM PER SQR.MTR. (MIN) (4) TYPE OF WEAVE2/1 TWILL (5) SIZE 150 CM LONG X 10CM WIDTH AT BOTTOM. (6) LINING CLOTH SHALL BE COTTON CELLULAR OF GOODS WUALITY AND PROPERTY STITCHED INSIDE.(PL NO :79222020)	1072.000 NOS.	WITHIN 30 DAYS	7913	SMM- D(GSD)BPL	
			Total	1072.000			
23	62.12.1054	Waste Cotton White Teased No.2 for Cleaning Machinery to specn. G/ TEX / C / 52/ A (Latest).packing condition material should be packed 50 kg per bale.(PL NO :79511820)	3003.000 KGS.	AFTER 01.4.2013 BUT BEFORE 31.05.2013	7940	DY.CMM/KOT A	UTES.2. NO ANY
			22584.000 KGS.	10000 KG WITHIN 60 DAYS BALANCE AFTER 01.04.2013 BUT BEFORE 31.05.2013	7940	SMM- D(GSD)BPL	
			Total	25587.000			
24	61.12.2415	Tool bags leather for loco and C&W staff (T&L) as per C.RLY.drg.NO std.341. This item is reserved for NSIC registered firms only.NOTE:-Tenderer to submit valid NSIC Certificate along with offer other wise offer will be passed over.(PL NO :75202888)	320.000 NOS.	within 90 days	7510	AMM- D(BOXN) NEW KATNI JN	UTES.
			237.000 NOS.	within 90 days	7510	SMM- D(GSD)BPL	
			Total	557.000			
25	62.12.4027	Cut Piece cloth of 175 cms length for Coat Woven suiting made of polyester and cotton blend confirming to specification no. IS: 15853/2009 except for soil release efficiency test and limited flame spread index test. Width: 138 cm. Shade: NAVY BLUE. Construction particulars: (a) Nominal count of warp yarn 30s/2(20 Tex X 2).(b)Nominal	640.000 NOS.	WITHIN 90 DAYS	7912	SMM -D(GSD) BPL	UTES/DQA. 2. OT
			Total	640.000			

count of weft yarn 30s/2 (20 Tex X 2). (c) Threads per Decimeter-Warp 260.(d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT. (h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate resealable polythene pack of size 12' x 15' of 40 micron thickness. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79138305) Cut Piece cloth of 125 cms length for Trouser Woven suiting made of polyester & cotton blend conf. to spec. no. IS 15853/2009 except for soil release efficiency test and limited flame spread index test.

128.000 NOS. WITHIN 90 DAYS
Total 128.000

7912 SMM -D(GSD) BPL

Width: 138 cm. Shade: NAVY BLUE. Const. part: (a) Nominal count of warp yarn 30S (20 tex x 2) (b) Nominal count of weft yarn 30S (20 tex x 2) (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT. (h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate resealable polythene pack of size 12' x 15' of 40 micron thickness. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79147926)

78.000 NOS. WITHIN 90 DAYS
Total 78.000

7912 SMM -D(GSD) BPL

Cut Piece cloth of 125 cms length for Trouser Woven suiting made of polyester and cotton blend confirming to specification no. IS:15853/2009 except for soil release efficiency test and limited flame spread index test. Width: 138 cm. Shade: Brown. Construction particulars: (a) Nominal count of warp yarn 30s/2(20 Tex X 2).(b)Nominal count of weft yarn 30s/2 (20 Tex X 2). (c) Threads per Decimeter-Warp 260.(d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT.

(h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate resealable polythene pack of size 12' x 15' of 40 micron thickness. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79147938)

Cut Piece cloth of 125 cms length for Trouser Woven suiting made of polyester and cotton blend confirming to specification no. IS: 15853/2009 except for soil release efficiency test and limited flame spread index test. Width: 138 cm. Shade: BLUISH GREY. Construction particulars: (a) Nominal count of warp yarn 30s/2(20 Tex X 2).(b)Nominal count of weft yarn 30s/2 (20 Tex X 2). (c) Threads per Decimeter-Warp 260.(d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT.

(h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate resealable polythene pack of size 12' x 15' of 40 micron thickness. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79147951)

Cut Piece cloth of 125 cms length for Trouser Woven suiting made of polyester & cotton blend confirming to spec no.

IS:15853/2009 except for soil release efficiency test and limited flame spread index test. Width: 138 cm. Shade: WHITE. Const. particular:(a)Nominal count of warp yarn 30S (20 tex x 2). (b)Nominal count of weft yarn 30S (20 tex x 2) (c) Threads per Decimeter- Warp 260.(d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT. (h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of

158.000 NOS. WITHIN 90 DAYS 7912 SMM -D(GSD) BPL

Total 158.000

2703.000 NOS. WITHIN 90 DAYS 7912 SMM -D(GSD) BPL

36.000 NOS. WITHIN 90 DAYS 7912

Total 2739.000

40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79148554) Cut Piece cloth of 125 cms length for Trouser Woven suiting made of polyester and cotton blend confirming to specification no. IS: 15853/2009 except for soil release efficiency test and limited flame spread index test. Width: 138 cm. Shade: BLACK. Construction particulars: (a) Nominal count of warp yarn 30s/2(20 Tex X 2).(b)Nominal count of weft yarn 30s/2 (20 Tex X 2). (c) Threads per Decimeter- Warp 260.(d) Threads per Decimeter-Weft 190. (e) Mass 190 gm / M2. (f) Fiber composition Polyester 67 PERCENT. (g) Fiber composition Cotton 33 PERCENT. (h) Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate resealable polythene pack of size 12' x 15' of 40 micron thickness. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79990125)

286.000 NOS. WITHIN 90 DAYS
7909 SMM -D(GSD) BPL
Total 286.000

Opening Date 05-10-2012 (FRIDAY)

26	60.12.1245	High moleculer solid polymer wheel Size 300mm X 50mm X 30mm.hole.(PL NO :67985099)	150.000 NOS.	WITHIN 30 DAYS	6735	SMM -D(GSD) BPL	CONSIGNEE.2. OT
		Total		150.000			
27	61.12.2511	Polythene bag size 250 mm width and 406mm long thickness 0.05 mm confirming to IS - 9738/81.(PL NO :75982213)	73356.000 NOS.	within 60 days	7556	SMM-D(D) ITARSI	CONSIGNEE.
		Total		73356.000			
28	10.12.2293	Connecting Rod and cap to C. Rly. drg. no. CI/EN- 1166 Alt. nil Cat. no.11918412,553403(W) DRP No. 4603/27,36,44 WABCO DRP No.3203-10F5/27,36,44.(PL NO :11383288)	82.000 NOS.	WITHIN 02 TO 03 MONTHS	1113	SMM-D(D) ITARSI	BITES
		Total		82.000			
29	10.12.2331	Piston HP Suitable for Expressor Model KE-6 with suitable part: Piston to KPC PT NO.- 0960150250.--1.NO. Wrist-pin KPC PT NO. 0960160650.-- 1.NO. Circlip KPC PT. NO-- 9991373250.---2.NOS. Other similar make is also suitable(PL NO :11386290)	174.000 NOS.	WITHIN 02 TO 03 MONTHS	1113	SMM-D(D) ITARSI	BITES.
		Total		174.000			
30	62.12.1096	High density polyster staple fibre foam pillow of final finished size 50cmsx36cms after filling up the fiber content, 1.0 Construction details 1.1 Material for pillow =	700.000 NOS.	WITHIN 90 DAYS	7921	SMM-D(GSD)BPL	BITES . 2. OTHER
		Total		700.000			

polyster staple fibre. 1.2. Fiber content = 100% white virgin hollow fiber 1.3 Weight=600gms, 1.4 Pillow should be surrounded by virgin hollow fiber sheet of 20mm thickness(Min).1.5 The covering cloth should contain 50%(min) polyester yarn and balance cotton. 1.6 pillow should resistant to normal wash.(PL NO :79980570)

31	60.12.1247	Rectangular MS tube for BEML seat pillar size 60x40x2.9 mm in length of 2 mtrs or its multiple to IS:4923-1997(PL NO :62984184)	801.000 MTR	WITHIN 60 DAYS	6215	DYCMM-D(CRWS) BHOPAL	rites.2. OTHER T
		Total		801.000			
32	30.12.1632	SEALING RING FOR MANHOLE COVER TO DRG. NO. WD 86081-S-60, ALT 10 OR LATEST, ITEM 7 (PART DRG NO WA/TF 2169 ALT 1 OR LATEST,)(PL NO :37554402)	5300.000 NOS.	1000 NOS WITHIN 03 MONTHS AND BALANCE AFTER 01.04.2013 BUT BEFORE 30.04.2013.	7505	DY.CMM/KOT A	rites.
		Total		5300.000			