

बुलेटिन नं.- 43
सामग्री के परिदान का समय 30 दिन होगा

पेज 1 से 2 तक
दिनांक : 04.10.12

मदों की संख्या - 29
खुलने की तारीख : 23//10/2012
समय -11.30 बजे

01	98.12.5413	Electric drill machine chuck capacity 1-10mm, drill in steel 10mm, drill in wood 25mm, no load speed 2800rpm, power input 420 watt, weight 1.4 Kg. Make – Hitachi, Power, Bosch, AEG, Operating volt 230 V	10 Nos.	SSE/TL-AC/HBJ
02.	98.12.5414	Angle grinder size 125mm power rating 1300 watt (input) No load speed 11000 RPM weight 1.9 Kg double insulated, spindle lock & ECO products make Hitachi Power, Bosch, AEG Attachment cutting wheel for iron & wood and grinding wheel. Operating voltage 230V	04 Nos.	SSE/TL-AC/HBJ
03.	98.12.5415	Hand pallet truck with P.V. wheels, lifting capacity 2500 Kg. Make Godrej, Voltas, Macneill	02 Nos.	SSE/TL-AC/HBJ
04	98.12.5416	Heavy duty rust penetration non acidic & non corrosive, low surface tension for opening of rusted & jammed assembly in 730ml Aerosol can. Make Aerolube, Zeneith, ASV	100 Nos.	SSE/TL-AC/HBJ
05	98.12.5418	5 pin modular socket & switch with indicator cover & steel plate for switch socket fixing. The switch socket as per IS 3854 & 1290 having ISI marked with 2A glass fuse in a fuse holder along with switch indicator LED size 5” x 3” vertical RCF/ICF/RDSO approved.	98 Nos.	SSE/TL-AC/HBJ
06	98.12.5419	Linear transducer input 5 V DC, resistance – 2k ohms, length – 200mm with govt. calibration certificate and one year warranty. Technical spec. can be seen in this office Make – G.T. Electronics	01 No.	SSE/TL-AC/HBJ
07	98.12.5420	V- belt grade indicator for linear transducers to indicate the grade of V- belt, Operating voltage 230 V AC, input – resistance values, display 4 digit 0.5” segment , red LED display, programming micro controller, mounting – wall mounting type, with govt. calibration certificate and one year warranty. Technical spec. can be seen in this office Make G.T. Electronics, Bell fluid	01 No.	SSE/TL-AC/HBJ
08	98.12.5421	Supply of bamboo chick blinds	103 Sq. ft.	Ch. OS/S&T/BPL
09	98.12.5422	Load cell with tension indicator for V- belt grading system, capacity 450 Kg. operating on 23 volt AC \pm 10%, tension indicator capacity programmable (0 -500 Kg), display LED, Make sensortroics. (Technical specification can be seen in this office) Calibration certificate from government recognized lab. And one year warranty	01 No.	SSE/TL-AC/HBJ
10	98.12.5423	Heavy duty rotary switch with captson handle rating 400A/250 VDC 3 pole, 4 position, 90 degree throw, universal mounting with sequence position 1 (12 O’ clock) NO position 2 (3 O’ clock) 1-A, 3-C, position 3 (6 O’ clock) 2-B, 3-C, position 4(9 O clock) 1 – A, 2-B, 3-C indicating plate – anodized aluminium with blank IP, size 178x178mm Make – Kaycee or ICF/RCF approved OEM along with offer of authorization	04 Nos.	SSE/TL-AC/HBJ
11	98.12.5424	Heavy duty rotary switch with captson handle rating 300A/250 V DC 3 pole, 4 position, 90 degree throw, universal mounting with sequence position 1 (12 O’ clock) NO position, position 2 (3 O’ clock) 1-A, 3-C, position 3 (6 O clock) 2-B, 3-C, position 4 (9 O clock) 1-A, 2-B, 3-C indicating plate – anodized aluminium with blank IP, size 178x178mm Make – Kaycee or ICF/RCF approved OEM along with offer of authorization	04 Nos.	SSE/TL-AC/HBJ
12	98.12.5425	Rotary switch 16 amp. 4 position 90 degree 250 -440 V AC 3 pole, 3 pole, 3 way with OFF SRPM 139°C Make Kaycee, Andrew Yule, Siemens	30 Nos.	SSE/TL-AC/HBJ
13	98.12.5426	M.S. (Bronze) spindle with nut (Gutka) of sluice valve 200mm dia manufacturing and supply of MS (Bronze) spindle with nut (Gutka) for 200mm sluice valve As per IS : 14646	10 Sets	SSE/W/M/Itarsi
14	98.12.5427	Brass spindle with nut (Gutka) for sluice valve 300mm dia manufacturing & supply of brass spindle with nut (Gutka) for 300mm dia sluice valve as per IS : 14646	05 Sets	SSE/W/M/Itarsi
15	98.12.5428	Louvers (P.V. Expansion flate) as per drg. no. SSE/C&W/HBJ/HBJ/3 Drg. can be seen in this office	1500 Nos.	SSE/C&W/HBJ
16	98.12.5429	FRP ventilator plate 240x240x2.5mm as per drg. no. SSE/C&W/HBJ-17 Drg. can be seen in this office	900 Nos.	SSE/C&W/HBJ
17	98.12.5231	Telephone push button with caller ID Make Beetal, BPL, Panasonic as per	50 Nos.	SSE/T/M/BPL

		specification {Specification can be seen in this office}		
18	98.12.5320	Deep groove ball bearing similar to SKF bearing no. 6305 RS -1. Make NBC or equal	10 Nos.	SSEE/M/HBJ
19	98.12.5313	Oil servo torque 10 Make Servo, HP, BP or equal {Retender}	210 Ltrs.	SSE/G/C&W/ Bina
20	98.12.5385	SMPS based battery charger rating 24 V, DC/ 20 amp., 230 V AC 50 Hz Make Combat, KPCL, Auto Cut Off {Retender}	01 No.	SSE/TRD/Ashok Nagar
21	98.12.5252	ISI mark 150mm wafer type cast iron non return valve suitable for use in water pipeline {Retender}	05 Nos.	SSEE/M/HBJ
22	98.12.5254	ISI mark 100mm wafer type cast iron non return valve suitable for use in water pipeline {Retender}	01 No.	SSEE/M/HBJ
23	98.12.5253	ISI mark 125mm wafer type cast iron non return valve suitable for use in water pipeline {Retender}	05 Nos.	SSEE/M/HBJ
24	98.12.5364	Supply of paint chlorinated rubber based electrically insulated high viscosity suitable for applying on insulated rail joint. Make Nerolac, Berger, Asian in 20 Ltr pack colour – Grey {Retender}	60 Ltrs.	SSE/Sig/Str/BPL
25	98.12.5251	Submersible pump suitable for air cooler with lifting head of 12 feet Make Tesla or equal {Retender}	40 Nos.	SSEE/M/HBJ
26	98.12.5433	Compressed oxygen gas to IS 309/1992 IIIrd Rev. with revision amendment no. 1 in our own explosive approval cylinders	5300m ³	SSE/Gen/C&W/ET
27	98.12.5434	Non foldable S.S. bottle holder as per drg. no. SSE/C&W/HBJ/16 (Drg. can be seen in this office)	400 Nos.	SSE/C&W/HBJ
28	98.12.5362	Supply of paint chlorinated rubber based electrically insulated high viscosity suitable for applying on insulated rail joint. Make Nerolac, Berger, Asian in 20 Ltr. Pack, colour Grey {Retender}	50 Ltrs.	SSE/Sig/Str/BPL
29	98.12.5363	Supply of paint chlorinated rubber based electrically insulated high viscosity suitable for applying on insulated rail joint. Make Nerolac, Berger, Asian in 20 Ltr pack, colour – Grey {Retender}	140 Ltrs.	SSE/Sig/Str/BPL

बुलेटिन की सामान्य शर्तें

1. बुलेटिन में प्रकाशित किसी भी या सभी मदों के क्रय को किसी भी समय रद्द करने का अधिकार रेलवे के पास सुरक्षित रहेगा ।
2. प्रत्येक ब्रान्डेड आइटम में पूर्ण मेक, स्पेसिफिकेशन,, आफर रेट, स्पष्ट लिखें एवं एम.आर.पी भी लिखें यदि आल्टरनेटिव मेक नहीं मांगा है तो कोट न करें । आपूर्ति के समय सामग्री की हमदनपददमे का प्रमाण मांगा जा सकता है ।
3. आफर में स्पेशल डिस्काउन्ट न दें । यदि डिस्काउन्ट देना चाहते हैं तो रेट में ही कम करके कोटेशन दें । रेट अंकों में एवं शब्दों में बुलेटिन में दर्शाये गये यूनिट के अनुसार ही दर्शायें ।
4. टेन्डर में सभी आइटम अति आवश्यक है । अतः रेडी स्टॉक होना चाहिए ।
5. बुलेटिन में लिखे स्पेसिफिकेशन/ ड्राइंग का ही सिर्फ मटेरियल चाहिए, आल्टरनेटिव स्पेसिफिकेशन/ ड्राइंग के कुटेशन न दें अन्यथा मान्य नहीं होंगे ।
6. फर्म पैड पर टिन नम्बर लिखा होना अनिवार्य है । प्लेन पेपर पर आफर मान्य नहीं होगा ।
7. दिनांक 01.04.2007 से लागू वेट ;ट।ज्द टैक्स स्पष्ट लिखें कि आइटम वाइज़ कितना लिखा है और यह कुल मूल्य में शामिल है या अतिरिक्त है ।इन पर मिलने वाला सैट आफ शामिल है ।
8. हर टेन्डर नंबर का आफर फर्म के पैड पर लिख कर अलग अलग लिफाफे में बन्द कर डालें उस पर टेन्डर नंबर फर्म का नाम, टिन नंबर स्पष्ट लिखें । एक ही पैड पर कई मदों का टेन्डर ना डालें ।
9. **आफर की वैधता कम से कम 60 दिन होना चाहिये ।**
10. **ड्राइंग/स्पेसिफिकेशन बुलेटिन में दर्शाये गये मांगकर्ता से प्राप्त किये जा सकते हैं ।**
11. **जो फर्म इस कार्यालय में पंजीकृत नहीं हैं वे इस टेन्डर में कोट न करें । पहले अपनी फर्म का पंजीकरण इस कार्यालय में करवा लें अन्यथा फर्म के आफर रद्द समझा जायेगा ।**
12. क्रय आदेश में दिये गये डिलीवरी पीरियड का विशेष ध्यान रखा जायें अन्यथा लेट डिलीवरी पर रेलवे द्वारा निर्धारित एल.डी. 2 प्रतिशत प्रति माह के हिसाब से काटा जा सकता है तथा ,खराब परफार्मेंस नोट करते हुए रजिस्ट्रेशन भी रद्द किया जा सकता है ।
13. 100% पेमेन्ट मटेरियल सप्लाय उपरान्त ही मान्य होगा ।
14. जिन फर्मों को खराब परफार्मेंस के कारण ब्लैक लिस्ट किया गया है या कुटेशन नहीं डालने को कहा गया है तो वह फर्म इस टेन्डर इन्क्वायरी में अपने कुटेशन न डालें । क्योंकि उनके कुटेशन को रद्द समझा जाएगा एवं टेन्डर में सम्मिलित नहीं किये जाएंगे ।
15. फर्म अपने कुटेशन में जो रेट कोट करते हैं और जो टैक्स इन्क्लूसिव लिखते हैं कृपया वह स्पष्ट दर्शायें कि कोट किए गए रेट में कितना प्रतिशत टैक्स सम्मिलित किया है ।
16. सूचना:- बुलेटिन टेण्डर WCR वेब साइड www.wcr.indian.railway.gov.in पर देख सकते हैं तथा सभी फर्मों को अवगत कराया जाता है कि अब टेण्डर डाक के द्वारा नहीं भेजा जायेगा ।
17. अपने आफर में अपना करेन्ट बैंक एकाउन्ट नंबर, बैंक का नाम तथा बैंक का कोड नंबर अवश्य लिखें यही विवरण उन्हें पेमेन्ट के लिए जमा करने वाले बिल पर भी लिखना होगा, ।
18. **क्रय आदेश जारी होने के बाद दी गई परिदान तिथि के अन्दर सामग्री सप्लाय नहीं करने पर क्रय आदेश रद्द कर फर्म का रजिस्ट्रेशन भी निरस्त किया जा सकता है ।**

नोट : जो फर्म मं-सा- प्र- भोपाल में पंजीकृत नहीं है वो अपना पंजीकरण करायें ।

मंडल सामग्री प्रबंधक,भोपाल