

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 13/12-13/NS

Date: 12/11/2012 7:08

Opening Date: 19/10/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
1.	53.11.5340	ABSORPTION VESSEL FOR CARBON AND SULPHUR (STROHLEIN) APPARATUS FOR TESTING OF CARBON AND SULPHUR IN IRON AND STEEL DELIVERY AT CONSIGNEE PREMISES	Number	2	Within 30 days
2.	53.11.5366	Welding Electrode LOTHERME - 510 (N) Size - 4 x 350	Kilograms	5	Within 30 days
3.	53.12.5003	A set of suitable spare parts for maintenance of ACB CS 800C 4 pole Sr. No. Ex. 234500 of L&T make, set consist of 05 items (1) Fix Arc Contact, Qty. = 04 Nos. (2) Moving Arc contact, Qty.= 12 Nos. (3) Spring kit, Qty. = 01 No. (4) Hard Ware kit, qty-01 no (5) charging motor qty-01 no	Sets	1	Within 30 days
4.	53.12.5035	Cylinder liner Low pressure standard size to C.Rly. Drg. No. CI/EN - 883 Alt. 4.	Number	20	Within 30 days
5.	53.12.5072	Kit for hardware for adaption parts for TPR - 61 turbo charger ABB part no. 800800 (kit containing of 10 items as per the attached annexure)	Sets	22	Within 30 days
6.	53.12.5171	Grid Resistor Unit to GE Cat No. 17E-A5A-22A, Resistor value- 0. 490 Ohms.	Number	4	Within 30 days
7.	53.12.5170	Grid Resistor Unit to Ge Cat No. 17E-A5A-12A, Resistor value- 0. 490 Ohms with Single Tapping between 0. 365 Ohms and 0. 125 Ohms.	Number	4	Within 30 days
8.	53.12.5179	A set of spares of Stick Type Master controller for WDG3 locomotives, as per annexure attached.	Sets	1	Within 30 days
9.	53.12.5192	Socket head cap screw, High grade alloy steel RC - 38 - 44, BS - 2470. Specification grade 12. 9, 7/8" x 2 1/2" - 9 TPI UNC. Make:- Unbrako/LPS/TVS only.	Number	180	Within 30 days
10.	53.12.5193	High tensile hex head bolt, Size - 20 x 140 mm long, 10. 9 Grade, JS - 1364. Make:- LPS/Unbrako/TVS only.	Number	140	Within 30 days
11.	53.12.5194	High tensile hex nut, M - 20 x 2. 5 pitch. Make:- LPS/TVS/Unbrako only.	Number	300	Within 30 days
12.	53.12.5195	A B C Powder MAP 90 9 kgs type fire Extinguisher , 10 kg. fire Extinguisher mono ammonium phosphate powder 90 store pressure type , pressure gauge, controllable discharge Mechanism class A Rating 3 A & class B Rating 2/8 as per IS 15683 ISI mark (ABC Dry chemical powder-map 90%) capacity 9 kgs model no -SFD-9-90 (NOTE- INSPECTION BY DBI- JBP AND CONSIGNEE AS FIRM PREMISES BEFORE DELIVERY OF MATERIAL)	Number	5	Within 30 days
13.	53.12.5196	Brush Holder for AG 51 to BHEL Drg. No. 34332017003P1	Number	50	Within 30 days
14.	53.12.5197	A set of 'V' Belt, set consist of (1). V Belt C- 121 Qty . - 10 nos. (2). V Belt C- 105 Qty . - 10 nos. Make: Dunlop/ Fenner/ Pix.	Sets	1	Within 30 days
15.	53.12.5198	Gasket Copper of thickness 3.75 mm DLW Drg. No. SKE -1288.	Number	500	Within 30 days
16.	53.12.5199	Gasket Copper of thickness 3.25 mm DLW Drg. No. SKE -1288.	Number	500	Within 30 days
17.	53.12.5200	Accelerating Indicator Strip as per BHEL Drg. No. 15771030005P1	Number	200	Within 30 days
18.	53.12.5201	Braking Indicating Strip as per BHEL Drg. No. 15771030005P1.	Number	200	Within 30 days
19.	53.12.5202	Female Coupling for no. 20 Hose. As per Drg. No-CR/CI/PCA-68 with alteration in union nut threads of 12 TPI instead of 14 TPI as mentioned in past drawing no. CR/CI / PC -323	Number	100	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 13/12-13/NS Date: 12/11/2012 7:08 Opening Date: 19/10/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
20.	53.12.5203	Ammonium Ceric Sulfate dihydrate AR/GR of Merk/BDH/Qualigens/Ranbaxy in original sealed pack of 100 gms	Kilograms	2	Within 30 days
21.	53.12.5204	Hydrochloric Acid about 37% for analysis EMPARTA ACS/GR of Merck/BDH/Qualigens/Ranbaxy in original sealed pack of 05 litres.	Litres	15	Within 30 days
22.	53.12.5205	Magnetic Powder Grey colour having maximum particle. Size:- 180 Micron. Blakish Grey colour not acceptable. Make:-M/s ITW Magnaflux/ Ferroflux GD-100 of M/s Non-Destructive test appliance Kolkata.	Kilograms	40	Within 30 days
23.	53.12.5206	Insulator sheet for Power contactor foundation as per NKJ SK - 1925.	Number	150	Within 30 days
24.	53.12.5207	Insulator sheet for Power contactor foundation as per NKJ SK - 1926.	Number	150	Within 30 days
25.	53.12.5208	Insulator for Power Diode Rectifier as per Drg.no. NKJ SK- 1927 Item-A	Number	100	Within 30 days
26.	53.12.5209	Insulator for Power Diode Rectifier as per Drg.no. NKJ SK- 1927 Item-B.	Number	100	Within 30 days
27.	53.12.5210	40 A, Contactor coil voltage 380/440 volt AC, Aux. contact - 1 NO + 1 NC, type CNS 40 T11, Cat no. -IHPAA040511, AC coil code - J/K 380/440. Make - Havells/Sciems/L&T.	Number	10	Within 30 days
28.	53.12.5211	Painting Brush of superior quality, size 75 mm with wooden handle as per IS: 384 make weldon / diamond or equivalent.	Number	100	Within 30 days
29.	53.12.5212	Mechanical interlock Lateral- 1 NO + 1 NC, Type 3RA-1924.2B. Make- Sciemente/Havells/L&T.	Number	40	Within 30 days
30.	53.12.5213	Over load Relay for Contactor Mounting, Model Cat no. CE 15DN3 -B, Overload Relay type -3 UA5200-1J, Current rating range -6. 3 to 10 Amps. Make Sciems/ Havells/L&T	Number	15	Within 30 days
31.	53.12.5214	Black Light (Hand held) for fluorescent NDT inspection. Model ZB 100 F of M/s ITW magnaflux or equivalent. (Specification as per attached annexure)	Number	1	Within 30 days
32.	53.12.5215	Digital Sound Meter . Range- 30 to 130 dbs for measuring sound intensity levels with calibration and warranty certificate.	Number	1	Within 30 days
33.	53.12.5216	"Ear Muff Leslico Slim -line Industrial Earmuff. Note: - Complete details &Specification as per attached annexure."	Number	200	Within 30 days
34.	53.12.5217	Ear Plug - Foam Type Corded Ear Plug Test performance .	Number	2000	Within 30 days
35.	53.12.5218	Aluminum Tower Extension Ladder (Square Type) Tripple Sections sizes close x Ext. Ht. 10 ft. x 24 ft. SIDE RAILS Channel Section.- 2. 5/8" x 1. 1/4" approx. STEPS 1" dia Round tube 10" C-C Base Mild Steel 6 ft. x 4 ft. Other features as per Annexure attac	Number	1	Within 30 days
36.	53.12.5219	Electromagnetic failsafe spring loaded Disk type AC Brake working on 415 V. AC, 3 Phase, 50 Hz. Supply. Model no. DAT- 235X or equivalent, suitable for 3 Ton EOT Crane.	Number	4	Within 30 days
37.	53.12.5220	One set of spares parts of W.W make Fuel Injection Pump- 18 m.m (as per attached annexure) set consisting of 06 items. Make :- W.W/Hynes USA/Bosch	Sets	1	Within 30 days
38.	53.12.5221	ABS Industrial Safety Helmet. LESLICO MODEL ROCLITE SAFTEY HELMET weighing around 300 grams or equivalent. (NOTE:- Complete description and specification as per attached annexure)	Number	200	Within 30 days

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction

OFFICE OF THE Sr. MATERIAL MANAGER (D), WCR, NEW KATNI JUNCTION

Bulletin No. 13/12-13/NS

Date: 12/11/2012 7:08

Opening Date: 19/10/2012 6:

Sr.	Tender no	Description	Unit	Quantity	Item Required
39.	53.12.5222	General Purpose Gloves, (ANSELL MAKE SENSILITE HAND GLOVES). Note: - Complete details & Specification as per attached annexure.	Number	250	Within 30 days
40.	53.12.5223	"Mechanical Gloves . Ansell Make Hycron Gloves. (Nitrile Coated Abrasion Resistant) Note: - Complete details & Specification as per attached annexure."	Number	250	Within 30 days
41.	53.12.5224	Flange wear gauge (10-0-10 mm) for measuring of flange of Diesel Electric locomotives, Guage made of stainless steel plate with hardened and tamped indicator, +/- 1.0 mm accuracy.	Number	2	Within 30 days
42.	53.12.5225	Root wear gauge (10-0-10 mm) for measuring of Root of Diesel Electric locomotive wheels. The gauge made of stainless steel plate with hardened and tamped indicator, +/- 1.0 mm accuracy.	Number	2	Within 30 days
43.	53.12.5226	Chip Breaking insert to part No. LNUX191940RRP KC9125. Make: Widia / Indicarb / Sandvik.	Number	50	Within 30 days
44.	53.12.5227	A set of sefety items required for Disaster Management for ART, Set consist of (1) Scene Tape in 100 mtrs. Roll, Qty.- 600 mtrs. (2) Rope Nylon, dia - 32 mm. Qty.- 100 mtrs. (3) Safety Cone, Qty. - 06 nos.	Sets	1	Within 30 days
45.	53.12.5229	A Set of Abrasive Paper. (silicon carbide water proof) Dia-200 m.m. Make:- John Oakey or equivalent. (One set consisting of 04 items as per attached annexure)	Sets	50	Within 30 days
46.	53.12.5133	Single Row deep groove ball bearing No. 6204 - 2 RS - C3 (Imported) filled with high temperature grease (HT 22 Ft) Make - SKF / FAG Note :- Material to be purchd from authorised dealers only	Number	150	Within 30 days
47.	53.12.5040	Wire Rope Steel, Round Strand for general Engg. purpose, Fibre core. Right hand ordinary lay 6 x 37 (18/12/6-1) const., Tensile Strength designation of wire 1770 N/Sq.mm. Performed, Galvanised 'B' Type to IS : 1835 of 1976. Minimum breaking load of wire rope 101.90 KN Confirming to IS:2266 of 2002 Dia-14 mm	Metres	500	Within 30 days
48.	53.12.5039	Wire Rope Steel, Round Strand for general Engg purpose, Fibre core. Right hand ordinary lay 6 x 37 (18/12/6-1) const., Tensile Strength designation of wire 1770 N/Sq.mm. Performed, Galvanised 'B' Type to IS : 1835 of 1976. Minimum breaking load of wire rope 52 KN Confirming to IS 2266 oif 2002 Dia-10 mm	Metres	500	Within 30 days

Closing Time : 13.00 Hrs.

Opening Time : 13.15 Hrs.

SMM (D)/D/NKJ

OFFICE OF THE Sr. MATERIAL MANAGER (D) , DIESEL LOCO SHED, WCR, NEW KATNI JUNCTION

FAX - 07622- 237104 : The offers received through FAX should be followed by a regular and normal offer

Note - Delivery of all items is to be done at SMM (D)/ Diesel Shed New Katni Junction