

## Annexure

### TENDER NO-53.12.5223

**Description:** - Mechanical Gloves. ANSELL Make Hycron Gloves (Nitrile Coated, Abrasion Resistant) Gloves Components material complies with FDA regulations.

1.	EN- Specification According to EN-388
2	Mechanical protection-4131 A- Abrasion Resistance. B- Cut Resistance. C- Tear Resistance. D- Puncture Resistance.
3	Size:- 8 to 10
4	Length :- 260-275 m.m
5	Application: - Heavy duty handling of casting cores & fabricated metal. Production handling of fabricated material etc.
6	Hycron gloves outwear heavy duty leather-palm gloves by 3 to 1

### Annexure

#### TENDER NO.53.12.5221

**Description:** - ABS Industrial Safety Helmet. (LESLICO MODEL ROCLITE SAFETY HELMET). Weighing around 300 gms. Designed to take on clip on accessories like face shield, ear defenders & welding visors without the need of drilling the helmet & chemical resistant. ABS grade material with special structured brim designed for additional side protection HAVING RATCHET TYPE HEADBAND including Sweat Band and Nylon Chin Strap. Helmets have two ventilation holes on both sides.

1.	Approved as per BIS, DGMS & CE certification & embossed on the helmet.
2	Conforms to EN-397, CLI, IS: 2925, DGMS & embossed on the helmet.
3	All the marking embossed inside the helmet

### Annexure

#### TENDER NO.53.12.5222.

**Description:** - General purpose gloves. ANSELL SENSILITE Hand Gloves Ansell make sensilite black general purpose knitted and dipped breathable gloves require good level of comfort and abrasion resistance. Offering precise handling of small object in dry environment when some one looking for dexterity or equivalent.

1.	EN- Specification According to EN-388
2	Mechanical protection-4131 A- Abrasion Resistance. B- Cut Resistance. C- Tear Resistance. D- Puncture Resistance.

## Annexure

TENDER NO.53.12.5216

**Description:** - EAR Muff. (Leslico Slim- line Industrial Earmuff)

**Ergonomics:-** Automatic head size attachment, wide, soft, comfortable Ear cushion easily replaceable. No metal parts for use in electrical environment. Flexible head band with added cushion pad for comfort.

**Features:** - Superior attenuations, filters harmful sounds, but let voices through allowing communication even in noisy areas. Designs of foam acoustic absorber inside the cups follow shape of the cup permitting free for the wearer's ear inside the cup. Quick click adjustment facility permits rapid and easy adjustment for correct position.

1.	Weight:-169 gms
2	Colour: - Bright orange.
3	Approvals: DEBEL
4	As per BIS (IS: 9167-1979) & IS: 6229-1971

## Annexure

TENDER.NO.53.12.5220.

**Description:** - One set of spare parts of W.W make fuel injection pump.  
18 m.m

Sr. No.	Description	Qty.
1	Element Assembly. as per W.W part no.7/139 D	04 nos.
2	Spring plunger. as per W.W part no.7/120	04 nos.
3	Washer spring plunger. as per W.W part no.7/1222	04 nos
4	Control rod assembly. as per W.W part no.7/108	04 nos.
5	Control sleeve. as per W.W part no.7/118	04 nos.
6	WDS- delivery valve holder as per W.W part no.7/132	04 nos

**Annexure**

TENDER.NO.53.12.5229

**Description:** - A set of Abrasive paper, silicon Carbide water proof.

Dia:- 200 m.m. Make: - John Oakey or equivalent.

Sr. No.	Grit Size	Qty.
1	1200	50 nos
2	1000	50 nos
3	800	50 nos
4	500	50 nos
	<b>TOTAL</b>	<b>50 Sets</b>

**Annexure**

TENDER.NO.53.12.5218

**Description:** Aluminum Tower Extension Ladder (Square Type) Tripple Sections sizes close x Ext. Ht. 10 ft. x 24 ft. SIDE RAILS Channel Section.- 2. 5/8" x 1. 1/4" approx. STEPS 1" dia Round tube 10" C-C Base Mild Steel 6 ft. x 4 ft. Other features as fallows:

Qty. – 01 no.

Sl. No.	FEATURES
1.	Round Grooved steps
2.	Rebated Joints of Steps & Side Rails.
3.	Sturdy, light in weight, fire proof & rot proof.
4.	Extension through Ratchet machine and wire rope.
5.	Bar lock arrangement for locking at all intermediate steps.
6.	Moving on a pair of 12" polymer wheels.
7.	Tool tray and standing platform on top.
8.	Sizes from 10 feet. to 50 feet's.
9.	Channel Section in 12/10 swg.

**Annexure**

TENDER.NO.53.12.5214

**Specification for**

1	Power Supply	230 Volt, 50Hz 1PH
2	Current Draw.	1Amp
3	Typical UN Intensity at 325 m.m	400 Microwatts per cm <sup>2</sup>
4	Typical Visible light emission at 625 m.m	Less than 0.1 Lux or 1 Foot candle
5	Bulb	100 Watt
6	Running temperature at 20 degree C	Less than 40 Degree C
7	Weight ( Hand Lamp only)	1.3 Kg.
8	Weight ( Hand Lamp and Control unit)	4.0 Kg.
9	Lamp to control unit cable length	5 Meters
10	Main Supply Cable Length	2 Meters

**ANNEXURE****TENDER NO.53.12.5179****Description:** A set of spares of Stick Type Master Controller of WDG3 locomotives

<b>Sl. No</b>	<b>Description</b>	<b>Part No</b>	<b>Qty.</b>
1	Throttle handle assly	MPS -6100	12 NOS
2	Locking Pin	MPS -6135	24 NOS
3	Locking Pin	MPS -6157	24 NOS
4	Hinge Pin	MPS- 6159	24 NOS
5	Spring	MPS- 6158	24 NOS
6	Roller Pin	MPS- 6154	24 NOS
7	Roller	MPS- 6155	24 NOS
8	Roller	MPS- 6161	24 NOS
9	Roller Pin	MPS- 6162	24 NOS
10	Spring	MPS- 6138	12 NOS
11	Spring	MPS- 6139	12 NOS

Annexure

53.12.5072:- Kit for hardware for adoption parts for TPR - 61 turbo charger ABB part no. 800800 (kit containing of 10 items as per the attached annexure

SR.NO	DESCRIPTION	QTY
1	HEX HEADED SCREW BSB 7.8'' X 65 MM	06 NOS
2	PLAIN WASHER JD 23	06 NOS
3	SPRING WASHER B 22	06 NOS
4	HEX BOLT M16 X 80	08 NOS
5	SPRING WASHER B16	08 NOS
6	HEX BOLT M 12 X 55/26	28 NOS
7	HEX NUT M-12 (8.8)	34 NOS
8	SPRING WASHER B12	42 NOS
9	HEX HEAD SCREW M-12 X35	20 NOS
10	HEX SCREW M-12 X 30	06 NOS

**TERMS & CONDITION –**

**Sub: - Invitation of Quotation's for Tenders BT SR. NO 13/12-13/NS  
DUE ON 19.10.2012**

Sr.MATERIAL MANAGER OF STORES-D-(D) W.C.RLY NKJ invites quotations for supply of subjected items on compliance of following conditions.

- (01) Separate quotation should be submitted for each.
- (02) Rate should be written both in figures and words per in unit as mentioned in tenders.
- (03) Quotation should have no over writing.
- (04) Quotation should be dropped in the tender box placed for purpose in this office
- (05) In case equivalent offer, counter offer should be clearly specified.
- (06) Quotation should be addressed to Sr. Material Manger, Diesel, WCR  
New Katni Junction. Katni (M.P)-483501
- (07) **Tender BT Sr. NO 13/12-13/NS due for opening on 19.10.2012 AT  
13.15 Hrs**
- (08) Delivery period should be within 30 days or earliest other wise will be passed over.
- (09) 100% Payment after receipt and acceptance of material.
- (10) Discount if any should be included in the rate it self and should not be quoted separately
- (11) Order will be cancelled after expiry of delivery date without any intimation
- (12) Drawing no and sample can seen in Sr. DME (D) NKJ'S office (M/C) in working hours.
- (13) Railways reserve the right to cancel/drop entire or any part of the Tender/PO at any time
- (14) Place of delivery/FOR – SMM (D) NKJ.

(15) **E MAIL ID- smmdnkj@gmail.com**

**Note- Please indicate your Name of the Bank, Bank A/C NO and IFSC Code etc on the bills**

**SMM/D/ NKJ**