

उप मुख्य सामग्री प्रबंधक कार्यालय
Dy. CMM/CRWS/BHOPAL

No. 68.12-WB- 48

Date: 27.12.2012

Tender to be closed on...**08.01.2013**..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल
Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}
सुपुर्दगी अवधि : 30 दिन ६ भंडार उपलब्धता के अनुसार
Delivery Terms : 30 Days / Ex stock

1	68.12.5918	EFT Board to RCF Drg.No. CC75082 Alt."b"	160 Nos
2	68.12.5919	Fuse cum Rotary switch box complete to ICF Drg.No.-GS6-7-2-602 Alt."e'.	09 Nos
3	68.12.5920	Junction Box Assembly as per RCF Drg.No. AE-76210 Alt."d" with terminal strip for DC wiring having marking BL1,BL2,C1,C2,SP5,SP6,SP7,SP8 in place of AC wiring.	160 Nos
4	68.12.5921	Ladder IS: 1079/94,2062/99,FE-410.WA-ICF/M/D/SP-102, WGSCWAC6-6-4-606 Col-1 Alt-'f,'	150 Nos
5	68.12.5922	Stainless steel sink with drain board to IS:6911,Size - 18½"37½x6¼x0.8mm thick.	05 Nos
6	68.12.5923	H.S.SShort machine hand tap to IS:6175/1991 Part-IV. Size- 8x1.25mm.Make-Mirinda,IT.	10 Set
7	68.12.5924	Suspension Hanger pin for 4.5KW Alternator with cotter pin to RDSO Drg.No. SKEL/3939 Alt-'2'	120Nos
8	6812.5925	Claw Hammer 'S' type Drop forged steel with steel shaft handle & PVC Grip size-½Lbs.Make-HIRA,Jhalani,Taparia.	50 Nos
9	68.12.5926	"H.S.S.Thread tap-set." Size-M-10X1.5MM Right hand.as per IS:6175/1992.Make-Totem,IT or Addition	14 Set.
10	68.12.5927	M.S.Galvanised shoot bolt for window Shutter, with spring. Length- 50 mm,ID-7.0 MM,OD-8.0MM thickness of wire 0.5 MM,Length of shoot bolt 75mm & Dia7.0mm Knob Length 20 mm & Dia 8.0mm as per Drg.No.CRW/SK-897	700 Nos
11	68.12.5928	G.I.Reducing hex nipple .size 15x10mm as per IS:1239/Part.II.	160 Nos
12	68.12.5933	Set of collet body & collect to suit for Heliarc Tigwelding torch H.W-26 (One set consisting of =02 Nos)(Part No.1620-605120-01No.,and collet 2.4mm for Heliarc Tigwelding torch Model No.H.W-26 Part 1620 605115 Quantity=01 No.) Maake- ESAB,BRINJAL OR WOLFRAM. OEM Certificate to be submitted along with supply of material.	50 Set
13	68.12.5880	Pipe wrench size 24" length 600mm as per IS:4003 Part – I/1978/95.Make-Taparia,Jhalani,Hira.	15Nos
14	68.12.5858	H.S.S.B1-Metal flexible high speed steel hacksaw blade.Size- 600x50x2.5mm 6 T.P.I., Make- Mirinda/ Bipico.	15 Nos
15	68.12.5870	Locking arrangement for battery Box to ICF Drg.No. T-7-1-723 Alt-'g'.	1000 Nos
16	68.12.5805	M.S.Plain Moulding size 700x25x3mm.	2000 Nos
17	68.12.5637	Transformer Box of per – cooling Rectifier 135 V. 200 A. CRWS/BPL/EL/SK/09/03.	08 Nos
18	68.12.5889	Set of Half & Full Qyarter Pannel RCF/ICF/SLR Non-AC Coaches, Specification-CK-513,OR-C-9407. As per Drg.No.CRW/SK-468-Alt-4-Col-II	30 Set

19	68.12.5883	Set of pipe wrench,One set consisting of:- (1) Size-300mm(12")=01No (2) Size-350mm(14")=01No(As per IS:4003/Part-I/1978/95.Make-Jhalani,Taparia,Gedore.OEM/Dealer certificate to be submit at the time of supply).	20 Sets
20	68.12.5682	Thread stitching Nylon black Colour No. 2, Nine cord for Industrial use each Reel having 400 Mtrs length Make- H.P. thread, Modi thread, Madura thread or Unique thread.	100 Nos
21	68.12.5708	Set of Lavatory door arrangement to drg no. ICF/STD-5-6-011 alt. u One set consist of Col no. I&V qty- 01 No,Col no. II & VIO qty-01 no, Note : item no. 2 & 21 are sourced from RDSO approved source only and the colour, Shade and pattern of panels shall be as per LP Sheet sample code no. NAC-SP05 or as agreed to between the purchaser and supplier , Item no. 1 (door frame) should be not galvanized .	10 Sets
22	68.12.5890	Set of Half & Full Quarter Pannel ICF/RCF GSCZ,Non-AC Coaches,Specification-CK-513,OR-C-9407.As per Drg.No. CRW/SK-468,Alt-4 Col-III	12 Set.
23	68.12.5153	Hand tools for Air Brake shop as per Annexure Attached . Material should be supplied along with original equipment manufacturer (OEM) Certificate.Make-Taparia or Stanley or Gadore.	01 Set.

AMM/CRWS/BPL

Annexure of Tender No.68.12.5897 due on 01.01.12
Set of Alluminium conduit ,Hex lock nut,coupler,internally screwed bushes for Underframe wiring of AC & Non AC Cpaches. One set is consisting of following 12 items.

Sr.No.	Item	Unit	QTY per set
1	Alluminium conduit 50mm threadable quality designation 63400 WP,2.5 MM thick to IS: 1285-2002,Suitable for electrical,dimensions confirming to IS:9537-81 (Part-2) in 03 Mtrs length conduit shall be threaded 50mm length at both ends.	Mtrs	417
2	Alluminium conduit 32mm threadable quality designation 63400 WP,2.5 MM thick to IS: 1285-2002,Suitable for electrical,dimensions confirming to IS:9537-81 (Part-2) in 03 Mtrs length conduit shall be threaded 50mm length at both ends.	Mtrs	270
3	Alluminium conduit 20mm threadable quality designation 63400 WP,2.5 MM thick to IS: 1285-2002,Suitable for electrical,dimensions confirming to IS:9537-81 (Part-2) in 03 Mtrs length conduit shall be threaded 50mm length at both ends.	Mtrs	48
4	Hex locks nuts 50mm hot dipped galvanized to IS:3837-1976,Table-6 and IS:4759-1984.	Nos	352
5	Hex locks nuts 32mm hot dipped galvanized to IS:3837-1976,Table-6 and IS:4759-1984.	Nos	116
6	Hex locks nuts 20mm hot dipped galvanized to IS:3837-1976,Table-6 and IS:4759-1984.	Nos	72
7	Couplers dia 50mm (Internally screwed) hot dipped galvanized IS:2667-1988,Table-1 and IS:4759-1984.	Nos	106
8	Couplers dia 32mm (Internally screwed) hot dipped galvanized IS:2667-1988,Table-1 and IS:4759-1984.	Nos	42
9	Couplers dia 20mm (Internally screwed) hot dipped galvanized IS:2667-1988,Table-1 and IS:4759-1984.	Nos	6
10	Internally screwed bushes 50mm to ICF Drg.No. ICF/SK-7-2-230 Item No. 13 Alt-"A"	Nos	352
11	Internally screwed bushes 32mm to ICF Drg.No. ICF/SK-7-2-230 Item No. 11 Alt-"A"	Nos	116
12	Internally screwed bushes 20mm to ICF Drg.No. ICF/SK-7-2-230 Item No. 9 Alt-"A"	Nos	72

Dy.CMM/CRWS/BPL