

**WEST CENTRAL RAILWAY**  
**E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED**  
**E-PROCUREMENT WEEKLY BULLETIN No. : 04/13**

**Tenders Due For Opening Between 14-JAN-13 And 20-JAN-13**

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

**IMPORTANT NOTE**

**TO TENDERER:** Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

| Sr No | Tender No | Description of Stores | Quantity Required | Unit | Delivery terms | Trade Group | Depot where the material is required | Inspection By |
|-------|-----------|-----------------------|-------------------|------|----------------|-------------|--------------------------------------|---------------|
| (1)   | (2)       | (3)                   | (4)               | (5)  | (6)            | (7)         | (8)                                  | (9)           |

**Opening Date 17-12-2012 (MONDAY )**

|   |            |   |         |      |                   |      |                       |        |
|---|------------|---|---------|------|-------------------|------|-----------------------|--------|
| 1 | 80.12.1070 | SHELLAC JOINTING COMPOUND AS PER IS: 3447/1993 (IN 1/2 KG. PACKING) MANUFACTURING & EXPIRY DATE SHOULD BE MENTIONED ON EACH PACK, MAKE-HOLDTITE OF M/s PIDILITE/ITW/HENKAL(PL NO :80982268) | 488.000 | KGS. | Within 02 months. | 7741 | DY.CMM-D(CRWS) BHOPAL | BITES. |
|   |            | <b>Total</b>  |         |      | 488.000           |      |                       |        |

**Opening Date 14-01-2013 (MONDAY )**

|   |            |   |          |      |                          |      |                          |           |
|---|------------|---|----------|------|--------------------------|------|--------------------------|-----------|
| 2 | 80.12.1406 | MIRROR GLASS SILVERED PLAIN, SIZE: 230 X 380 X 5.5 MM TO CR DRG. NO. BF 38/ALT.4 TO IS: 3438/94 MADE OUT OF FLOAT GLASS WAVINESS NOT MORE THAN 8 MM AS LAID DOWN IN IS:2835/87 (3RD REVISION) TEST FOR WAVINESS.(PL NO :84052314) | 5528.000 | NOS. | 90 Days after 01.07.2013 | 8421 | DY.CMM-D(CRWS) BHOPAL    | BITES     |
|   |            | <b>Total</b>  |          |      | 5528.000                 |      |                          |           |
| 3 | 40.12.1993 | Signal lamp 110 V 10 +/- 2 watts as per Drg. no.ELW/BSL/WAM 4/125.038 or latest and RDSO Specification E/14/6/02-A with latest amendmends.(PL NO :45158034)   | 2938.000 | NOS. | WITHIN 01 TO 02 MONTH    | 4579 | SMM-D (ELS) NEW KATNI JN | CONSGNEE. |
|   |            |   | 4610.000 | NOS. | WITHIN 01 TO 02 MONTH    | 4579 | SMM-D(ELS) ITARSI        |           |
|   |            |   | 3260.000 | NOS. | WITHIN 01 TO 02 MONTH    | 4579 | SMM/ELS/TK D             |           |
|   |            | <b>Total</b>  |          |      | 10808.000                |      |                          |           |

**Opening Date 15-01-2013 (TUESDAY )**

|   |            |   |        |      |                |      |                 |                 |
|---|------------|---|--------|------|----------------|------|-----------------|-----------------|
| 4 | 62.12.4020 | Cut Piece cloth of 175 cm length for Bush Shirt F/S Woven suiting made of polyester & cotton blend conf to spec no. IS 15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: FAWN. Construction particulars (a) Nominal count of warp yarn: 30S/2 (20 TEX X 2) (b)Nominal count of | 52.000 | NOS. | WITHIN 90 DAYS | 7912 | SMM -D(GSD) BPL | BITES FOR PL NO |
|   |            | <b>Total</b>  |        |      | 52.000         |      |                 |                 |

weft yarn: 30S/2 (20 TEX X 2)  
(c)Threads per Decimeter -Warp  
260. (d)Threads per Decimeter-  
Weft 190 (e) Mass 190 gm/M2.  
(f)Fiber composition Polyester 67  
PERCENT (g) Fiber composition  
Cotton 33 PERCENT (h) Weave:  
Plain.Manufacturer's name to be  
woven on both sides of selvages  
throughout the length of the cloth, it  
should be clearly visible. Each  
piece shall be packed in separate  
polythene pack of size 12' x 15' of  
40 micron thickness with  
resealable. "WEST CENTRAL  
RAILWAY" and the manufacture  
name with month and year of  
manufacturing should be printed  
on each pack.(PL NO :79127046)  
Cut Piece cloth of 175 cm length  
for Bush Shirt Full Sleeves Woven  
suiting made of polyester & cotton  
blend conf to spec no. IS

34.000 NOS. WITHIN 90  
DAYS

7912

SMM-  
D(GSD)BPL

**Total**

34.000

15853/2009 except for soil  
release efficiency test & limited  
flame spread index test. Width:  
138 cm excluding selvages.  
Shade: Bluish Grey. Construction  
particulars (a) Nominal count of  
warp yarn: 30S/2 (20 TEX X 2) (b)  
Nominal count of weft yarn: 30S/2  
(20 TEX X 2) (c) Threads per  
Decimeter -Warp 260. (d)Threads  
per Decimeter-Weft 190 (e) Mass  
190 gm/M2. (f)Fiber composition  
Polyester 67 PERCENT (g)Fiber  
composition Cotton 33 PERCENT  
(h)Weave: PlainManufacturer's  
name to be woven on both sides of  
selvages throughout the length of  
the cloth, it should be clearly  
visible. Each piece shall be  
packed in separate polythene pack  
of size 12' x 15' of 40 micron  
thickness with resealable. "WEST  
CENTRAL RAILWAY" and the  
manufacture name with month and  
year of manufacturing should be  
printed on each pack.(PL NO  
:79127060)

26.000 NOS. WITHIN 90  
DAYS

7912

SMM -D(GSD)  
BPL

**Total**

26.000

Cut Piece cloth of 140 cm length  
for Bush Shirt H/S Woven suiting  
made of polyester &cotton blend  
conf to spec no. IS 15853/2009  
except for soil release efficiency  
test & limited flame spread index  
test. Width: 138 cm excluding  
selvages. Shade: FAWN.  
Construction particulars (a)  
Nominal count of warp yarn: 30S/2  
(20 TEX X 2) (b)Nominal count of  
weft yarn: 30S/2 (20 TEX X 2)  
(c)Threads per Decimeter -Warp  
260. (d)Threads per Decimeter-  
Weft 190 (e) Mass 190 gm/M2.  
(f)Fiber composition Polyester 67

PERCENT (g) Fiber composition Cotton 33 PERCENT (h)Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79127083) Cut Piece cloth of 175 cms length for Full Sleeves Bush Shirt Woven suiting made of polyester & cotton blend conf to spec no. IS 15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: DARK GREY.

|              |             |                |      |                    |
|--------------|-------------|----------------|------|--------------------|
|              | 68.000 NOS. | WITHIN 90 DAYS | 7913 | SMM -D(GSD)<br>BPL |
| <b>Total</b> |             | 68.000         |      |                    |

Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79980399) Cut Piece cloth of 140 cms length for H/S BUSH SHIRT Woven suiting made of polyester and cotton blend conf to spec no. IS 15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: DARK GREY. Const part

|              |               |                |      |                    |
|--------------|---------------|----------------|------|--------------------|
|              | 1789.000 NOS. | WITHIN 90 DAYS | 7913 | SMM -D(GSD)<br>BPL |
| <b>Total</b> |               | 1789.000       |      |                    |

(a)Nominal count of warp yarn: 30S/2 (20 TEX X 2) (b)Nominal count of weft yarn: 30S/2 (20 TEX X 2) (c)Threads per Decimeter -Warp 260. (d)Threads per Decimeter-Weft 190.(e)Mass 190 gm/M2.(f)Fiber composition Polyester 67 PERCENT.(g)Fiber composition Cotton 33 PERCENT.(h)Weave: Plain.Manufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it

should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79980430)

Cut Piece cloth of 175 cm length for Full Sleeves Bush Shirt Woven suiting made of polyester & cotton blend conf to spec no. IS

5.000 NOS. WITHIN 90 DAYS  
34.000 NOS. WITHIN 90 DAYS

7912 SMM -D(GSD)  
BPL

15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: WHITE. Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79982384)

**Total** 39.000

15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: WHITE. Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79982384)

Cut Piece cloth of 140 cm length for Half Sleeves Bush Shirt Woven suiting made of polyester & cotton blend conf to spec no. IS

224.000 NOS. WITHIN 90 DAYS

7913 SMM -D(GSD)  
BPL

15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: WHITE. Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79982384)

**Total** 224.000

15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: WHITE. Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79982384)

15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvages. Shade: WHITE. Construction particulars (a) Nominal count of warp yarn 30S (b) Nominal count of weft yarn 30S (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter-Weft 190 (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: PlainManufacturer's name to be woven on both sides of selvages throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79982384)

name with month and year of  
manufacturing should be printed  
on each pack.(PL NO :79987930)

**Opening Date 16-01-2013 (WEDNESDAY)**

|   |            |   |             |                                   |      |                 |            |
|---|------------|---|-------------|-----------------------------------|------|-----------------|------------|
| 5 | 61.12.1699 | ADJUSTABLE PIPE WRENCH<br>14", MAKE<br>JHALANI/TAPARIA/EVEREST TO<br>IS:4003-1978 Pt 'F' WITH Amdt.-<br>1(Pt-1).(PL NO :72972142) | 81.000 NOS. | within 01 month<br>after 01.04.13 | 0000 | SMM/ELS/TK<br>D | CONSIGNEE. |
|   |            | <b>Total</b>  |             | 81.000                            |      |                 |            |

**Opening Date 17-01-2013 (THURSDAY)**

|    |            |  |                |                                       |      |                                    |            |
|----|------------|--|----------------|---------------------------------------|------|------------------------------------|------------|
| 6  | 61.12.2030 | BOLTS HEX HEAD HIGH<br>TENSILE M16 X50MM TO IS<br>1364/PART I/92 PROPERTY<br>CLASS 8.8 (reserved for NSIC<br>unit )(PL NO :73851188)   | 1228.000 NOS.  | within 30 days<br>after<br>01.04.2013 | 7305 | SMM-D(ELS)<br>ITARSI               | CONSIGNEE. |
|    |            |  | 600.000 NOS.   | within 30 days<br>after<br>01.04.2013 | 7305 | SMM/ELS/TK<br>D                    |            |
|    |            | <b>Total</b>   |                | 1828.000                              |      |                                    |            |
| 7  | 61.12.1116 | Bulb cotter drg. No. WD-94068-S-<br>1 item no.1 Alt.4 or latest(PL NO<br>:73982246)  | 703.000 HDS    | within 02 to 03<br>months             | 7325 | DY.CMM/KOT<br>A                    | rites.     |
|    |            | <b>Total</b>   |                | 703.000                               |      |                                    |            |
| 8  | 61.12.1135 | Hot forged steel Rivets for hot<br>closing (Snap head type)IS-<br>1929/1982reaffirmed 1996) with<br>amdt. 1-3 as per IS-1148/1982 in<br>the size- M 20x120 mm. Item of<br>the RC-5.(PL NO :73985168) | 6649.000 KGS.  | 01.04.2013 to<br>30.06.2013           | 7305 | DY.CMM/KOT<br>A                    | rites.     |
|    |            | <b>Total</b>   |                | 6649.000                              |      |                                    |            |
| 9  | 61.12.1547 | Cassette Unit for tool holder (LH)<br>for RLY Wheel turning purpose<br>SANDVIK NO SAL .L175,<br>32.3222.30.WIDIA<br>1069.393.165.20(PL NO<br>:72980965)  | 72.000 NOS.    | within 30 days<br>after 01.04.13      | 7233 | AMM-<br>D(BOXN)<br>NEW KATNI<br>JN | rites.     |
|    |            | <b>Total</b>   |                | 72.000                                |      |                                    |            |
| 10 | 30.12.2409 | RIVETS M.S. SNAP HEAD 22MM<br>DIA X 110 MM LENGTH FOR<br>CENTRE PIVOT OF<br>BTPN/BTPGLN TO IS 1929-1982<br>OR LATEST AND STEEL TO IS-<br>1148-1982 OR LATEST(PL NO<br>:37987021)                     | 16646.000 NOS. | WITHIN 03<br>MONTHS.                  | 7305 | DY.CMM/KOT<br>A                    | rites.     |
|    |            | <b>Total</b>   |                | 16646.000                             |      |                                    |            |
| 11 | 30.12.2237 | HORIZONTAL LEVER SUPPORT<br>LARGE FOR BOXN WAGON TO<br>IRS PART DRG W/BG-6343 ALT<br>NIL OR LATEST.& WD 80007-S-<br>10 ALT 21 OR LATEST, ITEM<br>15(PL NO :38983503)                                 | 191.000 NOS.   | WITHIN 03<br>MONTHS.                  | 0036 | DY.CMM/KOT<br>A                    | CONSIGNEE. |
|    |            | <b>Total</b>   |                | 191.000                               |      |                                    |            |
| 12 | 30.12.3565 | FLAP DOOR CHAINLESS<br>COTTER FOR BOXN HL<br>WAGON W/DW-297, ALT-1 OR<br>LATEST.(PL NO :38987752)  | 485.000 NOS.   | WITHIN 04<br>MONTHS.                  | 7325 | AMM-<br>D(BOXN)<br>NEW KATNI<br>JN | CONSIGNEE. |
|    |            | <b>Total</b>   |                | 485.000                               |      |                                    |            |
| 13 | 30.12.1667 | FLANGE JOINTING FOR BTPN<br>TANKS TO RDSO DRG.NO.-<br>WD-86081-S-66, ITEM NO.11,<br>ALT. NO.14 OR LATEST.(PL NO<br>:37980476)  | 4916.000 NOS.  | WITHIN 04<br>MONTHS.                  | 8445 | DY.CMM/KOT<br>A                    | CONSIGNEE. |
|    |            | <b>Total</b>   |                | 4916.000                              |      |                                    |            |