

उप मुख्य सामग्री प्रबंधक कार्यालय
Dy. CMM/CRWS/BHOPAL

No. 68.13-WB- 03

Date : 03.06.2013

Tender to be closed on... **11.06.2013**..... at 14:30 Hrs .

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक,सडिपुका,मेन स्टोर,भोपाल
Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}
सुपुर्दगी अवधि : ३० दिन ६ भंडार उपलब्धता के अनुसार
Delivery Terms : 30 Days / Ex stock

Sr.No	Tender No	Description	Qty
1.	68.13.5325	Rubber bush for western style commode size-ID-20 mm XOD-38 mm,Length-45MM,Natural Rubber.	500 Nos
2.	68.13.5228	Set of Reducing Tee size-25x25x20mm,as per IS:1879/Part.III/75 table-2,Quantity=02 Nos & G.I.Elbow size-20mm,as per IS:1879/Part-III/75 table-1,Quantity=02 Nos (One set consisting of 04Nos.)	590 Set
3	68.12.5600	Inter unit battery connector's to RDSO Drg.No. SKEL-4037 Alt-4 item No.3 for AH Lead Acid Battery.	300 Nos
4	68.12.5552	Set of Miniature circuit breaker's (DC) Spec/E-12/1/04 of March 92 with Amndt 1 of June 93 & RDSO Drg. No. SKEL-3700Alt.1 dated 05.09.94.Make-LEGRAND,Indo Asian ,Havells's (ICF/RCF Approved) as per Annexure 'A' enclosed.	20 Sets
5	68.13.5308	Set of diffuser Pt.No. TGR-01001 of Panasonic OR Pt. No. TP-GD-12 of Tech –Pro. Or Pt.No. D50001 of 4S Make. Black & Gas insulator Pt.No. TF2-35101 of Panasonic or TT-BGI-10 of tech. pro or Part No. D50002 of 4S Make and Tip holder brass Pt.No. TP TH-14 of Tech.pro Part No. of D50003 of 4S or Panasonic make for CO2 welding torch.(One set Consist of diffuser,black and Gas Insulator and Tip holder one each). Oly authorize dealer Participate with OEM Certificate.	60 Set
6	68.13.5313	G.M.Foot valve size 65mm as per BS-1400 Make-Utam/UTM/Bond.	06 Nos
7	68.13.5332	Set of Current Transformer wire wound PVC Insulated-(a)Premium ring type C.T.Ratio 800/5 Amps.ACC Class 1.0,Approx Dia (ID)80MM,15VA,(b)Primium Ring type C T Ratio 500/5 Amps ,ACC Class 1.0,Approx Dia (ID)55MM,15VA.(c) Premium Ring type C.T.Ratio 300/5Amps. ACC Class 1.0,Approx Dia (ID)55 mm,15VA,(D)Premium Ring Type C.T.Ratio 1000/5 Amps,ACC Class 1.0,Approx Dia (ID)80mm,15VA.(e) Premium Ring Type C.T.Ratio 1600/5 Amps,ACC Class 1.0,Approx Dia (ID)140mm,15VA.,ISS:2705/1992 or latest,Make-SHI/MECO/NIPPEN/Automatic Electric/CGL/Siemens /L&T.	01 Set
8	68.13.5303	Expanded metal partition frame (Below Transverse seat)Drg.No. AE-61200,Alt.-b.	175 Nos
9	68.13.5305	Expanded metal partition frame Below seat for GSCZ Coaches ,As per sealed sample.	200 Nos
10	68.13.5288	Hex Head Nut size 6 mm bright zinc plated as per IS:1364/1992.(01Unit=1000 Nos)	08 Units

11	68.13.5264	(1)Sink Jali steel 2".(2) PTMT stop cock ½".(3)PTMT Piller cock½"=01 Set	50 Set
12	68.13.5263	A.Set of C.I.Union(a) union ½"=02 Nos. (b)Union 1"=02 Nos (c)Union 2"=01 No. One set consist of (a+b+c) as per IS:1879182.	100 Sets
13	68.13.5383	(A)6"PVC-Pipe-4Kg Pressure.(B)6"PVC-Socket.(c)6"PVC PLUG BAND=01 Set	25 Set
14	68.13.5367	Speed welding Nozzle .Diameter=03mmØ.Article No.:106.989 for Electric Hot air P.V.C.Welding Gun Machine. Nozzle to suit for Leister. Make-Electric Hot air PVC Welding Gun Machine.	30 Nos
15	68.13.5368	Tubular nozzle Diameter=05 mm Ø Article No.=107.154,for Electric Hot AIR P.V.C. .Welding Gun, Tubular Nozzle to suit for Leister .Make-Electric Hat air PVC Welding Gun Machine.	12 Nos
16	68.13.5370	Contact tip M8 CuCrZr dia.0.8mm part No. 140.0054 length 30mm for CO2 Welding Torch Model MB36KD of Abicor Binzel or Tbi make. Material test certificate of contact tip should be submitted at the time of supply.with OEM Certificate .	300 Nos
17	68.13.5371	Hex Head Bolt M-8X20MM Steel full thread slotted to is:1363 part-III Latest Bright zinc plated.	10000 Nos
18	68.13.5372	Set of Nylon Locking cable Tie,One set consisting of 04 items as per 312x7.6mm=35 Nos,254x4.75mm=25 Nos,453x8mm=35 Nos,153x3.6mm=125 Nos=Total=220 Nos	80 Set
19	68.13.5373	Ring Tongue type copper terminal end's 95sqmm'.As per Dowells cat No. 7144' E-dia 10.7mm (ICF/RCF(Kamlesh ,Dowe'lls,Chetna Make)Approved make).	1000 Nos
20	68.13.5375	M.S.Hexagonal Head Nut & Bolt full thread assembled (Bright zinc plated) to IS:1363/93 SIZE-8X25MM.	200 Kgs
21	68.13.5376	Cast Iron claw coupling Set,One male end size=¾" BSP Thread and other Female end having Nipple Length=40mm,Outer dia meter suitable to 8MM Bore PVC Hose for required working pressure 10KG/CM2 with rubber washer Natural hardness of rubber 65±5.as per approved sealed sample.	300 Set
22	68.13.5377	Hose clamp Jublee Type suitable for P.V.C. Nylon Hose Pipe size=13MM to 20MM .Outer Dia,Make=Invicta or clipwell or standard.	4500 Nos
23	68.13.5378	Multipurpose Rust Remover, can capacity =500 ML(415GM) Co2 Base, Antitoxic, Anticorrosive and safe on paint rubber metal and plastic, Make= WC 90 Wonder or AC 90 Stanvac or Superon or Standard .	135 Nos
24	68.13.5379	Set of Hydraulic Nut & Extention adopter for Inventum Hyd, Bearing Extractor Model No. MIW-02. Make: Inventum or Precession or Mark. (01 No.Hydraulic Nut+01 No Extention Adaptor=01 Set)	02 Set
25	68.13.5380	Set of Nitrile Rubber "O" Ring to suit Inventum Make Hydraulic Bearing Extractor Model-MIW-92. Make:Inventum or Precession or Mark.(01) Nitrile rubber 'O 'Ring for extension Adopter-500 Nos.(02) Nitrile Rubber "O" Ring for nut to bearing face-500 Nos (03) Nitrile Rubber 'O' Ring for Annular Piston-100 Nos (04) Nitrile Rubber "O" Ring for Nut to extension Adopter-100 Nos=01Set)	02 Set

26	68.13.5381	Contact tip M8 CuCrZr dia.1.2mm part No. 140.0445 length 30mm for CO2 Welding Torch Model MB36KD of Abicor Binzel or Tbi make. Material test certificate of contact tip should be submitted at the time of supply.with OEM Certificate .	500 Nos
27	68.13.5382	Italian brass ball valve female screwed end,BSI" male thread full bore lever operated, suitable for gas pipeline, max, working pressure 21 Kg/cm2,size ½" of Arch OR Sant or W.J.Make.	20 Nos
28	68.13.5385	Single phase starter (SPS)with 2 Pole contactor + relay (With Ammeter+Voltmeter), 2HP,Relay range 13-22 Amps, Run Capacitor 36+36 mfd, Start Capacitor 150/200 mfd, with full safety protection test certificate and guarantee card. Make-BCH Cat No.: CPNSLBW.SP,L&T,Cat.No. SS96990BDCF, C&S Model NO. BE1SDA2525MU222M.	03 Nos
29	68.13.5386	3 Phase,415 Volt,50HZ AC,Star Delta Starter with relay range 13 Amps to 21Amps,with Electronic timer with protection phase failure,Phase unbalance phase reversal, short circuit protection through MCB,Ammeter & Voltmeter On/Off trip indicator and provision for connecting dry run preventor confirming to IS:13947-4.Make-L&T(MUG-20FASD),BCH(Premium Model)and C&S, Similar to above specification:	05 Nos
30	68.13.5387	Alluminium Plain Sheet IS:737/86 Size-1220 x 2440 x 1 mm thickness.	180 kg
31	68.13.5374	Alkaline Battery 9Volt MN-1604-6LR-61 for Electrical Instrument Make-Duracell, Varta.	50 Nos

Dy.CMM/CRWS/BPL

Annexure 'A' of tender No. 68.12.5552 due on 11.06.2013.

Set of Miniature circuit breaker (DC) One set is consisting of Following items.

Sr. No.	Description	unit	Qty per Set
1	MCB 04 Amp	each	03 Nos
2	MCB 10 Amp	each	02 Nos
3	MCB 16 Amp	each	03 Nos
4	MCB 40 Amp	each	01 No.
Total			09 Nos

One set consist of 04 items = 09 Nos.

AMM/CRWS/BPL