

**West Central Railway**

No.SD.32.NS.BT/July/13-14  
Date: 16/07/13

Office of the  
Senior Material Manager  
{Electric Loco Shed} NKJ  
NEW KATNI Jn. 483501  
Fax 07622-237162-237214  
Email: smmelnkj@gmail.com

(Bulletin in 03 Pages)

**Bulletin Tender Due on : 07/08/2013**

S n	Tender N.	Description	Qty.
1.	72135093	Paint Aluminium brushing, bright finishing to IS:2339/1963. Packing in 4 ltr. Dual containers.(This item is reserved for RDSO approved sources).The date of supply of the material should be within 60 days from the date of manufacture. Warranty clause: As per IRS condition.	300 Ltrs
2.	72135100	Wooden Wedge for Loco to Drg. No. BSL/TRS/WAM-4/SK-3/198.	1000 Nos.
3.	72135081	Heavy duty double legged wire rope sling one end with safety eye hook as per IS 2759-1967 with thimble IS 2315-1963 & other enf ring as per IS 4369-1967 with ferrule IS 3822 for 05 Ton lifting capacity with 2 meter long wire rope. Note: Material must be tested with Govt. approved Lab.(certificate is must with the supply) and gauranted as per IRS condition.	02 Nos.
4	72135086	Fuse Links as per annexure, as per IS:13703:1993(Pt2/sec.1) and IEC 269:1986(Pt. 1&2).Dimension of fuse should be as per sketch attached.A set consising 05 items 29 Nos. Make: Havell's,HPL,L&T,Siemens,M/s GE or M/s STANDARD Elec.,M/s English Electric only.Before supply of entire qty. 01 sample has to be approved. Note:-Supplier has to be submitted documentary proof, alongwith supply that the material has been procured from authorised dealers of required make.	09 Sets
5	72135091	Mobile phone switch off sticker as per H.Q.letterNo.WCR/L/06/2113/8184 dtd.29/11/12, sticker is to be pasted in each cab of loco for reminding LP/ALP/LI to switch off mobile phone during running in loco.	1000 Nos.
6	72135092	Set of Spare for D-1 Emergency brake valve. One set consists 02 items 03 Nos. (1) Plunger with pin-D-1E- (Wabco Pt.No.564989- 01 No. (2) Spring-D-1E-(Wabco Pt.No.562295)- 02Nos.	100 Sets
7	72135093	Driver seat and pedestal assembly for Electric Locomotive Engine WAG-7 as per CLW Drg. No.1209-08-131-010 (Alt-6). Note: Warranty as per IRS condition.	04 Nos.
8	72135098	Drum kit for TOSHIBA make e-Studio 452 Photocopier Machine. ( One kit consisting 01 No.each of Drom, Developer, Blade-D & Blade-R) Note: The tenderer has to submit certificate of dealership along with their offers.Ifauthorised dealer/distributor wish to quote through sub-dealers/Agents, their due authorisation should be issued by authorised dealer on case to case basis i.e. Tender specific which should submitted by sub dealers/ Agents along with their offer.	01 No.
9	72135101	Hose pipe wire braided PVC hose having bursting pressure not less than 50 Kg/sq.cm,Bore dia. Not less than 10 mm & length not less than 500 mm for Fire Extinguishers DCP type 05 Kg capacity conforming to IS: 2171 / 85.	100 Nos.
10	72135102	Set of Epoxy moulded terminal cover for Auxiliary Motors as per annexure attached. Each set consists of 04 items 14 Nos. Note:- One sample should be supply by firm for practical fitment before bulk supply of material.	10 sets
11	72135103	Heavy duty rust penetrator non acidic & non corrosive low surface tension for opening of rusted & jammed assemblies in 730 ml aerosol can of M/s Aerolube 3001 or zenith/corium Z127 or ASV make. Warranty: As per IRS condition.	40 Nos.
12	72135104	Copper washer for PRV OD 19 mm,ID 10 mm& thickness 1.0 mm	500 Nos.
13	72135105	Concentrated, Non Flamable, Non Corrosive Cleaner for Cleaning of Cardium Compound can be diluted 1 : 6 with Kerosene in 05 Litters pack of M/s Aerolube Z9700 OR ASV OR ROCHESTER MIDLAND make.	06 Nos.

14	72125167	Set of Spare card for Altos make LED based Flasher Light as per RDSO Specification No. ELRS/SPEC/LFL/0017 (Rev 1 Sep. 2004) One set consisting 02 items & 02 Nos.(1) Flasher Control Card as per ALTOS Part No. ALT-E-86 ver.0.4 Qty./set=01 No.,(2) LED Lamp Card as per ALTOS Part No. ALT-92 Qty./set=01 No.(PAC Item)	05 Sets
15	72125303	Maint rubber kit for GM type auto drain valve. (Faiveley make)PAC Item	07 Nos.
16	72135031	CAM, REGULATING 3/4" $\phi$ X140 lg for A-9 Valve.Pt. No. Wabco PC No. 561362 & FTIL Pt. No. 502823000	35 Nos.
17	72135047	WIDE CONVERSION LENS FOR CAMCODER INCLUDED ACCESSORIES CARRYING POUCH FRONT & REAR CAP suitable for magnification 0.7x, high grade, diameter approx. 89mm, length 49mm, weight 240g, screw dia M56 x 0.75mm material ABS plastic and glass lens structure 03 groups, 03 elements, colour-Black. AS PER MODEL-VCL-DH0758 of SONY comparable for SONY MAKE CAM CORDER MODEL HDR-SR10E.	01 No.
18	72135065	Set of spare for pipe fitting for VCD as per annexure. One set consist of 05 items 24 Nos. Note: 01 set sample to be approved before supply of bulk quantity.	15 Sets
19	72135046	WIDE ANGLE CONVERTER HIGH GRADE LENS IN ALLUMINIUM HOUSING FOR DIGITAL CAMERA INCLUDED ACCESSORIES CARRYING POUCH FRONT & REAR CAP suitable for magnification 0.7X, diameter approx. 45mm, length 24mm, weight 70 g, screw dia M36 X0.75mm, material Aluminium and glass lens, structure 03 groups, 03 elements, colour-silver. Sony make. Note:-Atleast 18 month warranty from date of supply & 12 month warranty from date of commissioning.	01 No.
20	72125111	Magnetic yoke complete of AC loco as per M/s AAL Drg No. 9980383667801 & AAL part No G 2610 or M/s BTIL Part No. S-2610	03 Nos.
21	72125172	3 Phase Axial Fan Model No. GR 25M 2DK 3B IR suitable for M/s Hind makeSIV of AC. Locomotives.(PAC Item)	01 No.
22	72135078	Memory Card for Indicator of M/S Medha make SPM type MRT 921 as per Medha part No:SP921701001.(PAC Item)	02 Nos.
23	72135079	EMERGENCY REPAIR KIT for Loco 'TRANSFORMER' make MONARCH, ITW or equivalent. One set consisting of 10 items 11 Nos as per annexure attached.	02 Nos.
24	72135052	Zero Air gas Grade- I , Purity 99.99%. Filling 07 cubic meter each in Railway cylinder No. A42189 & 5222 with gas quality certificate.	84 Cu M
25	72135107	Toner cartridge for SHARP make Photocopier Machine Model no.5320.	02 Nos.
26	72135116	Air Motor Assembly complete as per SIL Old Order Ref.-No- S000324 & New customer Order Ref.-No-S0221112501. <b>Note. Material to be procured from CLW approved source panel Ref.page No.6 of 110 at Sr.No. 32</b>	03 Nos.
27	72135115	Kit for two way horn valve of FRTIL make horn valve.(PAC Item)	16 Nos.

### Annexure

72135086	1. HRC fuse link 400Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	HRC fuse link 400Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	02
	2. HRC fuse link 200Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	As per M/s HPL type LKDN-I or equivalent	05
	3. HRC fuse link 100Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	As per M/s HPL type LKTSD or equivalent	07
	4. HRC fuse link 35 Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	-As per M/s HPL type LKTSS or equivalent	03
	5. HRC fuse link 63 Amps with breaking capacity of more than 80kA at 415 Volt,50 Hz AC.	As per M/s HPL type LKTSS or equivalent	12
	Each set consists of 5 items 29 Nos.	-	01
72135102	1. Epoxy moulded Terminal cover suitable for CGL make MPH.	IS: 1092/1982 Gr up-1	02
	2. Epoxy moulded Terminal cover suitable	RDSO Drg.No.SKEL-4580 ALT-0	04

	for SIEMENS make MVMT,MVRH		
	3 .Epoxy moulded Terminal cover suitable for ABB make MVMT, MVRH & MCP	RDSO Drg.No. SKEL-4578 ALT-0	05
	3. Epoxy moulded Terminal cover suitable for SIEMENS make MCP	As per Sr.DEE/RS/GZB/Drg.No.629/Elect/parts/97	03
	Each Set consists 04 items 14 Nos.		
72135065	1.Equal tee brass for 10 mm copper pipe (3/8")	-	01
	2.Equal brass connector size 3/8" for 10 mm copper pipe.	-	10
	3.Pressure switch adopter (Brass)	-	03
	4. Union Tee 3/8" M.S	-	04
	5. Clamp for 10 mm copper pipe with nut & bolt	-	06
	Each set consists of 5 items 24 Nos.		
	1.		
	2. Moving Part without contact & shunt for Arno starting contactor (C-118)	CLW Spec. No. CLW/ES/C-15/C	01
	Each Set consists of 03 items 07 Nos.		

**Condition of Tender: -**

1. Delivery period 30 days.
2. Firm should quote price with FOR ELS, NKJ depot.
3. Validity of offer should be at least 30 days.
4. Material required as per drawing & specification
5. Order liable to cancel after expires of delivery date.
6. Rate should be quoted in words & figures both & in the mentioned unit.
7. Separate quotation for each item should be given otherwise your offer may not be considered.
- 8. Bulletin is due on 07Aug-2013 at 15-00 hrs.**
9. COS Registered & CEE approved firm should submit attested copies of the same.
10. All Hardware/Standard make item required in company original packing.
11. Note: -
  - a) Tender will not be considered if received late under any circumstances.
  - b)The drawing, specification & Sample mentioned in the bulletin can be seen in the office of the undersigned on any working day between 15-00 to 17-00 hrs.
  - c) Order shall attract cancellation due to non-compliance of purchase order in any manner and may lead to banning of firm for the particular item.
  - d) The material should be supplied as per approved list of manufactures of CLW, RDSO, CEE/C.RLY/W.C.RLY in case such approved list does not exist for a particular item then material should be supplied as per relevant IS& the responsibility of proving compliance to relevant Is lies on the supplier. The approved list of CLW, RDSO, and CEE/CR/WCR can be seen in the office of SMM/ELS/NKJ before quoting authority of SR.DEE/TRS/NKJ Letter No.NKJ/TRS/S-35/700 dt.04/07/03.
12. In case the item falls in category of the items to be purchased from RDSO/CLW Source, the same will be purchased from the approved source only.
13. Railway Reserves the right to drop the purchase of the items at any time.
14. SPECIAL CONDITION: Firm should invariably quote in their quotation (i) The current Bank Account No. (ii) Name of the Bank (iii) Bank's specific code No.
15. Freight charges may please be cleared mentioned in the quotations.
16. "Firms must carefully examine the contents of PO and in case of any discrepancy noticed, shall make a representation within 15 days of the date of PO. Any representation thereafter for DP-fixation shall be summarily rejected"
17. Railway reserves the rights to cancel/Drop entire or any part of the Tender/Purchase order at any time without pre intimation.
18. Bulletin by post stopped henceforth.
19. Tenders may send quotation in firm of scanned PDF/JPG file duly signed on Email : [smmelsnkj@gmail.com](mailto:smmelsnkj@gmail.com)

(AnupamShrivastav )Senior Material Manager  
 {Electric Loco Shed} NKJ  
 {Electric Loco Shed} NKJ

M/s.-----  
 -----

