

Dy. CMM/CRWS/BHOPAL

No. 68.13-WB- 21

Date : 18.10.2013

Tender to be closed on... **29.10.2013..... at 14:30 Hrs .**

Place Of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

Delivery Terms : 30 Days / Ex stock

S.N.	Tender No	Description	Qty
1	68.13.5772	Set of C.A.F.Jointing sheet. One set consisting 1mm thick=20 Kgs,1.5mm thick=20 kgs and 3 mm thick=10 kgs. Make-Ferolate/Champion/Ferrodo.	01 Set
2	68.13.5773	Cutting /welding goggle BOCAL type, light weight of fine quality soft PVC molded as an integral piece without having any joint between the Bocals, eye caps for easy removal of the glass,with 5 or6 DIN imported Glass ,provided with a side over lapped ventilation for prolonged usage of goggles during Gas welding operation of ESAB FG 2P No. 2001003002 or wilspring model No. WG-50LF or Leslico make from authorized dealer only (Certificate of authorization &sample of goggle to be submitted along with offer.)	150 Nos
3.	68.13.5774	S.S.304 Double wire braided Teflon base flexible hose pipe for high pressure connection, suitable to fit at DA Gas cylinder valve and at the header of DA gas manifold valve with bull nose and hexagonal gland nut as per IS:3224, crome plated brass connection at both ends with S.S.Safety wire rope from authorized dealer only (Certificate of authorization & sample of 01 No hose pipe to be submitted along with offer.) Test certificate should be submitted at the time of supply. Detail specification of pipe are given below:-1. Length-01 Meter 2. Working pressure-150kg/cm ² 3. Hydrotest pressure 225kg/cm ²	30 Nos
4	68.13.5775	Cylinder key for Oxygen, DA & Co2 valve for industrial gas cylinder use.	100 Nos
5.	68.13.5776	Set of spares parts for pneumatic pop Riveter C-883.Details of spares is as per attached annexure ' A' and should be suitable for application in Machine as per CP-883. Spares part mentioned in annexure.	01 Set
6	68.13.5781	Co2 regulator single stage confirming to IS:6901-1988 inlet pressure 0.200 bar outlet pressure 0.50 L/Min,. Inlet connection 5/8" BSP RH (Male),Outlet connection 3/8" BSI RH (Male) with two gauge model ICO-32 B Part No. 4330193100 of ESAB or TWELDOX or ADOR Make from authorized dealer only.(Certificate of authorization to be submitted along with offer)	15 Nos
7	68.13.5782	Disposable type respirator with valve as per specification : KA AA/Safety/006 spec No.16.	400 Nos

8	68.13.5609	Welding /Cutting goggle, light green specification no. 5,As per note no. WI / Safety/006 (Revised) 01 as per Annexure attached (CRWS Specification)	40 Nos
9	68.13.5694	Set of cover complete battery box of RMPU (AC) Coaches One set consisting of 01 No. RH Side cover to RCF Drg.No.CC-91127.01No.LH Side cover RCF Drg.No.CC-91126 & 01 No. Middle cover to RCF Drg.No. 91125.	20 Sets
10	68.13.5541	MCCB 3 Pole,25 KA Thermal adjustable breaker, Tab series,Thermal Release range 80-100 Amps, Rated capacity 100 Amps. Breaking capacity 25KA, ICS>luc 100%,Rated operating voltage 415V,Rated insulation voltage 800V with external terminal.Make:HPL/STANDARD/L&T/SCHNEIDER/C&S	10 Nos
11	68.13.5413	Pneumatic Reciprocating saw (Heavy duty) stroke speed 9500-10000/Min.Wt.=0.74kg to 0.86kg. Length=229mm to 238mm air inlet 1/4",360°degree air inlet swivel kit includes Blades 18T,24T,32T and swivel inlet. Make- C.P.or IR or IEC.Warrantee certificate & OEM authorization certificate should be submitted along with supply.	02 Nos
12	68.13.5784	Ratchet type head band along with sweat band & chin strap for Roclite make 3001 Helmet as per sample.	600 Nos
13	68.13.5785	Right hand side facing cassette for Up ended neutral insert use in wheel lathe. Make-Widia,Sandvik,Ceratizit or solor.	20 Nos
14	68.13.5786	Left hand side facing cassette for Up ended neutral insert use in wheel lathe. Make-Widia,Sandvik,Ceratizit or solor.	20 Nos
15	68.13.5787	Tool Holder PSDNN 32X52X160-15 For Axle Turning or Praga M/C Make-Widia,Sandvik,Ceratizit,Taegu Tec or Solor.	03 Nos
16	68.13.5736	Fuse Distribution cover as per Drg.No. CRW/SK-295,Alt.-01.	150 No
17	68.12.5552	Set of Miniature circuit breaker's (DC) Spec/E-12/1/04 of March 92 with Amndt 1 of June 93 & RDSO Drg. No. SKEL-3700Alt.1 dated 05.09.94.Make-LEGRAND,Indo Asian ,Havells's (ICF/RCF Approved) as per Annexure 'A' enclosed.	20 Sets
18	68.13.5409	Holder for Fluorescent Tube 'D' type Rotor Lock ISI Mark. (Double capped tubular Fluorescent tube).	4950 Nos
19	68.13.5361	Frame for Longitudinal upper berth for CN Coaches. As per Drg.No. SE-61320.alt.'a'	27 Nos
20	68.13.5533	STD Heavy duty polyster Round sling ,capacity 3 Ton x 2 Mtrs,Circumferential length, code QR-03 (Yellow) with test certificate.	02 Nos
21	68.13.5600	Nylon Handle for lavatory Arch. To IS :4084/75 As per drg no. CRW/SK-707.	3500 Nos.

Annexure of Tender No.68.13.5776 due on 29.10.13.

Sr. No.	Description	Qty
1	Hose vacuum part No. CA-147079	50 Nos
2	Washer Part No..CA-147083	50 Nos.
3	Ring Bumper Part No. CA-147103	100 Nos

Specification of Tender No.68.13.5609 due 29.10.13.

Specification of Goggle light green:

Description :-

- 4.1 The design of the goggle shall be similar to the model UVEX 9301-245 or Jackson Mono Goggle XTR with green lenses.
- 4.2 The goggle should confirm to IS: 5983:1980.
- 4.3 Comfortable for long use and it should have stretchable and adjustable head band.
- 4.4 This should be ergonomically designed lenses for unrestricted all round vision having ophthalmic zero power lenses of optical class-1.
- 4.5 It should be scratch/fog/static resistant.
- 4.6 The material should be impact proof (grinding) and splash proof. Dust proof and resistant against the molten metal and hot solid splash and also have 100% protection from ultraviolet rays.
- 4.7 It can be worn comfortably over spectacles.
- 4.8 It shall be free from any significant defects likely to impair vision and cause discomfort in use ,such as sharp edges, bubbles, scratches, inclusions, dull spots, pitting mould marks, scaling and undulation.
- 4.9 No parts of the eye-protector which are in contact with the wearer shall be made of material which are known to cause skin irritation.
- 4.10 Bidder must submit test certificate form CLI /Mumbai for confirmation IS:5983:1980 at the time of bulk supply.

5. Inspection:- Inspection to be done by RITES at the firm's premises.

Annexure 'A' of tender No. 68.12.5552 due on 29.10.2013.

Set of Miniature circuit breaker (DC) One set is consisting of Following items.

Sr. No.	Description	unit	Qty per Set
1	MCB 04 Amp	each	03 Nos
2	MCB 10 Amp	each	02 Nos
3	MCB 16 Amp	each	03 Nos
4	MCB 40 Amp	each	01 No.
Total			09 Nos

One set consist of 04 items = 09 Nos.

Specification of Tender No.68.13.5782 due on 29.10.13.

Specification No.16
Specification for Disposable type Respirator

Note:- The firm should offer Para wise remarks to all clause /subclause of specification ,failing which their offer shall be liable to be rejected.

- 1. Application :-** Respirator for used against solid particle/Mist of all types of acid chemicals, specially for cutting of troughfloor, lavatory cutting body repair, PCR staff and cleaning staff.
- 2. Description :-**
 - i.** The product shall be N95% filtering efficiency.
 - ii.** The product must approved by IOSH.
 - iii.** The weight of respirator shall not be more than 10gms.
 - iv.** It provides to comfort & acceptance to the wearer.
 - v.** Secure fitting to facial contour. This fitting should be strong
 - vi.** Low Profile for better visibility.
 - vii.** Headband shall be twin welded/stiched and shall not cause irritation to wearer.
 - viii.** Any puncture/leakage in the breathing zone of respirator not be accepted.
 - ix.** The firm shall be submitted either OEM or latest authorization certificate of original manufacturer.
- 3. Sample:-**
 - i.** Firm shall submit sample (s) with each of his offer.
 - ii.** In absence of sample offer (s) are liable to be ignored.
- 4. Inspection:-**
 - i.** Visual Inspection shall be carried out by Dy.CME/R or his authorized representative.

AMM/CRWS/BPL

Fax No. 0755-2743643, 2747414,
Email ID: dycmm.pps@gmail.com