



इटारसी स्टेशन

इटारसी स्टेशन, मुंबई - दिल्ली एवं मुंबई - कोलकाता (वाया इलाहाबाद) मार्ग का एक महत्वपूर्ण स्टेशन है।

कैसे पहुंचे

प्रारंभ स्टेशन	ट्रेन नं.	ट्रेन का नाम	प्रस्थान समय	आगमन समय इटारसी	दिन	यात्रा के घंटे	दूरी (किमी)
मुंबई	12137	पंजाब मेल	19:40	07:35	प्रतिदिन	11घं 55मि	752
नई दिल्ली	12138	पंजाब मेल	05:15	18:35	प्रतिदिन	13घं 20मि	793
चेन्नई	12621	तमिलनाडु एक्स	22:00	18:40	प्रतिदिन	20घं 40मि	1390
कोलकाता	12321	हावड़ा मेल	22:00	22:15	प्रतिदिन	24घं 15मि	1425

स्टेशन पर उपलब्ध यात्री सुविधाएँ

आराम करने की सुविधाएँ:-

वेटिंग हॉल	-	उपलब्ध
वेटिंग रूम		
पुरुष	-	उपलब्ध
महिला	-	उपलब्ध
उच्च श्रेणी	-	उपलब्ध

विश्रामालय

रूम	-	उपलब्ध
डोरमेट्री	-	उपलब्ध

विश्रामालय कमरे के टैरिफ को देखने के लिए [यहां क्लिक](#) करें.

टिकट खरीदने के लिए उपलब्ध सुविधाएँ

अनारक्षित	-	उपलब्ध
आरक्षित	-	उपलब्ध

खानपान सुविधाएँ

रिफ्रेशमेंट रूम्स	-	उपलब्ध
टी स्टाल्स	-	उपलब्ध
मिल्क पार्लर	-	उपलब्ध
फल की दुकान	-	उपलब्ध

Passenger Amenities Details As on : 31/03/2012

Division : Bhopal

Station Name	Itarsi			No. of passengers dealt with:		Identified as Adarsh	Y	
Station Code	ET	FOB	1	(a) Per Day	24091	Developed As Adarsh	N	
Station Category	A	Subway	0	(b) Max. at any time	1417	Identified for MFC	N	
Railway	WCR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)				
Division	Bhopal	Enquiry Office	1	2006-07	3714.37	Tourist Facilitation Center	Y	
State	Madhya Pradesh	Public Address Sys.	Y	2011-12	3714.37	Touch Screen Enquiry System	Y	
District	Hoshangabad	Clock	Y	Length of longest stopping train(m)		540	Electronic Train Indication	Y
Section	ET-BPL	Wheel Chairs	Y	MP Const.	Hoshangabad	ATMs	2	
Km.	0745.13	Cloak Room	Y	MP Name	Uday Pratap Singh	Food Plaza	N	
Route	A	Refreshment Room(sqm)	342	MLA Const.	Seoni-Malwa	Budget Hotel	N	
Electrified	Y			MLA Name	Girija Shankar Sharma	Trains Halting		
Other Items	BSNL PHONE , IVRS , NTES , TIB , ATM , STD/PCO					Station IInd Entry	Y	
Remarks for Station:	Satisfactory							

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	165	Area(sqm)		84	36	Area(sqm)	53	Retiring Room	1
(b) Seats(Nos.)	100	Seats(Nos.)		60	40	Seats(Nos.)	30	Dormitory	2
(c) Lav.(Nos.)	4	Lav.(Nos.)		3	1	Lav.(Nos.)	2		
(d) Urinals(Nos.)	4	Urinals(Nos.)		3	0	Urinals(Nos.)	2		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)		3	2	Bathing Cubicals(Nos.)	2		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	6282	Length(m)	0	Source	Railway Supply		Open Wells (Nos)	1
Surface	Black Topped	Surface	Black Topped	Type	Piped		Bore Wells (Nos)	0
Illumination Type	High Mast Tower	Illumination Type	Y	Storage Capacity(Ltr)	280000			
Pay & Use Toilet	Y			Remarks	Satisfactory			

Station Name : Itarsi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)	
1 DN	BG	N	620	10	72	CC	4940	2	90	0	606	586	72	5	1	62	242	4	0	0	0	0	Y	0	
2&3 UP	BG	Y	631	9	75	CC	4280	0	82	0	518	586	63	1	1	25	262	5	0	0	0	0	Y	0	
4&5 DN	BG	Y	477	16	84	OTH	5549	0	80	0	430	515	54	0	1	45	273	4	0	0	0	0	Y	0	
6&7 UP/DN	BG	Y	586	12	84	CC	958	0	109	0	0	0	102	5	2	68	11	1	0	0	0	0	N	0	
*Surface Type : CC-Cement Concrete PS-Polished Stone OPS-Other Pucca Surface MOR-Moorum OTH-Others																									

Station Name : Itarsi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	100	1600 sqm	80	10	10	500	1 With Cover	High level	8	YES
As per Rec. norms	593	1587	57	2	2	170			-	-
Actual	164.57	15726.26	361	21	14	521	1	See platform details	14	YES
Shortage, if any	-	-	-	-	-	-	-		-	-