



श्रीधाम स्टेशन

श्रीधाम स्टेशन, मुंबई- इलाहाबाद- कोलकाता मार्ग का एक महत्वपूर्ण स्टेशन है।

कैसे पहुंचे

प्रारंभ स्टेशन	ट्रेन नं.	ट्रेन का नाम	प्रस्थान समय	आगमन समय श्रीधाम	दिन	यात्रा के घंटे	दूरी (किमी)
मुंबई	12322	हावड़ा मेल	21:25	12:12	प्रतिदिन	14घं 47मि	944
नई दिल्ली	12191	श्रीधाम एक्स	14:05	05:58	प्रतिदिन	15घं 53मि	985
कोलकाता	12321	हावड़ा मेल	22:00	18:35	प्रतिदिन	20घं 35मि	1233

पर्यटन स्थल

ज्योतेश्वर मंदिर

कब जायें

वर्ष भर

स्टेशन पर उपलब्ध यात्री सुविधाएँ

आराम करने की सुविधाएँ:-

वेटिंग हॉल	-	उपलब्ध
वेटिंग रूम	-	उपलब्ध
उच्च श्रेणी	-	उपलब्ध

विश्रामालय

रूम	-	उपलब्ध
-----	---	--------

विश्रामालय कमरे के टैरिफ को देखने के लिए [यहां क्लिक](#) करें.

टिकट खरीदने के लिए उपलब्ध सुविधाएँ

अनारक्षित	-	उपलब्ध
आरक्षित	-	उपलब्ध

खानपान सुविधाएँ

टी स्टाल्स	-	उपलब्ध
------------	---	--------

Passenger Amenities Details As on : 31/03/2012

Division : Jabalpur

Station Name	Shridham			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	SRID	FOB	1	(a) Per Day	4029	Developed As Adarsh		
Station Category	D	Subway	0	(b) Max. at any time	1611	Identified for MFC	N	
Railway	WCR	Booking Windows	3	Pass. Earnings/Year(Rs. in Lac.)				
Division	Jabalpur	Enquiry Office	0	2006-07	130.49	Tourist Facilation Center	N	
State	Madhya Pradesh	Public Address Sys.	Y	2011-12	259.95	Touch Screen Enquiry System	N	
District	Narsinghpur	Clock	Y	Length of longest stopping train(m)		575	Electronic Train Indication	N
Section	ET-ALD	Wheel Chairs	Y	MP Const.	Hoshangabad	ATMs	0	
Km.	937.2	Cloak Room	Y	MP Name	Sh.Uday pratap Singh	Food Plaza	N	
Route	B	Refreshment		MLA Const.	Gotegaon	Budget Hotel	N	
Electrified	Y	Room(sqm)		MLA Name	Sh.Narbada Prasad Prajapati	Trains Halting	11	
Other Items	Stretcher = 1 No					Station IInd Entry	N	
Remarks for Station:	Famous pilgrim Jotheswar peeth is about 20 kms.							

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM			
(a) Area(sqm.)	100	Area(sqm)		0	0	Area(sqm)	200	Retiring Room	1
(b) Seats(Nos.)	9	Seats(Nos.)		0	0	Seats(Nos.)	10	Dormitory	0
(c) Lav.(Nos.)	0	Lav.(Nos.)		0	0	Lav.(Nos.)	1		
(d) Urinals(Nos.)	1	Urinals(Nos.)		0	0	Urinals(Nos.)	1		
(e) Bathing Cubicals(Nos.)	1	Bathing Cubicals(Nos.)		0	0	Bathing Cubicals(Nos.)	1		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply				
Area (sqm)	1215	Length(m)	100	Source	Railway Supply		Open Wells (Nos)	0
Surface	Black Topped	Surface	Cement Concrete	Type	Piped		Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	89899			
Pay & Use Toilet				Remarks	Satisfactory.			

Station Name : Shridham

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1&2	BG	Y	575	26	76	OPS	586	23	32	0	0	0	96	4	2	3	22	1	0	0	0	0	Y	0
3	BG	N	575	9	76	CC	375	11	28	0	0	0	77	2	2	4	18	1	0	0	0	0	Y	0
*Surface Type		:	CC-Cement Concrete	PS-Polished Stone	OPS-Other Pucca Surface	MOR-Moorum	OTH-Others																	

Station Name : Shridham

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	100 sqm	16	4	4	100	0	Medium	1	-
As per Rec. norms	1011	902	64	4	4	290			-	-
Actual	100	960.34	61	7	6	192	1	See platform details	1	-
Shortage, if any	-	-	-	-	-	-	-		-	-