



बूंदी स्टेशन

बूंदी स्टेशन, [कोटा](#) – चित्तौड़गढ़ खंड का एक महत्वपूर्ण स्टेशन है.

कैसे पहुंचे

प्रारंभ स्टेशन	ट्रेन नं.	ट्रेन का नाम	प्रस्थान समय	आगमन समय बूंदी	दिन	यात्रा के घंटे	दूरी (किमी)
नई दिल्ली	12963	मेवाड़ एक्स	19:00	02:06	प्रतिदिन	7घं 06मि	496

पर्यटन स्थल

बूंदी का किला

कब जायें

वर्ष भर

स्टेशन पर उपलब्ध यात्री सुविधाएँ

आराम करने की सुविधाएँ:-

वेटिंग हॉल	-	उपलब्ध
वेटिंग रूम	-	उपलब्ध

टिकट खरीदने के लिए उपलब्ध सुविधाएँ

अनारक्षित	-	उपलब्ध
आरक्षित	-	उपलब्ध

Passenger Amenities Details As on : 31/03/2012

Division : Kota

Station Name	Bundi			No. of passengers dealt with:		Identified as Adarsh	N	
Station Code	BUDI	FOB	0	(a) Per Day	554	Developed As Adarsh		
Station Category	D	Subway	0	(b) Max. at any time	250	Identified for MFC	N	
Railway	WCR	Booking Windows	1	Pass. Earnings/Year(Rs. in Lac.)				
Division	Kota	Enquiry Office	0	2006-07	34.65	Tourist Facilation Center	N	
State	Rajasthan	Public Address Sys.	Y	2011-12	204.66	Touch Screen Enquiry System	N	
District	Bundi	Clock	Y	Length of longest stopping train(m)		575	Electronic Train Indication	N
Section	KTT-COR	Wheel Chairs	Y	MP Const.	Kota	ATMs	0	
Km.	032.20	Cloak Room	N	MP Name	Ijyaraj singh	Food Plaza	N	
Route	D	Refreshment Room(sqm)		MLA Const.	Bundi	Budget Hotel	N	
Electrified	N			MLA Name	Ashok Dongra	Trains Halting	10	
Other Items	-					Station IInd Entry	N	
Remarks for Station:	Good condition, Bundi is historical place.							

Resting Facility

WAITING HALL		WAITING ROOM		GENTS	LADIES	UPPER CLASS WAITING ROOM		
(a) Area(sqm.)	89	Area(sqm)	43	0	Area(sqm)	0	Retiring Room	0
(b) Seats(Nos.)	10	Seats(Nos.)	0	0	Seats(Nos.)	0	Dormitory	0
(c) Lav.(Nos.)	3	Lav.(Nos.)	2	0	Lav.(Nos.)	0		
(d) Urinals(Nos.)	4	Urinals(Nos.)	2	0	Urinals(Nos.)	0		
(e) Bathing Cubicals(Nos.)	0	Bathing Cubicals(Nos.)	5	0	Bathing Cubicals(Nos.)	0		

Circulating Area and Water Supply

Circulating Area		Approach Road		Water Supply			
Area (sqm)	2560	Length(m)	300	Source	Railway Supply	Open Wells (Nos)	0
Surface	Black Topped	Surface	Black Topped	Type	Piped	Bore Wells (Nos)	1
Illumination Type	Normal Lights	Illumination Type	Y	Storage Capacity(Ltr)	225000		
Pay & Use Toilet				Remarks	Not Sufficient from Rly. Borewell supply & PHED supply in		

Station Name : Bundi

Platform Detail

PF No.	Gauge	Island PF	Length (m.)	Breadth (m.)	Height (cm.)	Surface*	Shelter sq.m.	Trees Nos.	Taps Nos.	Hand Pumps Nos.	Washable Apron(m.)	Carr. Watering (m.)	Seats Nos.	Lav. Nos.	Urinals Nos.	Fans Nos.	Lights Nos.	Vending Stall Nos.	CC-TV Nos.	Lift Nos.	Escalator Nos.	FOBs (No.) on PF	Coach Indication Board	Ramp along FOB(No.)
1	BG	N	321	10	84	PS	1469	3	12	1	0	0	86	2	5	6	29	1	0	0	0	0	N	0
*Surface Type		:	CC-Cement Concrete			PS-Polished Stone			OPS-Other Pucca Surface			MOR-Moorum			OTH-Others									

Station Name : Bundi

Summary

(As per Railway Board's Letter No. 2012/LM (PA)/3/5) Dt. 11.09.2012)

Item ->	Waiting Hall (sqm)	Shelter (sqm)	TAP/HP (nos)	Lavatories (nos)	Urinals (nos)	Seats (nos)	FOB (nos)	Height of Platforms	No of Water Coolers	Signage
Min. Facility	30	50 sqm	8	4	4	50	0	Medium	1	-
As per Rec. norms	157	70	10	1	1	45			-	-
Actual	89.36	1468.8	14	7	11	96	0	See platform details	2	-
Shortage, if any	-	-	-	-	-	-	-		-	-