

**Dy. CMM/CRWS/BHOPAL**

No. 68.13-WB-43

Date : 19.03.2014.

Tender to be closed on... **25.03..2014..... at 14:30 Hrs .**

Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

Delivery Terms : 30 Days / Ex stock

**Note : Rates should be quoted in words as well as in figures also.**

Sr.	Tender No	Description	Qty
1	<u>68.14.5207</u>	Set of GI Hex nipple size 50mm and Hex nut size M16-4,One set consisting of 04 nos. GI Hex nipple size 50 mm to IS: 1879 part-II/75 and 20 nos Hex nut size M16-4 to IS:1363(P-3)-92 Tab-1.	10 Set
2	<u>68.14.5208</u>	Nylon Bush for Upper Bearing Housing for Body Side Door to drawing no. CRW/SK211	720Nos
3.	<u>68.14.5209</u>	GM check Valve Horizontal Size-25mm bore,Screwed in end ISI marked As per IS: 778/1984-Class-1st.	120Nos
4	68.14.5210	HDPE Drum narrow mouth size 48mm with double lidand carrying handle,capacity-35litrs for industrial purpose make-sintex, Aditya plastic, Polycon, as per annexure "A" attached. OEM certificate to be submitted alongwith supply of material.	<u>160 Nos</u>
5	68.14.5211	FRP Inner frame for Lavatory window and Door window of AC coaches, Size and shape as per sample.	160 Nos
6	68.14.5212	Compreg Plywood slat for Upper bunk of GS&SLR/ICF/RCF Coaches size 556X50X8mm to RDSO spcn no. C-9407,type-1.	5340 Nos
7	68.14.5214	Railway carriage fan 110 volt AC 225mm sweep wall Bracket type as per IS: 6680-1992 Deviation as per annexure "H" (Rev in Dec-2005) Fan Guard shall be crashworthy and Blade should be made of M.S.Material the complete fan including Fan Fixures(Guard & Blade) shall be power quoted to silver Ash Finish.	28 Nos
8	68.14.5215	Off Set TAG bolted type fuse link 63 A. 80 KA at 500 V to IS : 13703 ICF/RCF/RDSO approved sources - Siemens, L&T, C&S, GE Power, KEL, RBCO, BIS certified & marked.	200 Nos
9	68.14.5216	M.Seal Industrial grade product code FEL-803-4001 of pidilite Indust Ltd, or equivalent product make ITW or Hankar, dt. of Mfg not be more than three month from the date of supply.	30 kg
10	68.14.5223	M.S.Pannel for outer door window assembly of BEML Coaches size-710x625x1.6mm thick,Material as per IS:2062-2006 duly painted with one Coat of Red Oxide zinc Chromate primer as per IS:2074-93.	450 Nos

11	68.14.5141	Contact tip M8 Cu,Cr,Zr dia.8mm part No. 140.0054 length 30mm for CO2 welding torch model MB36KD of ABICORE BINZAL or TBI make. .Material test certificate of contact tip should be submitted at the time of supply with OEM Certificate .	300Nos
12	68.13.5826	Hydraulic Motorized power operated hand shearing machine with maximum blade size of 16inches for cutting sheets of 200 mm to 250mm and for cutting S.S. thickness of upto 05mm and M.S. thickness of upto 08mm along with high speed 04 edge blade extra set.	01 No.
13	68.14.5156	Alluminium P.G. Clamp assembly for ACSR in pair complete with Nut & Bolts as per sample.	30pairs
14	68.12.5911	Manifold mounted flash back arrester model FR63 of make ESAB Part No. 1300100424 or Model No. DEMAX -3 of Make CCE part No. 0764432 or ADOR make, with OEM Certificate.	02 Nos.
15	68.14.5111	Heavy duty Rigid PVC long bend suitable for 50mm OD Rigid PVC conduit to IS:9537 part"3" with Fire retardent properties (ICF approved) make-Essorke,Indus PNA Indus,Sanco Plastic P.Ltd. precision Plastic,Hirawat Indus,Banco Plasc.	1500 Nos
16	68.14.5217	FRP Inner Frame for Guard endwall SLR2-5-4-204.	06 Nos
17	68.14.5213	Sponge Rubber for sealing of Body side window,size 6mmX12mm for non-AC Jan Shatabdi Coaches.	1510 mtrs
18	68.14.5218	Aluminum Number Plate for Seat and Berth to drawing No. ICF/STD-6-4-023 alt.m Col. No. XIV Item No. 17 Number 1 to 81 should be engraved and filled with Fluorescent red colour	06 Set
19	68.14.5219	Aluminum Number Plate for Seat and Berth to drawing No. ICF/STD-6-4-023 alt.m Col. No. IX Item No. 08 Numbers 1 to 75 should be engraved and filled with Fluorescent red colour.	10 Set
20	68.14.5220	Aluminum Number Plate for Seat and Berths to drawing No. ICF/STD-6-4-023 alt.m Col.No.XV Item No. 16 Numbers 1 to 106 should be engraved and filled with Fluorescent red colour.	18 Set
21	68.14.5224	H.S.S. Short machine hand tap to IS:6175/91.Size-8x1.25 mm, Make-Mirinda,IT,OR Addition.	15 Set
22	68.14.5225	Ventilator (TRA type in side) as per Drg.No. CRW/SK-817 Alt.-01	400 Nos
23	68.14.5226	Throat for 'D' Type wash basin sink.as per Drg.No. C/LF-1885,Alt.-06.	600 Nos
24	68.14.5227	M.S. Machine screw bright zink plated BSW Thread CSK Slotted Lead to IS-1363/93,Size- 3/8" x 1½"	50000 Nos
25	68.14.5228	Iron Claw Coupling set. One male end size=3/4",BSP thread and other end having nipple length=40mm,Outer Diameter suitable to 12mm bore PVC hose for required working pressure 10KG/CM2 with rubber washer,Natural Hardness of rubber 65+_5.As per approved sealed sample attached	30 Set

26	68.14.5229	Set of spares for tata 709 LP Truck.One set consisting pressure plate assbly =01No clutch plat assembly=02Nos and Release Bearing=01No,Make-Telco/LUK/CA/Delux/Turbo.	02 Set
27	68.14.5159	Double Row Spherical Roller Bearing No. 22220 E1 for Traversar Machine. Make SKF / FAG authorised dealer certificate to be submitted with offer.	06 Nos
28	68.14.5109	Compartment sliding door arrangement to drawing no. WGSCZJ 2-5-6-202 alt "b", Col-II, for Jan Shatabdi coaches.	04 Nos
29	68.14.5168	Water tank stopper for BEML coaches as per drg no. CRW/SK-613 item no. 1,2,3,4,5 & 6 in assembled condition.	450 Nos

Annexure of 68.14.5210 due on 25.03.14.

- Narrow mouth opening size 48 mm + 2mm.
- Drum height 472 mm + 2 mm.
- Drum width 382 mm + 2 mm.
- Drum length 245 mm + 2 mm.
- Drum capacity 35 Ltrs.
- Drum weight 2.2 kg + 0.2 kg.

Dy.CMM/CRWS/BPL

ID : [dycmmpps@gmail.com](mailto:dycmmpps@gmail.com)