

| Sr.No | Tender No. | Description  | Quantity | Unit   |
|-------|------------|--|----------|--------|
| 1     | 65135237   | Vertical hydrolic damper(600 kg/cm2 capacity stem type ) to DLW part no. 11665660 for WDM3E Loco   | 05.000   | NOS/01 |
| 2     | 65135354   | A set of 03 items for MCBG Governer.(1) External spring .As per Medha code No. SP73152002.(2) External spring .mounting bracket As per Medha code No. SP73152004.(3) Modified pin for Loco linkage As per Medha code No. SP73152005.(Each items-50 Nos ) | 50.000   | SET/03 |
| 3     | 65135360   | Pulse probe comb.AAL part No.5.8600.120/31.  | 05.000   | NOS/01 |
| 4     | 65135365   | Regulated DC Power supply seleion make or equalent 0-75V / 0-40A.  | 01.000   | NOS/01 |
| 5     | 65135450   | 5 Line Interactive UPS with Rated KVA: 0.65, Minimum VAH:400 AVR for single phase AC 160V to 280V input.   | 13.000   | NOS/01 |
| 6     | 65135461   | Compressor/fan 6CD 3VC, LG 3CD B part No. 000219580.   | 02.000   | NOS/01 |
| 7     | 65135463   | Lock Assembly.As per DLW part No. 11663170 & Drg No. TPL-2818.<br>(To be purchased from DLW/RDSO approed source only.)   | 110.000  | NOS/01 |
| 8     | 65135466   | Relay assembly EMR 73 with 7 AMP, OEN relay current circuit for UC & SCS make VRP. (Warranty clause to be in corporated. As per stores provision 24 months.)   | 25.000   | NOS/01 |
| 9     | 65135467   | Traction motor speed sensor Type T 818for MEP ver 3.As per Medha part No.SP 660801003.   | 03.000   | NOS/01 |
| 10    | 65135482   | Loco water drain cap with chain and patti having material spectication IS-2062 & as per Drg. No. CR. ET/01/745.  | 100.000  | NOS/01 |
| 11    | 65135483   | Loco gera case cover small type for WDM2 locos having material spec. IS-2062 and As per Drg. No.- ET/Misc-120.   | 150.000  | NOS/01 |
| 12    | 65135484   | Loco Lube oil drain cap with chain arrangement having material as per spec. IS-2062 and as per drg. No. CR/ET/01-713A.   | 100.000  | NOS/01 |
| 13    | 65145008   | Sensor, S/A Medha Part No. SP. 813-400003 for Medha P.G.   | 14.000   | NOS/01 |
| 14    | 65145020   | Steering Gear Bearing Kit (Bearing Kit Type-II) Part code- JM- 012901 for Material Handling Equipment.   | 04.000   | NOS/01 |
| 15    | 65145021   | Digital Multi Meter 3½ digit, 1999 counts, LCD 17 mm Large display. Model-603 Make- MECO/AE/Agronic or equivalent.   | 15.000   | NOS/01 |
| 16    | 65145022   | Speed indicator prical make. Applicable for MEPV.3 MEP 660part No SP660941015.   | 04.000   | NOS/01 |
| 17    | 65145023   | Switch Push Button sand , DLW Part No.- 18310394, EMD Part No.10562202   | 18.000   | NOS/01 |
| 18    | 65145024   | Switch Push Button Horn, DLW Part No.- 18310382, EMD Part No.10562203  | 30.000   | NOS/01 |
| 19    | 65145025   | Speedometer for WDP4B & WDP4D (0-180 kmph).DLW Part No.- 16981388,EMD Part No.40087769.  | 15.000   | NOS/01 |
| 20    | 65145026   | Meter Tractive/ Braking effort for WDP4B & WDP4D DLW Part No. 18000927, EMD Part no. 40088591.   | 15.000   | NOS/01 |
| 21    | 65145027   | Bell Alarm DLW Part No. 17453355, EMD Part No. 40045762.   | 04.000   | NOS/01 |
| 22    | 65145028   | Switch Slide Gen Field for WDP4B and WDP4D loco. DLW Part No. 18310485, EMD Part no. 8181166.  | 10.000   | NOS/01 |
| 23    | 65145029   | Switch Slide Engine Run control and FP for WDP4B and WDP4D loco. DLW Part No. 18980119, EMD Part no. 9333989.  | 10.000   | NOS/01 |
| 24    | 65145030   | Switch Rotary Snap Head light cab end Long Hood end DLW Part No. 18310870, EMD Part no. 8213092.   | 30.000   | NOS/01 |
| 25    | 65145031   | MU Engine Stop Switch.   | 12.000   | NOS/01 |

वर्तमान में कार्य  
पुनः इतरसी

परिचय गद्य रंजने

WEST CENTRAL RAILWAY  
W.B.No. 0015

OFFICE OF SMM-D(D) ITARSI  
Date : 31-03-2014

DIRECT INVITATION OF TENDERS

SMM-D(D) ITARSI, WEST CENTRAL RAILWAY, Invites tender for the supply of the following item.  
Tenders are due for opening in this office on 22.04.1014 at 11.00 AM.

The attention of tenderers is drawn to the fact that they should clearly indicate in their quotations, the country of origin, Maker's name/Brand etc. of the material offered by them without which their quotations are liable to be ignored, they should only quote for the "unit" mentioned in the tender list, otherwise their quotations will not be considered.

Separate quotations should be submitted for each item, otherwise quotations will not be considered. The tenders should be dropped in the tender box placed for this purpose in this office (SMM-D(D) ITARSI, WEST CENTRAL RAILWAY) only and not in the office of the COS/JBP which may be please noted.

- 1) As list attached, drawing & sample can be seen in the office.
- 2) Firm to submit a copy of valid ICC alongwith the quotations and put Rubber stamp of their Sale tax registration no. on quotation with guarantee that Brand/Make of material will be supplied in original packing only.
- 3) 100% payment in advance will not be considered.
- 4) Payment after delivery against Receipt Note.
- 5) Inspection by Consignee/ SMM-D (D) ITARSI.

  
Sr. Mat. Manager (D)  
W.C.R., ITARSI

W.B.No. 0015

OFFICE OF SMM-D(D) ITARSI

Date : 31.03.2014

| Sr.No | Tender No. | Description   | Quantity | Unit   |
|-------|------------|---|----------|--------|
| 43    | 65145100   | Steam Coke (Row Coal) 'A' Grade for Black Smith Section for locomotive work use.  | 05.000   | MTS/15 |
| 44    | 65145101   | Aluminised Fire Proximity Suit (4 Layer) : Made out of two layers.<br>Outer Layer : Made of "Gentex" brand dual mirror five ply, imported from USA- Aluminized glass fibre fabric This fabric is tested and approved by Centre for Fire Explosive and Environment Safety- CFEES- New Delhi (Formely known as DIFR) and EN 531 approved.<br>Inner Layer : Second layer of woolen fabric. Complete suit consist of (a) One piece coverall with pouch on back to house B.A. Set, (b) A hood with visor and inbuilt Firemen's helmet as per IS 2745. (c) A pair of five finger glove (d) A boot with leather lining, anti skid design Neoprene rubber sole, Zip fastener. Size of boot 7 or 8 or 9 and height will be approximately 7". Complete suit packed in Galvanized trunk. | 01.000   | Nos/01 |
| 45    | 65145141   | Spring washer single coil flate end steel plated for T/M Sixe -ID 16 mm x width 5.0 mm x thickness 3.5 mm for bolt size M/16 as per ISS.3063/1972 standand "BBBB"   | 4000.000 | NOS/01 |
| 46    | 65145142   | Manifold Intercooler Intel EMD Pt. No. 40017905.  | 02.000   | NOS/01 |
| 47    | 65145143   | Pipe Manifold Head to Head EMD Pt. No.- 8293206.  | 04.000   | NOS/01 |
| 48    | 65145144   | Tube Tee to right hand side EMD Pt. No. 8307092.  | 08.000   | NOS/01 |
| 49    | 65145145   | Tube outlet right hand side EMD Pt. No. 8335817.  | 08.000   | NOS/01 |
| 50    | 65145146   | Tube outlet left hand side EMD Pt. No. 9569803.   | 08.000   | NOS/01 |
| 51    | 65145147   | A set consisting of 2 items (1) Tube Tee to Left hand side EMD Pt. No. - 8307090.(2) Tube Center Head to Tee EMD Pt. No. 8307091. (Each -08 Nos Total-16 Nos)   | 01.000   | SET/03 |
| 52    | 65145148   | Solenoid Switch Assly Delco Remy Part No. 1115567.  | 04.000   | NOS/01 |
| 53    | 65145149   | Armature Assly Delco Remy Part No. 1967349.& DLW Pt.No-18100247.  | 01.000   | NOS/01 |
| 54    | 65145150   | Bush Plate Assly with screw Delco Remy Part No. 1967354.  | 04.000   | NOS/01 |
| 55    | 65145151   | A set consisting of 06 items (1) Shift Lever Delco Remy Part No. 1945484.Qty 05 Nos (2) Cup for oil Resevior CE Frame Delco Remy Part No. 1978756. Qty 30 Nos (3) Oil Seal for Lever Housing Delco Remy Part No. 1918047. Qty 30 Nos (4) Wick for CE Frame Delco Remy Part No. 1972977.Qty-20Nos (5) Brake Washer Delco Remy Part No. 1911644. Qty-20Nos (6) Bushing CE Frame Delco Remy Part No. 1894638.Qty-30Nos (Total-135Nos)  | 01.000   | SET/03 |
| 56    | 65145152   | A set consisting of 07 items (1) Bushing Lever Housing Delco Remy Part No. 1894637..Qty 30 Nos (2) Boot for Plunger Assly Delco Remy Part No. 801077. Qty 20 Nos (3) Gasket Lever Housing INSP PLUG Delco Remy Part No. 1964857.Qty 20 Nos (4) O'Ring between Lever & Nose Housing Delco Remy Part No. 1851960. Qty-20Nos (5)O' Ring for Shift Lever Shaft Delco Remy Part No. 1894643. Qty-20Nos (6) O'Ring for Shift Lever Shaft Delco Remy Part No. 1894642.Qty-30Nos (7) Nose Housing Assly Delco Remy Part No. 10476285.Qty-01 No. (Total-141Nos)  | 01.000   | SET/03 |
| 57    | 65145153   | A set consisting of 03 items (1) Bottom Inspection cover with gasket (2) Top Inspection cover with gasket (3) Side Inspection cover with gasket for GE.make T./M.As per sample .(Each qty -20 Nos = Total -60 Nos)  | 01.000   | SET/03 |
| 58    | 65145154   | Digital OSCILLOSCOPE 50 Hz Bandwidth with 2 input chanel 7" TFT colour LCD, 205 M Sa/ S (Real Time Sample) & 25 G Sa/S (Equivalent time sampling ) 4K point per channel standard USB host, USB-Device & Calibration output. Model- 1000 U series. Make :- GW-INSTEK use for Inverter Test.  | 01.000   | NOS/01 |
| 59    | 65145155   | A set of Hexagonal head high tensile bolt Size-M 8 x 35mm with 60nut, spring, washer & two nos flate washer plated half threaded for battery connection.Make LPS, TVS, Unbrako .(Note To firm Authorisation certificate must be submitted along with the supply )   | 4000.000 | SET/03 |
| 60    | 65145156   | Dial glass gasket.Part. No. 36628-459 for W.W. Gov.   | 10.000   | NOS/01 |
| 61    | 65145157   | Rotating Bushing (SS PV Plunger) Part No. 36628-029. for W.W. Gov   | 04.000   | NOS/01 |
| 62    | 65145158   | Drive Gear (SS. Pv. Bushing) Part No. 36628-046.  | 03.000   | NOS/01 |

W.C.R.

परिवहन मन्त्रालय  
प.म.रे. इटारसी  
Sr. Mat. Manager (D)

W.B.No. 0015

OFFICE OF SMM-D(D) ITARSI  
Date : 31.03.2014

| Sr.No | Tender No. | Description   | Quantity | Unit   |
|-------|------------|---|----------|--------|
| 26    | 65145032   | Alerter for WDP4B & WDP4D Loco EMD Part No. 10633087.   | 30.000   | NOS/01 |
| 27    | 65145033   | Disposable carbody filter element for compressor compartment door to RDSO Drg. No. SKDP 4110 Alt -1 (Letest ) for WDM 3 Loco. (To be purchase RDSO/DLW source only)   | 30.000   | NOS/01 |
| 28    | 65145034   | Disposable carbody filter element for door & Alternator end to RDSO Drg. No. SKDP 4112 Alt -1 (Letest ) for WDM 3 Loco. (To be purchase RDSO/DLW source only).  | 45.000   | NOS/01 |
| 29    | 65145035   | Car Body Filter Casing with built in Louvers (For Doors & Alternator End) as per RDSO Drg. No. SKDP-4111, Alt-1 (To be purchase RDSO/DLW source only).  | 43.000   | NOS/01 |
| 30    | 65145036   | Car Body Filter Casing with built-in Louvers (For Compressor Compartment Doors) as per RDSO Drg. No. SKDP- 4109 Alt-1 (To be purchase RDSO/DLW source only).  | 32.000   | NOS/01 |
| 31    | 65145088   | Petroleum jelly grease for battery connection terminal use.   | 42.000   | KGS/13 |
| 32    | 65145089   | A set of Neoprin gasket Round Cord suitable for WDP4 twin beam head light. It should be in following sizes and quantity in a set. (1) Cross section Dia- 12 mm = 19 meters length . (2) Cross section Dia- 8 mm = 22.5 meters length.(3) Cross section Dia- 6 mm = 17 meters length.(Total-58.5 meters)   | 01.000   | SET/03 |
| 33    | 65145090   | Radiator Core Gasket to Drg. No. ET/CI-1017.  | 100.000  | NOS/01 |
| 34    | 65145091   | Radiator Core Gasket (MB) to Drg. No. ET/CI-1018.   | 100.000  | NOS/01 |
| 35    | 65145092   | Radiator Core Gasket (MB) to Drg. No. ET/CI-1019.   | 100.000  | NOS/01 |
| 36    | 65145093   | Rechargeable Li-Ion battery pack, for machine of EEC Make ULTRASONIC FLAW Detector Model-digiscan DS-322. Fully charged battery pack model BAT 322L should have 8 hrs. operating time.  | 01.000   | NOS/01 |
| 37    | 65145094   | EC Clean (electro contact cleaner) in 350 ml bottle specification as under specific gravity = 0.7, drying time = 1(ethyl ether =1), Surface tension = 20 mN/cm, Flash point = -15 deg C, VOC content, Percentage CFC = 0%.  | 50.000   | NOS/01 |
| 38    | 65145095   | ASet of Sealing for telescopic jack 120/60 T high height 435 mm each consisting of (1) Groove ring-459242=01No.(2)Groove Ring-459272=01No. (3) Groove Ring- 459018= 01No.(4) Groove Ring-459020=01No.(5)'O'type Ring-461748=01No. (6) 'O' type Ring-461571= 01No.(7)'O'type Ring-460404=02Nos.(8)Round Cord-141774 = 01No.(9) Round Cord-141775 =01No.(10) Scraper Ring-470890=01No.(11) Scraper Ring-470876=0 1No. (Total = 12 Nos.) | 02.000   | SET/03 |
| 39    | 65145096   | A Set of Sealing for telescopic jack 120/60 Low height 250 mm each consisting of (1) Groove ring-459242=01No.(2)Groove Ring-459272=01No.(3) Groove Ring- 459018= 01No.(4) Groove Ring-459020=01No.(5)'O' type Ring-461748=01No. (6) 'O' type Ring-461571= 01No.(7)'O' type Ring-460404=02Nos.(8)Round Cord-141774 = 01No.(9) Round Cord-141775 =01No. (Total = 10 Nos.)   | 01.000   | SET/03 |
| 40    | 65145097   | A set consisting of 04 items .Upgraded Compressor intercooler fan guard with accessories to Elgi part no. (A) Fan shroud to Elgi Pt. no.- 070305320 (B) Nut Hex 5/8" unc to Elgi Pt. no.- 000948507 (C) Washer Spring to Elgi Pt. no. - 000996206 (D) Bolt fan shroud to Elgi Pt. no.- 070404690.   | 08.000   | NOS/01 |
| 41    | 65145098   | Intercooler fan guard for KE6 6CD3UC Expressor & Compressor.  | 14.000   | NOS/01 |
| 42    | 65145099   | 04 No. Mail type end fitting for Hose Coupling as per Drg. No. ET/MISC-235 (One sample should be approved before bulk supply.)  | 360.000  | NOS/01 |

वरिष्ठ सामग्री प्रबंधक (डी)  
पदरे, इटारसी  
Sr. Mat. Manager (D)

गणित मन्त्रालय  
देवर