

## WEST CENTRAL RAILWAY

### MATERIAL MANAGEMENT DEPARTMENT

Office of Controller of Stores, West Central Railway, Jabalpur- 482001

**Advertise Tender Notice No. EPS/27/2014 for supply of Stores visit us at website**

**[www.wcr.indianrailways.gov.in](http://www.wcr.indianrailways.gov.in)**

For and on behalf of the President of India, Controller of Stores / West Central Railway/ Jabalpur, invites electronics tenders, from the reputed and experienced contractors, for the supply of following items:

**1. THIS IS AN E-TENDER THROUGH [www.ireps.gov.in](http://www.ireps.gov.in) AS SUCH NO MANUAL OFFER SHALL BE ACCEPTED EVEN IF**

**RECEIVED BEFORE DUE DATE AND TIME.**

- Bidder may go to quick search option to get the details of the tender & may submit Price bid in Electronic Format only on the above Website till the last date and time for submission.
- Tender cost & EMD to be submitted within 10 working days from the date of tender opening date through crossed demand draft in favour of FA&CAO/WCR/JBP payable at Jabalpur and their details must be provided in the bid form at [www.ireps.gov.in](http://www.ireps.gov.in).
- Tender Closing Time: - **12:30 hrs.**
- IRS/RDSO drawings & specifications can be obtained from DG, RDSO, Lucknow-226011 on payment.
- Tenderers are requested to carefully go through the tender/bid document for eligibility criteria, exemption to the Tender cost etc., and other terms & conditions.
- IRS terms & conditions and special terms & conditions shall be applicable.
- In Case of reverse auction tender tenderer should submit, Technical e-bids followed by financial e-bids after WCR intimates the shortlisted technical suitable vendors at a later date. Details of Reverse auction Tender conditions can be accessed under the link [www.ireps.gov.in](http://www.ireps.gov.in)--> E-Tender-->WCR-->COS-->(COS/WCR) Documents--> Annexure 'C'

Controller of Stores

---

Sr No	Tender No	Description	Quantity	Required At	Cost of Tender Documents (Rs.)	Due Date
-------	-----------	-------------	----------	-------------	--------------------------------	----------

---

Sr No	Tender No	Description	Quantity	Required At		
1	AT/10.13.4352	INLET VALVE ASSEMBLY AS PER ELGI PT NO A070072 FOR UG COMPRESSOR(PL NO :11382557)	447.000 NOS.	SMM-D(D) ITARSI	1500 /-	01-JUL-14
			697.000 NOS.	SMM-D(D) NEW KATNI JN		
		<b>Total</b>		1144.000		
		Maintenance kit for overhauling of upgraded compressors/expressors(M-24 Schedule)(1)SrNo(2)Description(3)Elgi Part No(4)KPC PART NO(5)Qty/Kit(1)Piston ring set(04 ring sets)LP197MM	20.000 NOS.	SMM-D(D) ITARSI		
		DIA,022401079,096.50.450.50,02 Set(2)Piston ring set(04 ring sets)HP140MM	80.000 NOS.	SMM-D(D) NEW KATNI JN		
		<b>Total</b>		100.000		
		DIA,072403489,096.50.451.50,01 Set(3)Connecting rod big end bearing upper half,070302180,095.00.308.50,03 Nos(4)Connecting rod big end bearing lower half,070302150,095.00.307.50,03 Nos(5)Strainer'A'fine and Strainer'B'coarse,070402560 & 00044726A,095.01.556.50,1SetELGI/01NO(KPC)(6)Air suction filter,070305120,096.01.710.50,02 No(ELGI)/01 NO KPC.(7)Cylinder liner LP 197.00 mm Dia, 070304780,095.00.404.51,02 Nos(8)Cylinder liner HP 140.00 mm Dia UG, 070304800,096.01.507.51,01 No.(PL NO :11815050)				
2	AT/10.13.5095	High pressure Fuel oil regulating valve -1/2" (Modified design) 13-14 as per drg no. NKJ/SK-1936-A with relevent part drawing (NOTE Sample should be approved first before bulk supply)	50.000 NOS.	SSE, [DIESEL] NKJ	500 /-	01-JUL-14
		<b>Total</b>		50.000		
3	AT/40.14.2659	LED Based Reservation Chart light 6 watt as per ICF Spec No-ICF/Elect/931 Rev"0"ICF Spec No.- ICF/Elect/931 Rev"0"(PL NO :45150930)	400.000 NOS.	DY.CMM-D(CRWS) BHOPAL	500 /-	01-JUL-14
		<b>Total</b>		400.000		
4	AT/50.12.8078	Supply of PVC flexible cable Red & Black multistrand wire, copper conductor cross section 6 sq mm as per specn. IS 694/1990 with amendment If any. Power wire copper multi stand as per IS 694/1990, 1 X 6 sqmm, 85 conductor each dia 0.30 plus/-0.01 with insulation thickness of 1.55 mm normal conductor resistance 3.14 ohms/km and test parameters as per IRS-S 76/89.	37.000 KM	SSE/SIG/KTT NORTH	500 /-	01-JUL-14
		<b>Total</b>		37.000		

Sr No	Tender No	Description	Quantity	Required At		
5	AT/50.12.8151	24 Fibre Armoured Optical Fibre Cable Confirming to RDSO Specification no. IRS-TC-55/2006 (Rev. - 1) with amendment-2 or latest as applicable on date of tender opening. The cable shall be supplied in drum length of 3 kms +/- admissible tolerance.	35.000 KM 30.000 KM <b>Total</b>	SSE/SIG/C/BPL  65.000	1000 /-	01-JUL-14

Sr No	Tender No	Description	Quantity	Required At		
6	AT/50.13.8025	Supply of RED aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit. Scope of supply shall include 1 LED signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect . One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	10.000 NOS. 12.000 NOS. 32.000 NOS. 10.000 NOS. 23.000 NOS. 50.000 NOS. 12.000 NOS. 14.000 NOS. 50.000 NOS. 65.000 NOS. 310.000 NOS. 64.000 NOS. 14.000 NOS. 15.000 NOS. 8.000 NOS.	SSE/SIG/C/BPL    SSE/SIG/C/KTE    SSE/SIG/C/KTT SSE/SIG/KTT NORTH SSE/SIG/M/JBP   SSE/SIG/S/BPL	2000 /-	01-JUL-14
		<b>Total</b>		689.000		
		Supply of Yellow Aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 LED signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect . One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	34.000 NOS. 14.000 NOS. 52.000 NOS. 16.000 NOS. 12.000 NOS. 43.000 NOS. 60.000 NOS. 18.000 NOS. 50.000 NOS. 15.000 NOS. 87.000 NOS. 8.000 NOS. 14.000 NOS. 15.000 NOS. 64.000 NOS. 12.000 NOS. 8.000 NOS.	SSE/SIG/C/BPL      SSE/SIG/C/KTE   SSE/SIG/C/KTT SSE/SIG/M/JBP    SSE/SIG/M/KTE SSE/SIG/S/BPL		
		<b>Total</b>		522.000		
		Supply of Green aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse	3.000 NOS. 12.000 NOS. 26.000 NOS. 12.000 NOS. 10.000 NOS. 40.000 NOS. 12.000 NOS. 10.000 NOS. 6.000 NOS.	SSE/SIG/C/BPL    SSE/SIG/C/KTE		

Sr No	Tender No	Description	Quantity	Required At		
		blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	38.000 NOS.	SSE/SIG/C/KTT		/-
			6.000 NOS.	SSE/SIG/M/JBP		
			14.000 NOS.			
			15.000 NOS.			
			16.000 NOS.	SSE/SIG/S/BPL		
		<b>Total</b>		220.000		
		Supply of Red Aspect - 20 nos, Yellow Aspect-14 nos. and Green aspect-7 nos. main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	41.000 NOS.	SSE/SIG/KTT NORTH		
		<b>Total</b>		41.000		
		Supply of Red Aspect - 6 nos, Yellow Aspect-7 nos. and Green aspect-5 nos. main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	18.000 NOS.	SSE/SIG/M/JBP		
		<b>Total</b>		18.000		
7	AT/62.14.2090	Boiler Suit Navy Blue drill as per IS: 177/1989 size 42 No. as per attached sketch.As per sketch attachedIS: 177/1989(PL NO :79021049)	1080.000 NOS.	DY.CMM/KOTA	500 /-	01-JUL-14
			240.000 NOS.	SMM -D(GSD)		
			300.000 NOS.	BPL		
		<b>Total</b>		1620.000		
		Boiler Suit Navy Blue drill as per IS: 177/1989 size 40. Dimensions as per attached sketch.as per attached sketchIS:177/1989(PL NO :79021074)	400.000 NOS.	SMM -D(GSD)		
			550.000 NOS.	BPL		
		<b>Total</b>		950.000		

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/10.13.4352  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 1500/  
EMD Amount :179000

Description	Consignee	Quantity	Unit	Dely Terms .
INLET VALVE ASSEMBLY AS PER ELGI PT NO A070072 FOR UG	SMM-D(D) ITARSI	447	NOS.	<b>WITHIN TWO MONTHS</b>
COMPRESSOR(PL NO :11382557)	SMM-D(D) NEW KATNI JN	697	NOS.	<b>WITHIN TWO MONTHS</b>
	<b>Total Quantity</b>	<b>1144</b>		
Maintenance kit for overhauling of upgraded compressors/expressors(M-24 Schedule)(1)SrNo(2)Description(3)Elgi Part No(4)KPC PART NO(5)Qty/Kit(1)Piston ring set(04 ring sets)LP197MM	SMM-D(D) ITARSI	20	NOS.	<b>WITHIN TWO MONTHS</b>
DIA,022401079,096.50.450.50,02Set(2)Pist on ring set(04 ring sets)HP140MM	SMM-D(D) NEW KATNI JN	80	NOS.	<b>WITHIN TWO MONTHS</b>
DIA,072403489,096.50.451.50,01Set(3)Con necting rod big end bearing upper half,070302180,095.00.308.50,03Nos(4)Con necting rod big end bearing lower half,070302150,095.00.307.50,03Nos(5)Stra iner'A'fine and Strainer'B'coarse,070402560 & 00044726A,095.01.556.50,1SetELGI/01NO( KPC)(6)Air suction filter,070305120,096.01.710.50,02No(ELGI)/ 01 NO KPC.(7)Cylinder liner LP 197.00 mm Dia, 070304780,095.00.404.51,02 Nos(8)Cylinder liner HP 140.00 mm Dia UG, 070304800,096.01.507.51,01 No.(PL NO :11815050)	<b>Total Quantity</b>	<b>100</b>		

1] INSPECTION BY RITES.

2] This is RDSO controlled item Bulk or entire qty to be procured from RDSO approved sources only. The status of Firm shall be reckoned as on date of tender opening and not thereafter, unless changed because of downgrading /removal /suspension /banning.

3] Delivery period should be clearly indicated in the offer.

4] Bill passing officer: FA and CAO/WCR & Bill paying officer:-FA and CAO/WCR/JBP

5] Firm should quote freight, taxes and excise duly etc clearly, failing which it will be presumed that same are included in rates and will be paid by firm.

6] Railway reserves the right to place the orders for part quantity on more than one source and also to take delivery in instalments.

7] The firms may quote for full quantity at one consignee for low value item.

8] The firm should submit the photocopy of the latest contract secured by them any of the Indian Rly. along with performance statement of this item.

9] No Excise duty on freight element will be payable.

10] Other Terms and Condition as per Tender Condition Annexure "A" and "B" along with amendments - modification if any, available on home page of COS-WCR under documents-COS-WCR documents in IREPS website.

11] IRS conditions of contract (latest amendment) will be applicable.

NOTE:TENDER FOR THIS ITEM IS INVITED THROUGH E-PROCUREMENT ON LINE ONLY THEREFORE TENDERERS ARE REQUESTED TO QUOTE THROUGH IREPS AT WEBSITE WWW.IREPS.GOV.IN. MANUAL TENDER RECEIVED AGAINST THIS TENDER WILL NOT BE CONSIDERED

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/10.13.5095  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 500/  
EMD Amount :4500

Description	Consignee	Quantity	Unit	Dely Terms .
High pressure Fuel oil regulating valve -1/2" (Modified design) 13-14 as per drg no. NKJ/SK-1936- A with relevent part drawing (NOTE Sample should be approved first before bulk supply)	SSE, [DIESEL] NKJ	50	NOS.	<b>within 02 month</b>
	<b>Total Quantity</b>	<b>50</b>		

1. INSPECTION BY RITES.
2. Bill passing officer: Sr.DME/DSL/NKJ & Bill paying officer:-Sr.DFM/JBP
3. No Excise duty on freight element will be payable. Vendors must indicate freight element separately otherwise it will be assumed that vendors are absorbing/bearing the freight themselves. Firm should clearly indicate the amount of freight for delivery to consignee, if to be charge extra. Offer mentioning freight element as "Railway freight extra on actual"/"road freight extra on actual" without mention of exact amount of freight charges, shall be treated as ambiguous and incomplete offer and shall be summarily rejected.
4. In cases of delays in contractual delivery, full LD will be levied as per IRS conditions of contract and being a contractual provision no request for LD waival will be considered, notwithstanding any past instances of such waiver or levy of token LD.
5. Firm should quote taxes and excise duly clearly, failing which it will be presumed that same are included in rates and will be paid by firm.
6. In case of multi item or single item with multi consignees, the inter-se-position will be decided item wise and consignee wise, unless otherwise some other evaluation criteria is specifically mentioned in the tender.
7. The firm should submit the photocopy of the latest contract secured by them any of the Indian Rly. along with performance statement of this item.
8. Railway reserves the right to place the orders for part quantity on more than one source and also to take delivery in installments.
9. Firms must carefully examine the contents of PO and in case of any discrepancy noticed, shall make a representation with in 15 days of the date of PO. Any representation thereafter for DP re-fixation shall be summarily rejected.
10. Tenders quoted through IREPS ON LINE will be considered.

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/40.14.2659  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 500/  
EMD Amount :31100

Description	Consignee	Quantity	Unit	Dely Terms .
LED Based Reservation Chart light 6 watt as per ICF Spec No- ICF/Elect/931 Rev"0"ICF Spec No.- ICF/Elect/931 Rev"0"(PL NO :45150930)	DY.CMM-D(CRWS) BHOPAL	400	NOS.	<b>50% within 2 months and balance within 4 months</b>
	<b>Total Quantity</b>	<b>400</b>		

1. INSPECTION BY RITES.
2. Bill paying officer FA&CAO/WCR/JBP and Passing officer FA&CAO/WCR/JBP
3. This is an item controlled by ICF and Railway reserves the right to order entire or bulk quantity from ICF approved sources. The status of firm shall be reckoned as on date of tender opening and not thereafter, unless changed because of downgrading/removal/ suspension/banning.
4. Railway reserves the right to place the orders for part quantity on more than one source and also to take delivery in installment.
5. The offer shall be kept valid for acceptance for a minimum period of 90 days from the date of opening of the tender. In case the tenderer stipulates validity period of less than 90 days, the offer may be treated as unresponsive and liable to be ignored.
6. Firm should quote taxes and excise duly clearly, failing which it will be presumed that same are included in rates and will be paid by firm.
7. Firm should note that amount of charges related to forwarding, freight etc. are considered which are mentioned in financial bid. Charges mentioned at different location other than financial bid are not considerable and to be treated as nil.
8. Offers with Delivery at other than specified location in tender schedule may be considered as unresponsive and may be ignored for the specified location. Hence, Tenderer should quote for delivery at specified location only. Offer for delivery at other transit location may not be considered.
9. Other terms & conditions are as per Tender condition Annexure A & B along with amendments/modification if any, available on home page of COS/WCR under Documents/COS-WCR documents in the IREPS website.
10. IRS Conditions of contract with latest amendment will be applicable



**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/50.12.8078  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 500/  
EMD Amount :23500

Description	Consignee	Quantity	Unit	Dely Terms .
Supply of PVC flexible cable Red & Black multistrand wire, copper conductor cross section 6 sq mm as per specn. IS 694/1990 with amendment If any. Power wire copper multi stand as per IS 694/1990, 1 X 6 sqmm, 85 conductor each dia 0.30 plus/-0.01 with insulation thickness of 1.55 mm normal conductor resistance 3.14 ohms/km and test parameters as per IRS-S 76/89.	SSE/SIG/KTT NORTH		37 KM	<b>WITHIN 03 TO 04 MONTHS.</b>
	<b>Total Quantity</b>		<b>37</b>	

1] INSPECTION BY RDSO.

2] This is an item controlled by RDSO and Railway reserves the right to order entire or bulk quantity from RDSO approved sources only. The status of firm shall be reckoned as on date of tender opening and not thereafter, unless changed because of Downgrading- removal-suspension-banning.

3] Interse position shall be shall be decided itemwise consignee wise.

4] Offer received without tender cost/documentary evidence regarding exemption from submitting the tender cost, shall be summarily rejected. Please refer tender condition no. 4.1 of WCR tender document-Annexure-A in this regard.

5] Railway reserves the right to place the orders for full or part quantity on more than one source and also to take delivery in installment.

6] Delivery period should be clearly indicated in the offer.

7] Firm should quote FOR destination/Free at destination price. Free delivery by Road direct to consignee will be preferred.

8] SPECIAL CONDITIONS - Tender for this item is invited through e-procurement on line only therefore tenderers are requested to quote through IREPS at website www.ireps.gov.in Manual tender received against this tender will not be considered.

9] IRS conditions of contract with latest amendment will be applicable. Other terms and conditions shall be as per Tender condition Annexure A and B along with amendments/modification if any, available on home page of COS/WCR under Documents/COS-WCR documents in the IREPS website.

10] Firm must carefully examine the contents of PO and in case of any discrepancy noticed, shall make a representation within 15 days of the date of PO. Any representation thereafter for DP re-fixation shall be summarily rejected.

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/50.12.8151  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 1000/  
EMD Amount :58500

Description	Consignee	Quantity	Unit	Dely Terms .
24 Fibre Armoured Optical Fibre Cable	SSE/SIG/C/BPL	35	KM	<b>3 to 4 months.</b>
Confirming to RDSO Specification no. IRS-TC-55/2006 (Rev. - 1) with amendment-2 or latest as applicable on date of tender opening. The cable shall be supplied in drum length of 3 kms +/- admissible tolerance.		30	KM	<b>3 to 4 months.</b>
	<b>Total Quantity</b>	<b>65</b>		

1] INSPECTION BY RDSO.

2] This is an item controlled by RDSO and Railway reserves the right to order entire or bulk quantity from RDSO approved sources only. The status of firm shall be reckoned as on date of tender opening and not thereafter, unless changed because of Downgrading- removal-suspension-banning.

3] Interse position shall be shall be decided itemwise consignee wise.

4] Offer received without tender cost/documentary evidence regarding exemption from submitting the tender cost, shall be summarily rejected. Please refer tender condition no. 4.1 of WCR tender document-Annexure-A in this regard.

5] Railway reserves the right to place the orders for full or part quantity on more than one source and also to take delivery in installment.

6] Delivery period should be clearly indicated in the offer.

7] Firm should quote FOR destination/Free at destination price. Free delivery by Road direct to consignee will be preferred.

8] SPECIAL CONDITIONS - Tender for this item is invited through e-procurement on line only therefore tenderers are requested to quote through IREPS at website [www.ireps.gov.in](http://www.ireps.gov.in) Manual tender received against this tender will not be considered.

9] IRS conditions of contract with latest amendment will be applicable. Other terms and conditions shall be as per Tender condition Annexure A and B along with amendments/modification if any, available on home page of COS/WCR under Documents/COS-WCR documents in the IREPS website.

10] Firm must carefully examine the contents of PO and in case of any discrepancy noticed, shall make a representation within 15 days of the date of PO. Any representation thereafter for DP re-fixation shall be summarily rejected.

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/50.13.8025  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 2000/  
EMD Amount :205900

Description	Consignee	Quantity	Unit	Dely Terms .
Supply of RED aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit. Scope of supply shall include 1 LED signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect . One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	SSE/SIG/C/BPL	10	NOS.	<b>3-4 MONTHS.</b>
		12	NOS.	
		32	NOS.	
		10	NOS.	
	SSE/SIG/C/KTE	23	NOS.	
		50	NOS.	
		12	NOS.	
		14	NOS.	
		50	NOS.	
	SSE/SIG/C/KTT	65	NOS.	
	SSE/SIG/KTT	310	NOS.	
	NORTH			
	SSE/SIG/M/JBP	64	NOS.	
		14	NOS.	
		15	NOS.	
SSE/SIG/S/BPL	8	NOS.		
<b>Total Quantity</b>		<b>689</b>		
Supply of Yellow Aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 LED signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect . One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	SSE/SIG/C/BPL	34	NOS.	
		14	NOS.	
		52	NOS.	
		16	NOS.	
		12	NOS.	
		43	NOS.	
	SSE/SIG/C/KTE	60	NOS.	
		18	NOS.	
		50	NOS.	
		15	NOS.	
	SSE/SIG/C/KTT	87	NOS.	
	SSE/SIG/M/JBP	8	NOS.	
		14	NOS.	
		15	NOS.	
		64	NOS.	
SSE/SIG/M/KTE	12	NOS.		
SSE/SIG/S/BPL	8	NOS.		
<b>Total Quantity</b>		<b>522</b>		
Supply of Green aspect main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit	SSE/SIG/C/BPL	3	NOS.	
		12	NOS.	
		26	NOS.	
		12	NOS.	
		10	NOS.	

scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	SSE/SIG/C/KTE	40	NOS.
		12	NOS.
		10	NOS.
		6	NOS.
	SSE/SIG/C/KTT	38	NOS.
	SSE/SIG/M/JBP	6	NOS.
		14	NOS.
		15	NOS.
	SSE/SIG/S/BPL	16	NOS.
		<b>Total Quantity</b>	<b>220</b>
Supply of Red Aspect - 20 nos, Yellow Aspect-14 nos. and Green aspect-7 nos. main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	SSE/SIG/KTT	41	NOS.
	NORTH		
	<b>Total Quantity</b>	<b>41</b>	
Supply of Red Aspect - 6 nos, Yellow Aspect-7 nos. and Green aspect-5 nos. main signal lighting unit (110V AC LED signal) as per RDSO spec .no RDSO/SPN/153/2011(Rev.4.1) latest amendment will be applicable at the time of opening of tender. This should be suitable will existing housing of CLS unit scope of supply shall include 1 Led signal light unit 1 current regulator and one glass fuse blown indicator with one spare fuse per main signal aspect. One spare current regulator shall be supply with every eight current regulators with a minimum one per order."	SSE/SIG/M/JBP	18	NOS.
	<b>Total Quantity</b>	<b>18</b>	

1] INSPECTION BY RDSO.

2] This is an item controlled by RDSO and Railway reserves the right to order entire or bulk quantity from RDSO approved sources only. The status of firm shall be reckoned as on date of tender opening and not thereafter, unless changed because of Downgrading- removal-suspension-banning.

3] Interse position shall be shall be decided itemwise consignee wise.

4] Offer received without tender cost/documentary evidence regarding exemption from submitting the tender cost, shall be

summarily rejected. Please refer tender condition no. 4.1 of WCR tender document-Annexure-A in this regard.

5] Railway reserves the right to place the orders for full or part quantity on more than one source and also to take delivery in installment.

6] Delivery period should be clearly indicated in the offer.

7] Firm should quote FOR destination/Free at destination price. Free delivery by Road direct to consignee will be preferred.

8] SPECIAL CONDITIONS - Tender for this item is invited through e-procurement on line only therefore tenderers are requested to quote through IREPS at website [www.ireps.gov.in](http://www.ireps.gov.in) Manual tender received against this tender will not be considered.

9] IRS conditions of contract with latest amendment will be applicable. Other terms and conditions shall be as per Tender condition Annexure A and B along with amendments/modification if any, available on home page of COS/WCR under Documents/COS-WCR documents in the IREPS website.

10] Firm must carefully examine the contents of PO and in case of any discrepancy noticed, shall make a representation within 15 days of the date of PO. Any representation thereafter for DP re-fixation shall be summarily rejected.

**WEST CENTRAL RAILWAY  
TENDER SCHEDULE**

Tender No : AT/62.14.2090  
TENDER BOX TITLE & COLOUR: AT/Yellow

Tender **due on** : 01-JUL-14  
Closing At :12.30 Hrs  
Price of booklet : Rs. 500/  
EMD Amount :19400

Description	Consignee	Quantity	Unit	Dely Terms .
Boiler Suit Navy Blue drill as per IS: 177/1989 size 42 No. as per attached sketch.As per sketch attachedIS: 177/1989(PL NO :79021049)	DY.CMM/KOTA	1080	NOS.	<b>WITHIN 02 TO 03 MONTHS</b>
	SMM -D(GSD) BPL	240	NOS.	<b>WITHIN 02 TO 03 MONTHS</b>
		300	NOS.	<b>WITHIN 02 TO 03 MONTHS</b>
	<b>Total Quantity</b>	<b>1620</b>		
Boiler Suit Navy Blue drill as per IS: 177/1989 size 40. Dimensions as per attached sketch.as per attached sketchIS:177/1989(PL NO :79021074)	SMM -D(GSD) BPL	400	NOS.	<b>WITHIN 02 TO 03 MONTHS</b>
		550	NOS.	<b>WITHIN 02 TO 03 MONTHS</b>
	<b>Total Quantity</b>	<b>950</b>		

1.INSPECTION BY RITES. 2.Other terms and conditions are as per Tender condition Annexure A and B along with amendments-modification if any, available on home page of COS-WCR under Documents-COS-WCR documents in the IREPS website. 3. IRS conditions of contract [latest amendment] will be applicable.