

DIRECT INVITATION OF TENDERS

SMM-D(D) ITARASI WEST CENTRAL RAILWAY invites Tenders to the supply of the following item,. Tenders are due for opening in this Office on 19-08-2014 at 11:00 AM .

The attention of Tenderers drawn to to the fact that they should clearly indicate in their Quotations,the Country of Origin,Maker's name Brand etc. of the material offered by them without which their quotations are liable to be ignored. They should only quote for the "UNIT" mentioned in the Tender List , otherwise their Quotations will not be considered .

Separate Quotations should be submitted for each item, otherwise their Quotations will not be considered.

The Tenders should be dropped in the Tender Box placed for this purpose in this office ( SMM-D(D) ITARASI WEST CENTRAL RAILWAY ) only and not in the office of the Controller of Stores, Bombay ,C.S.T. which please note.

- 1). As List attached , Drawing & Sample can be seen in the office.
- 2). Firm to submit a copy of valid ITCC alongwith the quotations and put Rubber stamp of their sales tax. registration no. on Quotation with Gaurantee that Brand/Make of material will be supplied in original packing only.
- 3). 100% payment in advance will not be considered.
- 4). Payment after delivery against Receipt Note.
- 5). Inspection by Consignee / SMM-D(D) ITARASI

SMM-D(D) ITARASI

Sr No	Tender No	PL No	Description	Quantity	Unit
1	65135237	11	Vertical hydrolic damper(600 kg/cm2 capacity stem type ) to DLW part no. 11665660 for WDM3E Loco.	5.000	NOS./01
2	65135358	12	Pressure control swich square 'D' Model type to model no. 'RE-77D' Max pressure -25kg/cm2 differential 1.4-3.4kg/cm2 connection size 1/4".	25.000	NOS./01
3	65135442	65	Measuring diameler device Dise shaft & locking shaft. (Each set have 02 item 1 No each )	4.000	SET/03
4	65135444	66	A set consisting of 02 items (1) Hydraulic filter type- 29/29-0060D010-size-hight with coller-84 mm, hight-78 mm, Dia-47mm, Bore-22mm.qty-04Nos.(2) Hydraulic Tank filter(return line) filter No. U 8/41 HYDAC-0160R010P- size hight with coller-144 mm, hight-125 mm, Dia-60mm, Bore-34 mm.qty-02 Nos . (Total-06 Nos)	1.000	SET/03
5	65135450	57	5 Line interactive UPS with rated KVA:0.65, Minimum VAH: 400 AVR for single phase AC 160 V to 280 V input.	13.000	NOS./01
6	65135461	11	Compressor / Fan 6CD 3VC, LG 3CD B part No.000219580.	2.000	NOS./01
7	65135463	11	Lock assly as per DLW part No. 11663170 & Drg. No.TPL-2818. (To be participated DLW/RDSO approved firm only.)	110.000	NOS./01
8	65135466	12	Relay assembly EMR 73 with 7 AMP, OEN relay current circuit for UC & SCS make VRP. (Warranty clause to be in corporated. As per stores provision 24 months.)	25.000	NOS./01
9	65135467	12	Traction motor speed sensor Type T 818for MEP ver 3.As per Medha part No.SP 660801003.	3.000	NOS./01
10	65145008	12	Sensor S/A Medha part no. SP 813-400003 for Medha P.G.	14.000	NOS./01
11	65145021	12	Digital Multi Meter 3 1/2 digit, 1999 counts, LCD 17 mm Large display. Model-603 Make- MECO/AE/Agronic .	15.000	NOS./01
12	65145022	12	Speed indicator_ PRICOL Make applicable for MEPV.3 .MEP 660 part No.SP660941015.	4.000	NOS./01
13	65145031	17	MU Engine Stop Switch.	12.000	NOS./01
14	65145032	10	Alerter for WDP4B & WDP4D Loco EMD Part No. 10633087.	30.000	NOS./01
15	65145033	11	Disposable carbody filter element for compressor compartment door to RDSO Drg. No. SKDP 4110 Alt -1 (Letest ) for WDM 3 Loco. (Firm must be registered with RDSO/DLW .)	30.000	NOS./01
16	65145034	11	Disposable carbody filter element for door & Alternator end to RDSO Drg. No. SKDP 4112 Alt -1 (Letest ) for WDM 3 Loco. (Firm must be registered with RDSO/DLW .)	45.000	NOS./01
17	65145035	11	Car Body Filter Casing with built in Louvers (For Doors & Alternator End) as per RDSO Drg. No. SKDP-4111, Alt-1 (Firm must be registered with RDSO/DLW .)	43.000	NOS./01

Sr No	Tender No	PL No	Description	Quantity	Unit
18	65145036	11	Car Body Filter Casing with built-in Louvers (For Compressor Compartment Doors) as per RDSO Drg. No. SKDP- 4109 Alt-1. (Firm must be registered with RDSO/DLW .)	32.000	NOS./01
19	65145094	12	EC Clean (electro contact cleaner) in 350 ml bottle specification as under specific gravity = 0.7, drying time = 1(ethyl ether =1), Surface tension = 20 mN/cm, Flash point = -15 deg C, VOC content 100 percent, Percentage = 0 percent.	50.000	NOS./01
20	65145096	30	A Set of Sealing for telescopic jack 120/60 Low height 250 mm each consisting of (1) Groove ring-459242=01No.(2)Groove Ring-459272=01No.(3) Groove Ring- 459018= 01No.(4) Groove Ring-459020=01No.(5)'O' type Ring-461748=01No. (6) 'O' type Ring-461571= 01No.(7)'O' type Ring-460404=02Nos.(8)Round Cord-141774 = 01No.(9) Round Cord-141775 =01No. (Total = 10 Nos.)	1.000	SET/03
21	65145142	17	Manifold Intercooler Intel EMD Pt. No. 40017905.	2.000	NOS./01
22	65145143	17	Pipe Manifold Head to Head EMD Pt. No.- 8293206	4.000	NOS./01
23	65145144	17	Tube Tee to right hand side EMD Pt. No. 8307092.	8.000	NOS./01
24	65145145	17	Tube outlet right hand side EMD Pt. No. 8335817.	8.000	NOS./01
25	65145146	17	Tube outlet left hand side EMD Pt. No. 9569803.	8.000	NOS./01
26	65145147	17	A set consisting of 2 items (1) Tube Tee to Left hand side EMD Pt. No. - 8307090.(2) Tube Center Head to Tee EMD Pt. No. 8307091. (Each -08 Nos Total-16 Nos)	1.000	SET/03
27	65145150	17	Bush Plate Assly with screw Delco Remy Part No. 1967354.	4.000	NOS./01
28	65145151	17	A set consisting of 06 items (1) Shift Lever Delco Remy Part No. 1945484.Qty 05 Nos (2) Cup for oil Resevior CE Frame Delco Remy Part No. 1978756. Qty 30 Nos (3) Oil Seal for Lever Housing Delco Remy Part No. 1918047. Qty 30 Nos (4) Wick for CE Frame Delco Remy Part No. 1972977.Qty-20Nos (5) Brake Washer Delco Remy Part No. 1911644. Qty-20Nos (6) Bushing CE Frame Delco Remy Part No. 1894638.Qty-30Nos (Total-135Nos)	1.000	SET/03
29	65145152	17	A set consisting of 07 items (1) Bushig Lever Housing Delco Remy Part No. 1894637..Qty 30 Nos (2) Boot for Plunger Assly Delco Remy Part No. 801077. Qty 20 Nos (3) Gasket Lever Housing INSP PLUG Delco Remy Part No. 1964857.Qty 20 Nos (4) O'Ring between Lever & Nose Housing Delco Remy Part No. 1851960. Qty-20Nos (5)O' Ring for Shift Lever Shaft Delco Remy Part No. 1894643. Qty-20Nos (6) O'Ring for Shift Lever Shaft Delco Remy Part No. 1894642.Qty-30Nos (7) Nose Housing Assly Delco Remy Part No. 10476285.Qty-01 No. (Total-141Nos)	1.000	SET/03

Sr No	Tender No	PL No	Description	Quantity	Unit
30	65145226	11	A set consisting of 03 items (1) 1 1/4inch x 1 1/4inch Union Tee, (On-Run) DLW Part No. 11289612 DLW Drg.NoTPL 0044 Qty-50 Nos (2) 3/4inch x 3/4oinch x3/4inch Union Tee, (On-Run), DLW Part No. 11289570 DLW Drg. No TPL 0044 Qty-50 Nos (3) 3/4inch x3/4inch x 3/4inch Union Tee, (On-outlet) DLW Part NO. 11289582 DLW Drg. No. -0044 Qty-50 Nos (Total-150 Nos)	1.000	NOS./01
31	65145239	81	Orion-331 R as per RDSO Specification No. MP.0.8000.02 (Rev-00) August- 08 For Cyl. Head cleaning & Ferrous component	235.000	KGS./13
32	65145244	66	(A set consisting of 07 items )Base Slide Cylinder (1) 'O' Ring -110 x 4. Drg. No. 605-530 B. Qty - 02 Nos.(2) 'O' Ring -168 x 4. Drg. No. 605-530 B. Qty - 04 Nos.(3)Turcon glyd ring drg. no.605-530 B.S 55023-11-46-3508307 qty-02 nos. Turcon AQ seal drg.o.605-530B (4) S 5224-1600-46 N432-8307-4162-366Y qty.02 nos (5) Turcite B-piston guide ring drg. no.605-530 B.S 50705-1600-A47 qty-02 Nos (6) Rod wiper AS-160/175x9/12 drg. no.605-530 B qty-02 Nos (7) Wiper-ABIX35 (Hyd.Tool Post) drg. no.605-762 A. qty.02 Nos (Total-16 Nos)	1.000	SET/03
33	65145245	66	(A set consisting of 08 items )Rail System. Drg. No. 604-996 A(1) Piston seal U seal 50 mm. Qty- 08 Nos.(2) Rod Seal dia. 32 mm. Qty-04 Sets.(3) End seal O Ring dia 58.8 mm. Qty.-04 Nos (4) Piston Lock seal O Ring dia 24 mm. Qty.- 04 Nos.(5)Wiper dia. 32 mm. Qty-04 Nos.(6)Roller Slide- Drg. No. 603-586 B. O Ring- 150 x 3. Qty. 04 Nos.(7)Shaft Seal Ring- A140 x 170 x 15. Qty- 04 Nos.(8) Hyd. Tool Post- Drg. No. 605-762A. Qty. 04 Nos.Turcon Step Seal- S55013-1100-46-350-8307. Qty.- 02 Nos.(Total-34Nos)	1.000	SET/03
34	65145246	66	(A set consisting of 07 items) Hydraulic Tool Post- Drg. No. 605-762 A (1) Wiper AS 110 x 120x7/10. Qty. 02 Nos. (2) Turcite B Piston guide ring S 50704-1100-C-47. Qty. 02 Nos.(3) 'O' Ring 150 x 50mm. Qty. 04 Nos. (4) 'O' Ring 110 x 5 mm. Qty. 02 Nos. (5) Wiper-85 x 45 x 4 felt. Qty. - 02 Nos. (6) Wiper- 56 x 66 x 7/10. 02 Nos. (7) Wiper- ABI x 280. Qty-02 Nos. (Total-16 Nos.)	1.000	SET/03
35	65145247	66	(A set consisting of 07 items ) Hydraulic Tool Post- Drg. No. 605-762 A. (1) Turcite B Piston guide ring. S 50705-1600-A-41. Qty.- 02 Nos. (2) Turcite B Piston guide ring. S 50704-0560-C-47. Qty.- 02 Nos. (3) Turcon step seal S 55015-0560-46-229-8307. Qty.- 04 Nos. (4) ?O? Ring- 50 x 3mm. Qty.- 02 Nos. (5) Wiper- ABI x 62. Base Slide Suspension- Drg. No. 605-455 A Qty.- 02 Nos. (6) Wiper ring AS- 100 x 110 x 7/10. Qty.- 02 Nos. (7) ?O? Ring- 140 x 4 mm. Qty.- 02 Nos. (Total-16 Nos.)	1.000	SET/03

Sr No	Tender No	PL No	Description	Quantity	Unit
36	65145248	66	(A set consisting of 06 items ) Shunting Cylinder Drg. No. 603-395-C. (1) Wiper AS-40 x 50 x 5/8. Qty.- 04 Nos. (2) Turcite B Rod Guide ring S 50704-0400-C-47. Qty.- 04 Nos.(3) Turcon step seal- S 55015-0400-46-224-8307. Qty.- 08 Nos. (4) ?O? Ring- 90 x 4 mm. Qty. ? 04 Nos. (5) Turcite B Piston guide ring S 50704-0800-A-47. Qty.- 02 Nos. (6) Turcon glyd ring- S 55024-0800-46-N 333-8307. Qty.- 02 Nos. (Total- 24 Nos.)	1.000	SET/03
37	65145249	66	(A set consisting of 06 items ) Hyd. Tool Post ( Longitudinal + Crass Slide Cylinder) Drg. No. 605-762-A. (1) Turcite B Piston guide ring- S 50705-1300-A 47. Qty.- 02 Nos. (2) Turcon glyd ring S 55024-1300-46-N 349-8307. Qty. 02 Nos. (3) O Ring- 24 x 3.5 mm. Qty.- 06 Nos. (4) Wiper ABI x 40. Qty.- 02 Nos. (5) Wiper type D x 86. Qty.- 02 Nos. (6) Wiper type- D x 43 ( Right & left Side). Qty.- 02 Nos. (Total- 16 Nos)	1.000	SET/03
38	65145254	78	Revolving Chair Methodex make model no.MHB, Durian or simillar.	3.000	NOS./01
39	65145340	73	Hexagonal head bolt size-1" x 6 1/2"LG half thread . Spec.IS-1ANSI B.18.2.1. Material - gr. 8 Make-TVS,Unbrako,LPS or PFL only	140.000	NOS./01
40	65145341	75	Transparent pvc pipe flexible size-ID-32 mm and thickness 3 mm	500.000	MTR/22
41	65145343	11	Elbow 90? brass one side female 3/8" with sealing and other side male thread with sealing .	250.000	NOS./01
42	65145344	11	Tee for copper pipe line to Drg No. ET/CI-754	450.000	NOS./01
43	65145345	73	Nylon rope Size-dia 4 mm x 54 strands (18x3) colour -Black.	200.000	KGS./13
44	65145346	11	Insulator sleeve for power diode unit heat sink As per Drg.No-ET/ELD/420	100.000	NOS./01
45	65145347	84	Tube Glass" for fuel guage ASM as per DLW Part No. 11664745 & Drg. TPL 9309 for Passenger Loco length 783 MM.	35.000	NOS./01
46	65145348	72	In side Micrometer size 50-300 mm. Accuracy 0.01 mm with Extension rod. Make- Insize/Miutoyo Part No. 137-202.	2.000	NOS./01
47	65145349	65	Four step speed controller assembly for material Handling Equipment Capacity 3 ton Delars certificate should be submitted at the time of material supply and sample must be approved before supply.	2.000	NOS./01
48	65145350	65	Transmission Range contractor (contractor 1 No.) for Material Handling Equipment capacity 3 ton Dealers certificate should be submitted at the time of material supply and sample must be approval before supply.	2.000	NOS./01
49	65145351	65	Battery cable assembly for truck for material Handling Equipment capacity 3 ton Dealers certificate should be submitted at the time of material supply and sample must be approval before supply.	2.000	SET/03

Sr No	Tender No	PL No	Description	Quantity	Unit
50	65145352	65	Nylon connector 35 mm for material Handling Equipment capacity 3 ton Dealers certificate should be submitted at the time of material supply and sample must be approval before supply.	8.000	NOS./01
51	65145353	65	Key switch with keys (Igniton switch) for material Handling Equipment capacity 3 ton Dealers certificate should be submitted at the time of material supply and sample must be approval before supply.	10.000	NOS./01
52	65145354	65	Petrol Driven chain saw guide bar cover model No. SB-7500 displacement 74CC guide bar 60 cm fuel capacity 0.7 liter cutting capacity 170 cm weight 07.0 kg.	1.000	NOS./01
53	65145355	65	Electric chain saw model No. SB-64 power - 2000 watt. guide bar 60 cm cutting capacity 160 cm (circumference) weight-10.5 kg.	1.000	NOS./01
54	65145356	74	Steel wire rope 26mm dia x118mtrs long reeled 6 x 36 (IWRC) 180 RH ordinary lay minimum breaking load 43.3 tonne . One end of rope to be fused & tapered to pass through a 28 dia hole ( Tapered should not exceed 50mm long) other end to be fitted with 1"open socket to BS 463 PTI C/W 1?"dia pin and split pin DR socket to IS:2485 with test certificate from govt. approved test agency.	1.000	SET/03
55	65145357	66	Block Boring Spares Gear for Block Boring machine material specification soft Aluminium as per sample shown. At Dls shed ET.	10.000	NOS./01
56	65145358	66	Linear for lifting jacks for 25 tons synchronized Hydraulic jack as per dia 145 mm. No. of Teeth:25. Make Pethe or equivalent.	4.000	NOS./01

SMM-D(D) ITARASI