

**Dy. CMM/CRWS/BHOPAL**

No. 68.14-WB-18

Date : 06.09.2014.

Tender to be closed on... **12.09.2014..... at 14:30 Hrs.**

Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

Delivery Terms : 30 Days / Ex stock

**Note : Rates should be quoted in words as well as in figures also.**

Sr	Tender No	Description	Qty
1	68.14.5612	Hex Head Nut size-6mm Bright zinc plated as per IS:1364/1992.(01 unit = 1000 No's)	10 Units.
2	68.14.5560	Clipco screw driver (Nut driver box type), size- 07 mm, length 450 mm, Make-Taparia/jhalani/Heera/stanley/gedore.	48 Nos.
3	68.14.5595	Clipco screw driver (Nut driver box type), size- 07 mm, length 450 mm, Make-Taparia/jhalani/Heera/stanley/gedore.	100 Nos.
4	68.14.5490	HRC Fuse link 63 Amps. Bolted type. Breaking Capacity 80 KA. 415 Volt AC., 50 Hz., Conforms to IS-13703 part-2, Tag type offset. Make L&T/CGL/HPL/GE/SIEMENS/HAVELLS.	100 Nos.
5	68.14.5636	Spring loaded catch for bed cum back rest of FAC coaches to drawing no. WGFAC-6-1-201 alt 'e'.	58 Nos.
6	68.14.5629	Set of Spares for Godrej make forklift model GX300D. One set consisting as per enclosed Annexure Make-Godrej/Similar.	01 Set.
7	68.14.5631	Circular Potentiometer suitable for panel mounting, Rating -10 Kilo-ohm / 3 watt (wire wound) Make-pankaj/Bourn/patel/maxico.	25 Nos.
8	68.13.5830	End fitting assembly for flexible conduit of Nominal size 40 mm to RCF Drg. No. CC-71247 Alt 'b' with PVC check nut in place of Aluminum check nut.	1000 Nos.
9	68.14.5010	Wheel Barrow 70 Lit Plastic (Approx) Plastic HDPE Container having size-870mm Length x 490 mm width x 310 mm Height, Top Size-fitted with M.S. Tubular frame & 2 Nos Wheel having size-12" x 2" (Cost Iron Rubber-bonded wheels).Make-Supreme/Sintex/Plasto.	16 Nos.
10	68.14.5649	Emergency Light Push Button Clamp Drg. No. CRWS/BPL/EL/SK/2013/0	500 Nos.
11	68.14.5479	HRC Fuse Off Tag R-NT type 16 AMP, ISI marked Make RBCO, Seimens, L & T, GE Power, C & S, KEL polakkad (RDSO/ICF/RCF approved make)	150 Nos.
12	68.14.5367	Central Tag Bolted type HRC Fuse Link 250 amp's 415v, AC to IS: 13703 similar to siemens type No. 3NHTSK 250, Make-Siemens, L&T, GE, RBCO or other BIS Certificate.	120 Nos.
13	68.14.5368	HRC Fuse Link HN Square body 250 Amp 80KA to 500V to IS:1320 with ISI Make similar to RBCO Code No. RBSI Marked RBCO,G.E, L&T.C&S. SIEMENS.KEL. or any other BiS Certified marked.	200 Nos.
14	68.14.5338	Face shield for grinding with transparent Acrylic visor of size width 230(+25,-00)mm,length 150(+25,-00)mm and thickness 1.8mm for protection against flying object with Adjustable head band of 1.4mm thick having adjustable head gear locking type. Visor support with crown protector confirm to IS-8521,Type2. Make- Unicare or Esab or Udoygi or Arcon.	100 Nos.

15	68.14.5651	N.O. Fix contact as per Jost part no. JE 180506 for Jost make platform Truck. Make Jost or similar.	29 Nos.
16	68.14.5659	Set of spares for Jost make platform Truck. One set consisting as per enclosed annexure. Make Jost or similar.	01 Set.
17	68.14.5660	Special Bolt Anchoring Silent Block to drg no. CC-04118	600 Nos.
18	68.14.5661	Galvanized Equal Elbow size 1½" (40 MM) as per IS:1879/2010, table -6 type (A1/45 degree)	360 Nos.
19	68.14.5662	Galvanized Equal Elbow size ½" as per IS:1879-2010, Table-6, type A1/45 degree.	360 Nos.
20	68.14.5663	Tubular inside micrometer, series-133 (single rod type) size-275-300 mm, Mitutoyo or Mahr.	03 Nos.
21	68.14.5664	Set of tubular inside micrometer, series-133 (single rod type) Mitutoyo or Mahr. each set consist - size 150-175 mm (133-147) = 01 No, and size 175-200 mm (133-148)=01 No.	04 Nos.
22	68.14.5665	Metric Thickness Gauge with 28 tapered leaves, each leaves marked with its thickness, range - 0.05-01 mm, series : 184-313 S, make-Mitutoyo, FAG or Mahr.	12 Nos.
23	68.14.5666	Heavy Duty C.I. Ball Valve screw end Size-80 mm. Make-Kranti/Utam/Atam.	01 No.
24	68.14.5668	Isolator ON-OFF switch, 90 degree operation complete rotation, Rating-10 Amp. voltage-415 V, pole-3, cat no.-61197 (for salzer make) Make-Salzer/kayces.	10 Nos.
25	68.14.5669	Contact Three pole power with 2NO+2NC Aux. contact type-ML3, cat No.-55-90721, Rating-40 Amp./AC-3. Coil voltage-220 volt, Make-L&T/Siemens Technical specification and dimensionally similar to cat No.-5590721 of L&T make manufacture test certificate to be submitted at the time of supply.	05 Nos.
26	68.14.5670	Thruster ST-45, Rated thrust-45 kg, out put-51(S) mm, input watt-180, oil capacity-2.5 ltr. Make-Anand/Storm kraft/multitech. Manufacturer test and authorization certificate to be submitted at the time of supply.	04 Nos.
27	68.14.5673	Chlorine Tablet size-75 M.M. dia X 20 mm. thickness, 200 gm. in weight for Bio tank.	250 Nos.
28	68.14.5674	Set of Air adopter for plasma cutting torch as per sample.	100 Sets

Annexure of T. No. 68.14.5629

Sr. No.	Description	Part No.	Qty
01.	F.C. Clutch cover (pressure plate)	MH 38700202	03 Nos
02.	Engine Mounting	MH 59035299	06 Nos
03.	Brake Shoe F.C.	MH 02368674	08 Nos
04.	Master Cylinder	MH 37100019	02 Nos
05.	Cable Accelerator	MH 36500002	06 Nos
06.	Engine Stop cable	MH 59076399	06 Nos
07.	Connector TVS	MH 02372871	03 Nos
08.	Fuel Oil pipe main leak of assembly	MH 54009928	06 Nos
09.	Rod Accelerator	MH 02354985	03 Nos
10.	Fork Lock	MH 02008369	12 Nos
11.	Exhaust gasket	MH 02541637	12 Nos

Annexure of T. No. 68.14.5659.

Sr.	Part No.	Description	Qty
01.	42976	Main Shaft bracket weldment (Top)	16 Nos.
02.	42995	Main Shaft bracket weldment (Bottom) with collar spring guide	16 Nos.
03.	JM 906929	Universal joint journal kit	12 Nos.
04.	JE 070013	Motor stud with nut & lock nut	50 Nos.
05.	42926	Pinion shaft	12 Nos.
06.	G-1911	External circlip	12 Nos.
07.	G-1952	Internal circlip	12 Nos.

**Dy.CMM/CRWS/BPL**

**ID : dycmmpps@gmail.com**