

jysi Fk vi frz }kjk Bcds dh vflure [kjhnh nj

TRACK SUPPLY CONTRACTS LAST PURCHASE RATES

Position as on 31.01.15

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----------|-------------------------|--------------------------|-----------------------------------|----------|------|-----------|------------|----------------|-----|---------|-------------------------|-----------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| क्रम सं. | विवरण | क्रय आदेश सं. एवं दिनांक | फर्म का नाम एवं पता | मात्रा | इकाई | मॉगकर्ता | दर | | | | | पी.वी.सी. |
| | | | | | | | मूल दर | एक्साइज ड्यूटी | वैट | भाड़ा | कुल दर प्रति इकाई | |

2012-13

| | | | | | | | | | | | | | |
|---|----------------------------------|--|---|--------|-----|-----|--------|---------------|--------------|-----------|----------|------------|--|
| 1 | Glued Joint 52Kg (T-5361) | WCRTTP2011185/Glued Joint/354 dt.03.04.12 | M/s Calcutta Springs Ltd. Kolkata | 821 | No. | JBP | 6800 | extra @10.30% | Extra @4% | 1900 | 9700.42 | Applicable | |
| 2 | M.S.Liner 60Kg(T-3740) | WCRTTP2011183/MS liner/355 dt.04.04.12 | M/S Surya Alloy Industries Ltd. Kolkata | 434000 | No. | BPL | 18.65 | extra @10.30% | Extra @4% | 1.05 | 22.44 | Applicable | |
| | M.S.Liner comb.(T- | | | 82934 | No. | BPL | 49.25 | extra @10.30% | Extra @4% | 3.05 | 59.54 | Applicable | |
| 3 | GRSP for SEJ(T-4159) | WCRTTP2011184/G.R.Pad/356 dt.04.04.12 | M/s V.K Enterprises Modinagar | 3122 | No. | JBP | 264 | NA | Extra @4.50% | 6.00 | 281.88 | Applicable | |
| | | | | 19957 | No. | BPL | 264 | NA | Extra @4.50% | 2.00 | 277.88 | Applicable | |
| | | | | 4104 | No. | KTT | 264 | NA | Extra @4.50% | 2.00 | 277.88 | Applicable | |
| | | | | 386 | set | JBP | 7720 | NA | Extra @4.50% | 75.00 | 8142 | Applicable | |
| | | | | 229 | set | BPL | 7720 | NA | Extra @4.50% | 75.00 | 8142 | Applicable | |
| | | | | 11 | set | KTT | 7720 | NA | Extra @4.50% | 270.00 | 8337.40 | Applicable | |
| 4 | ERC-J (T-4158) | WCRTTP2011193/ERC-J/357 dt.09.04.12 | M/s Manish Fotgings Pvt. Ltd. Kolkata | 37600 | No. | JBP | 45.5 | 4.69 | 2.00 | 2.50 | 54.69 | Applicable | |
| | | | | 21414 | No. | BPL | 45.5 | 4.69 | 2.00 | 3.00 | 55.19 | Applicable | |
| 5 | M.S.Liner 60Kg(T-3740) | WCRTTP2011183/MS liner/358 dt.09.04.12 | M/s Pragti Steels Moh | 425699 | No. | JBP | 18.72 | extra @10.30% | Extra @4.40% | 0.96 | 22.52 | Applicable | |
| | | | | 549195 | No. | BPL | 18.72 | extra @10.30% | Extra @4.40% | 0.96 | 22.52 | Applicable | |
| | | | | 76586 | No. | KTT | 18.72 | extra @10.30% | Extra @4.40% | 0.96 | 22.52 | Applicable | |
| 6 | CMS X-ing 1:8.5,60Kg(T-4967) | WCRTTP2011182/CMS X-ing 1:8.5,60Kg & 1:12,52Kg/359 dt.02.05.12 | M/s Calcutta Springs Ltd. Kolkata | 3 | set | JBP | 150000 | extra @10.30% | Extra @4 % | Inclusive | 171864.2 | Applicable | |
| | | | | 1 | set | KTT | 150000 | extra @10.30% | Extra @4 % | Inclusive | 171845.9 | Applicable | |
| | | | | 10 | set | JBP | 160600 | extra @10.30% | Extra @4 % | Inclusive | 184040.5 | Applicable | |
| | | | | 10 | set | BPL | 160600 | extra @10.30% | Extra @4 % | Inclusive | 183994.7 | Applicable | |
| | | | | 2 | set | KTT | 160600 | extra @10.30% | Extra @4 % | Inclusive | 183973.7 | Applicable | |
| 7 | Curved Switch 1:12,60Kg.(T-4219) | WCRTTP2011186/Curved Switch1:12,60Kg/360 dt.02.05.12 | M/s Calcutta Springs Ltd. Kolkata | 97 | set | BPL | 80000 | extra @10.30% | Extra @4 % | 12200 | 103969.6 | Applicable | |
| | | | | | | | | | | | | | |
| | | | | 58 | set | BPL | 79000 | extra @10.30% | Extra @4 % | 9100 | 99722.48 | Applicable | |
| | | | | 74 | set | JBP | 45000 | extra @10.30% | Extra @4 % | 7800 | 59420.4 | Applicable | |
| | | | | 16 | set | JBP | 36000 | extra @10.30% | Extra @4 % | 7000 | 48296.32 | Applicable | |
| | Derailing Switch 1:8.5,52Kg(T- | | | 18 | set | BPL | 36000 | extra @10.30% | Extra @4 % | 5300 | 46596.32 | Applicable | |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|-------|--|---|-------------------------------------|----------|------|-----------|---------------|---------------|--------------|-----------|-------------------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 5836) | | | | 132 | set | KTT | 3600 | extra @10.30% | Extra @4 % | 6400 | 47696.32 | Applicable |
| 8 | Curved Switch 1:12,60Kg.(T-12,60Kg/361 dt.02.05.12 | WCRTP2011186/Curved Switch/361 dt.02.05.12 | M/s Veera Tecno Trec Sampla | 32 | set | BPL | 80810 | extra @10.30% | Extra @4 % | 9500 | 102198.8 | Applicable |
| | 58 | | | set | JBP | 80375 | extra @10.30% | Extra @4 % | 9000 | 101199.8 | Applicable | |
| | 15 | | | set | KTT | 80375 | extra @10.30% | Extra @4 % | 8000 | 100199.8 | Applicable | |
| | 20 | | | set | JBP | 45675 | extra @10.30% | Extra @4 % | 8500 | 60894.71 | Applicable | |
| | 32 | | | set | BPL | 45675 | extra @10.30% | Extra @4 % | 7500 | 59894.71 | Applicable | |
| | 7 | | | set | KTT | 45675 | extra @10.30% | Extra @4 % | 6500 | 58894.71 | Applicable | |
| | 140 | | | set | BPL | 45240 | extra @10.30% | Extra @4 % | 7000 | 58895.71 | Applicable | |
| | 11 | | | set | KTT | 45240 | extra @10.30% | Extra @4 % | 6000 | 57895.71 | Applicable | |
| 9 | GR Pad 60Kg(T-3711) | WCRTP/2011184/GR Pad/362 dt. 02.05.12 | M/s Ked Sati Iron and Steel Kolkata | 104025 | No | JBP | 32.90 | Nil | Nil | 1.90 | 34.80 | Applicable |
| | 330975 | | | No | BPL | 32.90 | Nil | Nil | 1.90 | 34.80 | Applicable | |
| | 87568 | | | No | KTT | 32.90 | Nil | Nil | 1.90 | 34.80 | Applicable | |
| | 44161 | | | No | JBP | 31.90 | Nil | Nil | 1.90 | 33.80 | Applicable | |
| | 80159 | | | No | BPL | 31.90 | Nil | Nil | 1.90 | 33.80 | Applicable | |
| 11828 | No | KTT | 31.90 | Nil | Nil | 1.90 | 33.80 | Applicable | | | | |
| 10 | Glued Joint 60Kg (T-2572) | WCRTP2011185/Glued Joint/363 dt.11.05.12 | M/s Dynamic Engineers Kota | 688 | No | KTT | 8080 | Nil | Extra @5 % | 2150 | 10630 | Applicable |
| | 592 | | | No | BPL | 7500 | Nil | Extra @5 % | 2000 | 9875.42 | Applicable | |
| | 433 | | | No | KTT | 7500 | Nil | Extra @5 % | 1825 | 9700.42 | Applicable | |
| 11 | CMS X-ing 1:8.5,52Kg(T-4867) | WCRTP/2011182/CMS X-ing 1:8.5,52Kg/364 dt. 14.05.12 | M/s Rausheena Udyog Kolkata | 4 | set | JBP | 128817.90 | extra @10.30% | Extra @5 % | Inclusive | 148977.7 | Applicable |
| | 12 | | | set | BPL | 128822.4 | extra @10.30% | Extra @5 % | Inclusive | 148941.70 | Applicable | |
| | 1 | | | set | KTT | 128814.1 | extra @10.30% | Extra @5 % | Inclusive | 148924.9 | Applicable | |
| 12 | GRSP for T-Out 1:8.5,60Kg | WCRTP2012203/R&C/GR Pad 1:8.5/365 | M/s Cemcon Casting Pvt. Ltd. Delhi | 114 | set | BPL | 13250 | extra @10.30% | Extra @13.13 | 300 | 16833.67 | Applicable |
| 13 | Glued Joint 52Kg (T-5361) | WCRTP2011185/Glued Joint/366 dt. 24.05.12 | M/s Srinivasa Enterprises Hyderabad | 109 | No | JBP | 6600 | Nil | Extra @4 % | 1350 | 8214 | Applicable |
| | 197 | | | No | BPL | 6600 | Nil | Extra @4 % | 1500 | 8364 | Applicable | |
| | 57 | | | No | KTT | 6600 | Nil | Extra @4 % | 1500 | 8364 | Applicable | |
| | 255 | | | No | JBP | 6900 | Nil | Extra @4 % | 1400 | 8576 | Applicable | |
| | 172 | | | No | BPL | 6900 | Nil | Extra @4 % | 1650 | 8826 | Applicable | |
| | 121 | | | No | KTT | 6900 | Nil | Extra @4 % | 1725 | 8901 | Applicable | |
| 14 | Glued Joint 60Kg (T-2572) | WCRTP2011185/Glued Joint/367 dt. 24.05.12 | M/s Creative Engineers Kota | 977 | No | BPL | 8000 | Nil | Extra @5 % | 2390 | 10790 | Applicable |
| 15 | Glued Joint 60Kg (T-2572) | WCRTP2011185/Glued Joint/368 dt. 24.05.12 | M/s Chintpurni Engineering Lucknow | 1445 | No | JBP | 7250 | extra @10.30% | Extra @5 % | 2200 | 10596.58 | Applicable |
| 16 | PSC T-out 1:8.5 | WCRTP2011194/PSC sleeper/369 dt. 29.06.12 | M/s Shri Kesharia Gwalior | 234 | set | WCR | 200435 | extra @10.30% | Extra @13% | - | 249820.2 | Applicable |
| | PSC T-out 1:12 | | | 136 | set | WCR | 290549 | extra @10.30% | Extra @13% | - | 362137.4 | Applicable |
| | PSC Br. Central | | | 9502 | No | WCR | 1685 | extra @10.30% | Extra @13% | - | 2100.17 | Applicable |
| | PSC D/Switch | | | 101 | set | WCR | 76750 | extra @10.30% | Extra @13% | - | 95660.43 | Applicable |
| | PSC for L.C. | | | 3634 | No | WCR | 1629.60 | extra @10.30% | Extra @13% | - | 2031.12 | Applicable |
| 17 | PSC T-out 1:8.5 | WCRTP2011194/PSC sleeper/370 dt. 29.06.12 | M/s VNPL Nagpur | 156 | set | WCR | 200435 | extra @10.30% | Extra @13% | - | 249820.2 | Applicable |
| | PSC Br. Central | | | 5116 | No | WCR | 1685 | extra @10.30% | Extra @13% | - | 2100.17 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|---|--|--|-----------------------------------|----------|------|-----------|---------------|---------------|----------------|----------------|-------------------------|----------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 18 | PSC Br. Approach PSC for SEJ | WCRTTP2011179/GFN/371 dt. 27.06.12 | M/s Adinath Industries Haridwar | 144 | set | WCR | 15250 | extra @10.30% | Extra @13% | - | 19007.45 | Applicable |
| | 2167 | | | No | WCR | 1820 | extra @10.30% | Extra @13% | - | 2268.43 | Applicable | |
| | 31212 | | | No | JBP | 7.97 | Nil | Inclusive | 0.25 | 8.58 | Applicable | |
| | 64113 | | | No | BPL | 7.97 | Nil | @4.5% | 0.25 | 8.58 | Applicable | |
| 19 | PSC T-out 1:12 | WCRTTP2011194/PSC sleeper/372 dt. 29.06.12 | M/s Donypolo Udyog Ltd. New Delhi | 91 | set | WCR | 290549 | extra @10.30% | Extra @13% | - | 362137.4 | Applicable |
| | PSC D/Switch | | | 67 | set | WCR | 76750 | extra @10.30% | Extra @13% | - | 95660.43 | Applicable |
| | PSC for L.C. | | | 5451 | No | WCR | 1629.60 | extra @10.30% | Extra @13% | - | 2031.12 | Applicable |
| | PSC Br. Approach PSC for SEJ | | | 96 | set | WCR | 15250 | extra @10.30% | Extra @13% | - | 19007.45 | Applicable |
| 20 | Reto Reflective speed Breaker Bd. | WCRTTP/2012199/Retro Reflective Board/373 dt. 09.07.12 | M/s Anil Engg. Delhi | 1445 | No | WCR | 1820 | extra @10.30% | Extra @13% | - | 2268.43 | Applicable |
| | | | | 474 | No | BPL | 1658 | Nil | Incl. | 0 | 1658 | Not applicable |
| 21 | Reto Reflective WL Bd. | WCRTTP/2012199/Retro Reflective Board/374 dt. 09.07.12 | M/s Tushar Enterprises Ratlam | 634 | No | KTT | 1658 | Nil | Incl. | 0 | 1658 | Not applicable |
| | | | | 658 | No | BPL | 1125 | Nil | Nil | 0 | 1125 | Not applicable |
| | | | | 460 | No | JBP | 1125 | Nil | Nil | 0 | 1125 | Not applicable |
| | | | | 1271 | No | KTT | 1125 | Nil | Nil | 0 | 1125 | Not applicable |
| | Reto Reflective stop Bd.1400x400mm | 110 | No | BPL | 1599 | Nil | Nil | 0 | 1599 | Not applicable | | |
| | | | | | | | | | | | 44 | No |
| | Reto Reflective caution indicator Bd.1400x400mm. | 52 | No | BPL | 1509 | Nil | Nil | 0 | 1509 | Not applicable | | |
| | | | | | | | | | | | 170 | No |
| | | 76 | No | KTT | 1509 | Nil | Nil | 0 | 1509 | Not applicable | | |
| | | | | | | | | | | | 104 | No |
| | Reto Reflective termination indicator Bd. TP/TG. | 320 | No | JBP | 2249 | Nil | Nil | 0 | 2249 | Not applicable | | |
| | | | | | | | | | | | 152 | No |
| | Reto Reflective stop indicator Bd. rectengular. | 220 | No | JBP | 1149 | Nil | Nil | 0 | 1149 | Not applicable | | |
| | | | | | | | | | | | 200 | No |
| Reto Reflective speed indicator Bd. 20 to 105 Kmph. | 196 | No | BPL | 1349 | Nil | Nil | 0 | 1349 | Not applicable | | | |
| | | | | | | | | | | 724 | No | JBP |
| Reto Reflective Bd. 600x600mm. | 152 | No | KTT | 1349 | Nil | Nil | 0 | 1349 | Not applicable | | | |
| | | | | | | | | | | 120 | No | JBP |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|--|---|------------------------------------|----------|------|-----------|---------------|---------------|--------------|---------|-------------------------|----------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 22 | Glued Joint 52Kg (T-5361) | WCRT2011185/Glued Joint/375 dt.23.07.12 | M/s Tirupati Metal Faridabad | 164 | No | JBP | 6600 | Nil | Extra @5% | 1550 | 8480 | Applicable |
| | | | | 295 | No | BPL | 6600 | Nil | Extra @5% | 1540 | 8470 | Applicable |
| | | | | 86 | No | KTT | 6600 | Nil | Extra @5% | 1530 | 8460 | Applicable |
| 23 | Retro-reflective level crossing Board size | WCRT2012199/Retro-reflective Board/376 dt. 03.08.12 | M/s C.B.M. Industries Ltd. Delhi | 224 | No. | BPL | 708 | Nil | Extra @5% | 0 | 718.87 | Not applicable |
| 24 | 1M Long Fish Plate 52Kg(T-5915) | WCRT2012200/FP/377 dt. 22.08.12 | M/s Ganpati Industries Kolkata | 1442 | Pair | BPL | 3105 | extra @10.30% | Extra @5% | 140 | 3736.06 | Applicable |
| | | | | 3773 | Pair | KTT | 3105 | extra @10.30% | Extra @5% | 150 | 3746.06 | Applicable |
| | 1304 | | | Pair | JBP | 3685 | extra @10.30% | Extra @5% | 144 | 4411.78 | Applicable | |
| | 816 | | | Pair | BPL | 3685 | extra @10.30% | Extra @5% | 154 | 4421.78 | Applicable | |
| | 868 | | | Pair | KTT | 3685 | extra @10.30% | Extra @5% | 157 | 4424.78 | Applicable | |
| | 348 | | | Pair | JBP | 8100 | extra @10.30% | Extra @5% | 210 | 9591.02 | Applicable | |
| 24 | Junction Fish Plate 60/52Kg(T-696 to 699) | | | 165 | Pair | KTT | 8100 | extra @10.30% | Extra @5% | 240 | 9621.02 | Applicable |
| | | | | 6 | set | JBP | 12000 | extra @12.36% | Extra @5% | 2000 | 143573 | Applicable |
| | | | | 44 | set | BPL | 12000 | extra @12.36% | Extra @5% | 2000 | 143573 | Applicable |
| 26 | CMS X-ing 1:8.5,60Kg(T-4967) | WCRT2012212/CMS X-ing 1:8.5,60Kg/378 dt.30.08.12 | M/s VAE VKN Industries Delhi | 29 | set | KTT | 12000 | extra @12.36% | Extra @5% | 2000 | 143573 | Applicable |
| | | | | 7 | set | BPL | 105000 | extra @12.36% | Extra @4% | 2000 | 124697.1 | Applicable |
| | | | | 6 | set | KTT | 105000 | extra @12.36% | Extra @4% | 2000 | 124697.1 | Applicable |
| 27 | Bolt & Nuts with washer (T-23) | WCRT2011195/Nut and Bolt/380 dt.04.09.12 | M/s Aas Udyog Kolkata | 179.163 | MT | BPL | 56415 | Nil | Extra @4% | 2500 | 61171.6 | Applicable |
| | | | | 52.20219 | MT | KTT | 56415 | Nil | Extra @4% | 2500 | 61171.6 | Applicable |
| 28 | GFN liner, 52Kg T-3702 | WCRT2011198/GFNT/381 dt.14.09.12 | M/s Industrial Components Kolkata | 309570 | Nos. | BPL | 7.12 | extra @12.36% | Extra @13.50 | 0.1 | 9.18 | Applicable |
| | 295314 | | | Nos. | BPL | 6.97 | extra @12.36% | Extra @13.50 | 0.1 | 8.99 | Applicable | |
| | 152793 | | | Nos. | KTT | 6.97 | extra @12.36% | Extra @13.50 | 0.1 | 8.99 | Applicable | |
| | 29150 | | | Sets | BPL | 19.61 | extra @12.36% | Extra @13.50 | 0.2 | 25.2 | Applicable | |
| 29 | Level Crossing Fittings T-4916 | WCRT2012204/Level Crossing Fitting/382 dt.15.10.12 | M/s Premier Sales Agencies Kolkata | 100 | Sets | KTT | 15600 | Nil | Extra @4% | 800 | 17024 | Applicable |
| 30 | Gauge Tie Plate | WCRT2012211/Gauge Tie Plate/383 dt.15.10.12 | M/s Chinnmastika Track Industries | 134 | Sets | BPL | 6433 | extra @12.36% | Nil | 221.88 | 7450 | Applicable |
| 31 | Glued Joint, 52Kg T-5361 | WCRT2011185/Glued Joint/384 dt.15.10.12 | M/s Shyama Shyama Corp. Aggra | 808 | Nos. | BPL | 7500 | Nil | Extra @5% | 2000 | 9875.42 | Applicable |
| 32 | Single Coil Spring Washer T-10773 | WCRT2011195/Single coil spring washer/385 dt.01.11.12 | M/s Rail Udyog Kolkata | 163150 | Nos. | BPL | 4.4 | NA | Extra @4% | 0.25 | 4.83 | Not applicable |
| 33 | Joggle Fish Plate 60 Kg (T-5849) | WCRT2011191/386 dt.09.11.12 | Ganpati Industrial Kolkata | 5100 | Pair | JBP | 3250.04 | extra @10.30% | Extra @5% | 90 | 3854.03 | Applicable |
| | | | | 6371 | Pair | BPL | 3250.04 | extra @10.30% | Extra @5% | 90 | 3914.03 | Applicable |
| 34 | MS liner combination T-3741/42 | WCRT2012205/MS liner/387 dt. 09.11.12 | M/s Indiana Track Mohali | 99520 | Pair | BPL | 51.20 | extra @12.36% | Extra @4.4% | 1.97 | 62.03 | Applicable |
| | | | | 23200 | Pair | KTT | 51.20 | extra @12.36% | Extra @4.4% | 1.97 | 62.03 | Applicable |
| 35 | MS liner | WCRT2012205/MS | M/s India Metals | 149280 | Pair | KTT | 51.20 | extra @12.36% | Extra @4.4% | 1.97 | 62.03 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC | |
|---------------|--|---|---|----------|--------|-----------|------------|---------------|---------------|--------------|-------------------------|------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | | |
| 36 | combination T-GR Pad 6m thick for guard rail of steel channel sleeper T-5163 | liner/388 dt. 09.11.12 | Chandigarh | 34800 | Pair | KTT | 51.20 | extra @12.36% | Extra @4.4% | 1.97 | 62.03 | Applicable | |
| | | WCRTTP2012216/GR Pad/389 dt.23.11.12 | M/s Calcutta Springs Ltd. Kolkata | 3432 | Nos. | BPL | 30.00 | extra @12.36% | Extra @13.50 | 2.00 | 40.26 | Applicable | |
| | | | | 5000 | Nos. | KTT | 30.00 | extra @12.36% | Extra @13.50 | 2.00 | 40.26 | Applicable | |
| 37 | GR Pad for 1 in 8.5 T/out T-4865,4966 & 4967 | WCRTTP2012209/GR Pad T/out/390 dt.26.11.12 | M/s V.K. Enterprises Modinagar | 145 | Sets. | JBP | 18851 | Nil | Extra @4.5% | 300 | 19999.29 | Applicable | |
| | | | | 133 | Sets. | BPL | 18851 | Nil | Extra @4.5% | 300 | 19999.29 | Applicable | |
| | | | | 69 | Sets. | KTT | 18851 | Nil | Extra @4.5% | 300 | 19999.29 | Applicable | |
| 38 | GR Pad for 1 in 12 T/out T-4218 to T-4220 | WCRTTP2012209/GR Pad T/out/391 dt.03.12.12 | M/s Paramount Faridabad | 166 | Sets. | JBP | 22300 | extra @12.36% | Extra @13.12 | 500 | 28843.66 | Applicable | |
| | | | | 270 | Sets. | BPL | 22300 | extra @12.36% | Extra @13.12 | 500 | 28843.66 | Applicable | |
| | | | | 191 | Sets. | KTT | 22300 | extra @12.36% | Extra @13.12 | 250 | 28593.66 | Applicable | |
| 39 | Plate Screw T-39 | WCRTTP2012210/392 dt.05.12.12 | M/s Aasl Udyog Kolkata | 45206 | Nos. | JBP | 29.75 | NA | Extra @4% | 2 | 32.94 | Applicable | |
| 40 | Nylon cord reinforced elastometric pad soze 245x400x25mm | WCRTTP2012219/Elastro metric/393 dt. 10.12.12 | M/s D.K Steels Kolkata | 514 | Nos. | BPL | 1186 | extra @12.36% | Extra @13.50 | 30 | 1542.48 | Applicable | |
| | | | | 750 | Nos. | KTT | 1186 | extra @12.36% | Extra @13.50 | 50 | 1562.48 | Applicable | |
| 41 | Nylon cord reinforced elastometric pad soze | WCRTTP2012219/Elastro metric/394 dt. 18.12.12 | M/s Hold well components Raipur | 2918 | Nos. | BPL | 1285 | extra @12.36% | Extra @5% | 90 | 1606 | Applicable | |
| 42 | Cut GFN liner 52 Kg | WCRTTP2011196/GFN/395 dt. 19.12.12 | M/s Industrial Componants Kolkata | 125000 | Nos. | JBP | 7.06 | extra @12.36% | Extra @13.5% | 0.1 | 9.1 | Applicable | |
| | | | | 120000 | Nos. | BPL | 7.06 | extra @12.36% | Extra @13.5% | 0.1 | 9.1 | Applicable | |
| | | | | 108000 | Nos. | KTT | 7.06 | extra @12.36% | Extra @13.5% | 0.1 | 9.1 | Applicable | |
| | Cut GFN liner 60 Kg | | | | 140000 | Nos. | JBP | 6.9 | extra @12.36% | Extra @13.5% | 0.1 | 8.9 | Applicable |
| | | | | | 193000 | Nos. | BPL | 6.9 | extra @12.36% | Extra @13.5% | 0.1 | 8.9 | Applicable |
| | | | | | 173000 | Nos. | KTT | 6.9 | extra @12.36% | Extra @13.5% | 0.1 | 8.9 | Applicable |
| Cut GFN liner | | | | 175000 | Nos. | JBP | 19.37 | extra @12.36% | Extra @13.5% | 0.2 | 24.9 | Applicable | |
| 43 | Joggle Fish Plate 60Kg(T-5849) | WCRTTP2011191/JFP/396 dt.08.01.13. | M/s Kontinental Steel Korporation Durg | 9557 | Pair | BPL | 3250.04 | extra @10.30% | Extra @5% | 150 | 3914.03 | Applicable | |
| 44 | Rail Screw(T-415) | WCRTTP2012210/397 dt.09.01.13. | M/s Premier Sales Agencies Kolkata | 12200 | Nos. | KTT | 33.3 | NA | Extra @4% | 2.2 | 36.83 | Applicable | |
| 45 | ERC-Mk-III (T-37) | WCRTTP2012202/398 dt.09.01.13. | M/S Surya Alloy Industries Ltd. Kolkata | 1775000 | Nos. | BPL | 46 | extra @10.30% | Extra @4% | 2.5 | 55.26 | Applicable | |
| 46 | MS liner, 60Kg (T-3740) | WCRTTP2012205/MS Liner/399 dt.09.01.13. | M/s Indiana Track Mohali | 239289 | Nos. | JBP | 20.18 | extra @12.36% | Extra @4.4% | 1.34 | 25.00 | Applicable | |
| 47 | MS liner, 60Kg (T-3740) | WCRTTP2012205/MS Liner/400 dt.09.01.13. | M/s Suchita Steels (India) Chandigarh | 436467 | Nos. | BPL | 20.18 | extra @12.36% | Extra @4% | 1.30 | 24.88 | Applicable | |
| | MS liner, 52Kg (T-3738) | | | 73240 | Nos. | BPL | 20.20 | extra @12.36% | Extra @4% | 1.35 | 24.95 | Applicable | |
| 48 | MS liner, 60Kg (T-3740) | WCRTTP2012205/MS Liner/401 dt.09.01.13. | M/s Pragti Steels Moh | 303719 | Nos. | KTT | 20.18 | extra @12.36% | Extra @4.4% | 1.27 | 24.93 | Applicable | |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | PVC | |
|----|---|---|--|----------|------|-----------|------------|---------------|---------------|---------|----------|-------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | | All inclusive Unit Rate |
| 49 | Nylon cord reinforced elastometric pad soze 24.5x400x25mm. | WCRT2012219/Elastro metric pad/402 dt. 09.01.13 | M/s Calcast Ferrous Ltd. Kolkata | 4250 | Nos. | KTT | 1200 | extra @12.36% | Extra @13.50 | 80 | 1610.34 | Applicable |
| 50 | Curved Switch 1:8.5.60Kg.(T-4966) | WCRT2012214/Curved Switch,60Kg/403 dt.17.01.13. | M/s Calstar Steel Ltd. Kolkata | 28 | set | KTT | 4500 | extra @12.36% | Extra @4% | 14000 | 66584.48 | Applicable |
| 51 | Imp. SEJ,60Kg (T-6922) | WCRT2011197/Imp. SEJ,60Kg/404 dt.21.01.13. | M/s Digvijay Steel Delh | 35 | set | JBP | 85450 | extra @12.36% | Extra @5.5% | 7380 | 108672.3 | Applicable |
| | | | | 52 | set | BPL | 85450 | extra @12.36% | Extra @5.5% | 7280 | 108572.3 | Applicable |
| | | | | 61 | set | KTT | 85450 | extra @12.36% | Extra @5.5% | 7200 | 108492.3 | Applicable |
| 52 | GR Pad 60Kg(T-3711) | WCRT2012206/GR Pad/405 dt.30.01.13. | M/s Rayol Elastomers Raipur | 185290 | Nos. | BPL | 29.5 | extra @12.36% | Extra @5% | 0.60 | 35.40 | Applicable |
| | | | | 49102 | Nos. | KTT | 29.5 | extra @12.36% | Extra @5% | 0.80 | 35.60 | Applicable |
| 53 | GR Pad 60Kg(T-3711) | WCRT2012206/GR Pad/406 dt.30.01.13. | M/s Prestige Track Nagpur | 15583 | Nos. | JBP | 31.00 | Inclusive | Extra @12.50 | 0.70 | 35.58 | Applicable |
| | | | | 123527 | Nos. | BPL | 31.00 | Inclusive | Extra @12.50 | 0.8 | 35.67 | Applicable |
| | | | | 73653 | Nos. | KTT | 31.00 | Inclusive | Extra @12.50 | 0.7 | 35.58 | Applicable |
| | | | | 49875 | Nos. | BPL | 30.10 | Inclusive | Extra @12.50 | 0.8 | 34.66 | Applicable |
| 54 | ERC-Mk-III (T-37) | WCRT2010175RC/ERC Mk-III/407 dt.30.01.13. | M/s Kalimata Ispat Kolkata | 255212 | Nos. | JBP | 46.01 | extra @10.30% | Extra @4% | 1.90 | 54.68 | Applicable |
| | | | | 415800 | Nos. | BPL | 46.01 | extra @10.30% | Extra @4% | 2.20 | 54.98 | Applicable |
| 55 | ERC-Mk-III (T-37) | WCRT2012202/ERC Mk.III/408 dt.30.01.13. | M/s Calcutta Springs Ltd. Kolkata | 579430 | Nos. | JBP | 46 | extra @10.30% | Extra @4% | 2.10 | 54.88 | Applicable |
| 56 | JFP 60 kg T-5849 75mm Gap JFP 60 kg with CI block T-EDO/T-2246 & 75mm Gap JFP 52 kg with CI block T-EDO/T-2242 & JFP 60 kg T-5849 | WCR/TP/2011191/JFP/4/09 dt. 06.02.13 | Techma Engineering Enterprise Pvt. Ltd., Kolkata | 3008 | Pair | KTT | 3250.04 | extra @10.30% | Extra @4% | 166 | 3894.18 | Applicable |
| | | | | 500 | Pair | KTT | 3861 | extra @10.30% | Extra @4% | 175 | 4604 | Applicable |
| | | | | 327 | Pair | BPL | 3400 | extra @10.30% | Extra @4% | 135 | 4035 | Applicable |
| | | | | 1500 | Pair | KTT | 3400 | extra @10.30% | Extra @4% | 155 | 4055 | Applicable |
| 57 | JFP 60 kg T-5849 | WCR/TP/2011191/JFP/4/10 dt. 06.02.13 | Surya Alloy Industries Ltd. Kolkata | 900 | Pair | JBP | 3250.04 | extra @10.30% | Extra @4% | 85 | 3813.18 | Applicable |
| | | | | 2810 | Pair | BPL | 3250.04 | extra @10.30% | Extra @4% | 145 | 3873.18 | Applicable |
| | | | | 530 | Pair | KTT | 3250.04 | extra @10.30% | Extra @4% | 160 | 3888.18 | Applicable |
| 58 | GRSP for PSC guard rail T-4107 | WCR/TP/2012237/GRPa/d/411 dt. 06.02.13 | Cemcon casting Pvt. Ltd., Delhi | 6704 | Nos. | BPL | 48 | extra @12.36% | Extra @13.13% | 1.2 | 62.21 | Applicable |
| | | | | 5110 | Nos. | KTT | 48 | extra @12.36% | Extra @13.13% | 1.1 | 62.11 | Applicable |
| 59 | Diamond crossing without slip T-Diamond crossing with single/double slip T-5363/5364 | WCRT2012223/PSC Spl. T-out/412 dt. 07.02.13 | Econ Antri Ltd., Gwalior | 1 | Set | Bina | 376000 | extra @12.36% | Extra @13% | - | 477395.2 | Applicable |
| | | | | 2 | Set | ET | 376000 | extra @12.36% | Extra @13% | - | 477395.2 | Applicable |
| | | | | 2 | Set | Bina | 397000 | extra @12.36% | Extra @13% | - | 504058.2 | Applicable |
| | | | | 1 | Set | ET | 397000 | extra @12.36% | Extra @13% | - | 504058.2 | Applicable |
| | | | | 3 | Set | JBP | 397000 | extra @12.36% | Extra @13% | - | 504058.2 | Applicable |
| | | | | 2 | Set | Katni | 397000 | extra @12.36% | Extra @13% | - | 504058.2 | Applicable |
| | | | | 2 | Set | SGZ | 397000 | extra @12.36% | Extra @13% | - | 504058.2 | Applicable |
| 60 | Antitheft ERC T-6254 & 6255 | WCRT2012227/Anti theft ERC/413 dt. | Fairdeal Engg. And Body building Pvt. Ltd. | 71302 | Nos. | JBP | 53.9 | extra @12.36% | Extra @4% | 1.8 | 64.78 | Applicable |
| | | | | 14770 | Nos. | BPL | 53.9 | extra @12.36% | Extra @4% | 2.3 | 65.28 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | PVC | |
|----|--|--|---|----------|------|-----------|------------|---------------|------------|---------|----------|-------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | | All inclusive Unit Rate |
| 61 | JFP 52 kg T-5551 | 07.02.13 WCRTP2012232/414 dt. | Kolkata Ganpati Industries | 29596 | Nos. | KTT | 53.9 | extra @12.36% | Extra @4% | 2.8 | 65.78 | Applicable |
| | | | | 727 | Set | BPL | 3750 | extra @12.36% | Extra @5% | 230 | 4654.17 | Applicable |
| 62 | Imp.SEJ, 52 kg T-6930 | 11.02.13 WCRTP2011197/Imp. SEJ/415 dt.12.02.13 | Kolkata Hindustan Engg. And Industries Ltd., | 16 | Set | JBP | 85500 | extra @12.36% | Extra @4% | 2000 | 101910.5 | Applicable |
| | | | | 122 | Set | BPL | 85500 | extra @12.36% | Extra @4% | 2000 | 101910.5 | Applicable |
| 63 | Imp.SEJ, 52 kg T-6930 | WCRTP2011197/Imp. SEJ/416 dt. 12.02.13 | Calcutta Springs Ltd. Kolkata | 6 | Set | BPL | 62000 | extra @12.36% | Extra @4% | 9000 | 81449.73 | Applicable |
| 64 | Curve switch 1:12, 52 kg T- Curve switch 1:8.5, 52 kg T- Derailing switch 1:8.5, 52 kg T- | WCRTP2012215/Curve switch, 52 kg/417 | Chhinmastika Track Industries, J&K | 25 | Set | BPL | 98600 | extra @12.36% | - | 10000 | 120787 | Applicable |
| | | | | 19 | Set | KTT | 98600 | extra @12.36% | - | 8500 | 119287 | Applicable |
| | | | | 83 | Set | BPL | 54700 | extra @12.36% | - | 9200 | 70660.92 | Applicable |
| | | | | 24 | Set | KTT | 54700 | extra @12.36% | - | 8000 | 69460.92 | Applicable |
| | | | | 44 | Set | BPL | 46750 | extra @12.36% | - | 6900 | 59428.3 | Applicable |
| 65 | MS Liner, 60 kg T-3740 | WCR/TP/2012205/MSLiner/418 dt. 15.02.13 | Surya Alloy Industries Ltd. Kolkata | 79763 | Nos. | JBP | 23.1 | - | - | 1.75 | 24.85 | Applicable |
| | | | | 145488 | Nos. | BPL | 23.1 | - | - | 1.75 | 24.85 | Applicable |
| | | | | 101239 | Nos. | KTT | 23.1 | - | - | 1.75 | 24.85 | Applicable |
| | | | | 196 | Set | JBP | 8450 | extra @12.36% | Extra @5% | 300 | 10269.14 | Applicable |
| 66 | Jn. Fish plate 60/52 kg T-696-699 | WCRTP2012229/Junction fish plate/419 dt. 22.02.13 | Ganpati Industries Kolkata | 206 | Set | BPL | 8450 | extra @12.36% | Extra @5% | 320 | 10289.14 | Applicable |
| | | | | 228 | Set | KTT | 8450 | extra @12.36% | Extra @5% | 350 | 10319.14 | Applicable |
| | | | | 77920 | Nos. | JBP | 31.57 | extra @12.36% | Extra @5% | 1 | 38.25 | Applicable |
| 67 | GRPpad 60 kg, T-3711 | WCR/TP/2012206/GRPpad/ 420 dt. 25.02.13 | Jaiswal Steel Processing Pvt. Ltd., Bhilai | 926455 | Nos. | BPL | 31.57 | extra @12.36% | Extra @5% | 1 | 38.25 | Applicable |
| | | | | 368266 | Nos. | KTT | 31.57 | extra @12.36% | Extra @5% | 1.5 | 38.75 | Applicable |
| | | | | 249381 | Nos. | BPL | 31.15 | extra @12.36% | Extra @5% | 1 | 37.75 | Applicable |
| | | | | 88493 | Nos. | KTT | 31.15 | extra @12.36% | Extra @5% | 1.5 | 38.25 | Applicable |
| 68 | CMS Xing 1:8.5 60 kg T-4967 | WCRTP2012226/ CMS Xing 1:8.5, 60 kg/421 dt. 28.02.13 | Calcutta Springs Ltd. Kolkata | 9 | Set | BPL | 107500 | extra @12.36% | Extra @4% | 2000 | 127618.5 | Applicable |
| | | | | 11 | Set | KTT | 107500 | extra @12.36% | Extra @4% | 2000 | 127618.5 | Applicable |
| 69 | CMS Xing 1:8.5 60 kg T-4967 | WCRTP2012226/ CMS Xing 1:8.5, 60 kg/422 dt. | Chhinmastika Track Industries, J&K | 3 | Set | BPL | 105000 | extra @12.36% | Extra @5% | 2000 | 125876.9 | Applicable |
| | | | | 3 | Set | KTT | 105000 | extra @12.36% | Extra @5% | 2000 | 125876.9 | Applicable |
| 70 | CMS Xing 1:8.5 60 kg T-4968 | WCRTP2012226/ CMS Xing 1:8.5, 60 kg/423 dt. | Bhilai Engg. Corporation Ltd., | 53 | Set | BPL | 109600 | extra @12.36% | Extra @5% | 3000 | 132303.9 | Applicable |
| | | | | 61 | Set | KTT | 109600 | extra @12.36% | Extra @5% | 3000 | 132303.9 | Applicable |
| 71 | MS Clamps for JFP T-5552 & 5552/1 | WCRTP2012228A/MS Clamps/424 dt. 07.03.13 | Eastern Track Udyog Pvt Ltd, Kolkata | 2000 | Set | JBP | 350 | extra @12.36% | Extra @4% | 20 | 428.99 | Applicable |
| | | | | 3600 | Set | BPL | 350 | extra @12.36% | Extra @4% | 20 | 428.99 | Applicable |
| | | | | 11939 | Set | KTT | 350 | extra @12.36% | Extra @4% | 20 | 428.99 | Applicable |
| 72 | Curve switch 1:12, 60 kg T-4219 | WCRTP2012213/Curve switch 1:12, 60 kg/425 dt. 14.03.13 | Veera techno trec pvt Ltd., Haryana | 26 | Set | JBP | 87116.96 | extra @12.36% | Extra @4% | 13000 | 114800 | Applicable |
| | | | | 14 | Set | BPL | 87116.96 | extra @12.36% | Extra @4% | 13000 | 114800 | Applicable |
| | | | | 45 | Set | KTT | 87116.96 | extra @12.36% | Extra @4% | 13000 | 114800 | Applicable |
| 73 | Curve switch 1:8.5, 60 kg T- Derailing switch 1:8.5, 60 kg T- | WCRTP2012214/Curve switch, 60 kg/426 dt. 14.03.13 | Veera techno trec pvt Ltd., Haryana | 33 | Set | BPL | 50490.18 | extra @12.36% | Extra @4% | 10000 | 69000 | Applicable |
| | | | | 131 | Set | KTT | 50490.18 | extra @12.36% | Extra @4% | 10000 | 69000 | Applicable |
| 74 | Wide gauge PSC T-4171 Wide gauge PSC T-4172 | WCRTP2012224/wide gauge PSC/427 dt. 18.03.13 | VNPL, Nagpur | 5428 | Nos. | WCR | 1656 | extra @12.36% | Extra @13% | - | 2102.57 | Applicable |
| | | | | 8676 | Nos. | WCR | 1656 | extra @12.36% | Extra @13% | - | 2102.57 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | PVC | |
|----|---|--|--|----------|------|-----------|------------|---------------|------------|-----------|----------|-------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | | All inclusive Unit Rate |
| 75 | Wide gauge PSC T-4170 | WCRT2012224/wide gauge PSC/428 dt. 18.03.13 | Donyolo Udyog Ltd., New Delhi | 1827 | Nos. | WCR | 1656 | extra @12.36% | Extra @13% | - | 2102.57 | Applicable |
| | Wide gauge PSC T-4173 | | | 9051 | Nos. | WCR | 1656 | extra @12.36% | Extra @13% | - | 2102.57 | Applicable |
| 76 | PSC T/Out sleepers 1:12 T- | WCRT2012244/PSC T-out/429 dt. 19.03.13 | Donyolo Udyog Ltd., New Delhi | 72 | Set | WCR | 308150 | extra @12.36% | Extra @13% | - | 391248.2 | Applicable |
| | PSC T/Out sleepers 1:8.5 T- | | | 47 | Set | WCR | 213500 | extra @12.36% | Extra @13% | - | 271074.1 | Applicable |
| 77 | PSC T/Out sleepers 1:8.5 T- | WCRT2012244/PSC T-out/430 dt. 19.03.13 | VNPL, Nagpur | 71 | Set | WCR | 213500 | extra @12.36% | Extra @13% | - | 271074.1 | Applicable |
| 78 | PSC T/Out sleepers 1:12 T- | WCRT2012244/PSC T-out/431 dt. 19.03.13 | Shri Kesharia concrete products, Gwalior | 47 | Set | WCR | 308150 | extra @12.36% | Extra @13% | - | 391248.2 | Applicable |
| 79 | Jn. Fish plate 90R/52 kg CSO/C 1900 (M) & CSO/C 1901 (M) | WCRT2012236junction fish plate/90R/52/432 dt. 19.03.13 | Ganpati Industries Kolkata | 50 | Set | BPL | 6100 | extra @12.36% | Extra @5% | 250 | 7446.66 | Applicable |
| | | | | 376 | Set | JBP | 6100 | extra @12.36% | Extra @5% | 300 | 7496.66 | Applicable |
| 80 | 6mm thick nylon cord reinforce GRSP T-7014 to | WCR/TP/2012220/Nylon Cord/433 dt. 22.03.13 | Avadh Rubber Lucknow | 150 | Set | JBP | 2950 | extra @12.36% | Extra @5% | - | 3480.35 | Applicable |
| | | | | 150 | Set | BPL | 2950 | extra @12.36% | Extra @5% | - | 3480.35 | Applicable |
| | | | | 150 | Set | KT | 2950 | extra @12.36% | Extra @5% | - | 3480.35 | Applicable |
| 81 | Combination GFN line -3707/08 | WCRT2012230/Combination GFN Liner/434 dt. 25.03.13 | Sheth & Co. Mumbai | 14079 | Set | JBP | 29 | Inclusive | Inclusive | Inclusive | 29 | Applicable |
| | | | | 8250 | Set | BPL | 29 | Inclusive | Inclusive | Inclusive | 29 | Applicable |
| | | | | 3573 | Set | KT | 29 | Inclusive | Inclusive | Inclusive | 29 | Applicable |
| 82 | GFN Liner 60 kg T-3706 | WCRT2012231/GFN Liner 60 kg/435 dt. | Sheth & Co. Mumbai | 621296 | Nos. | KT | 9.97 | Inclusive | Inclusive | Inclusive | 9.97 | Applicable |
| 83 | ERC-Mk-III (T-3701) | WCRT2012202/ERC Mk-III & ERC-J/436 dt. 28.03.13. | Kalimata ispat industries pvt. Ltd., Kolkata | 628245 | Nos. | JBP | 46.01 | extra @10.3% | Extra @4% | 2.2 | 54.98 | Applicable |
| | | | | 226476 | Nos. | BPL | 46.01 | extra @10.3% | Extra @4% | 1.9 | 54.68 | Applicable |
| | | | | 10919 | Nos. | KT | 46.01 | extra @10.3% | Extra @4% | 2.01 | 54.78 | Applicable |
| | ERC-J (T-4158) | | | 134064 | Nos. | JBP | 46.01 | extra @10.3% | Extra @4% | 1.9 | 54.68 | Applicable |
| | | | | 352785 | Nos. | BPL | 46.01 | extra @10.3% | Extra @4% | 2.2 | 54.98 | Applicable |
| 84 | ERC-Mk-III (T-3701) | WCRT2012233/ERC-III/437 dt. 28.03.13 | Rahee infratech ltd., Howrah | 104265 | Nos. | JBP | 49.1 | extra @12.36% | Extra @4% | 1.85 | 59.23 | Applicable |
| | | | | 298527 | Nos. | BPL | 49.1 | extra @12.36% | Extra @4% | 2.25 | 59.63 | Applicable |
| | | | | 686690 | Nos. | KT | 49.1 | extra @12.36% | Extra @4% | 2.45 | 59.83 | Applicable |
| | | | | 248 | Set | JBP | 16200 | extra @12.36% | Extra @5% | 250 | 19362.44 | Applicable |
| 85 | GRSP for 1:8.5, 60 kg T-4865, 4966 & 4967 | WCR/TP/2012239/GR Pad T/outs 1:8.5/438 dt. 28.03.13 | Holdwell components Pvt. Ltd., Raipur | 350 | Set | BPL | 16200 | extra @12.36% | Extra @5% | 300 | 19412.44 | Applicable |
| | | | | 259 | Set | KT | 16200 | extra @12.36% | Extra @5% | 350 | 19462.44 | Applicable |
| | | | | 541 | Set | JBP | 1530 | extra @12.36% | Extra @5% | 40 | 1845.06 | Applicable |
| 86 | GRSP 6mm thick for fanshaped t/out 1:12 60 kg T-6204-6211 | WCR/TP/2012237/GRPa d/439dt. 28.03.13 | Holdwell components Pvt. Ltd., Raipur | 47 | Set | BPL | 1530 | extra @12.36% | Extra @5% | 50 | 1855.06 | Applicable |
| | | | | 38 | Set | KT | 1530 | extra @12.36% | Extra @5% | 60 | 1865.06 | Applicable |
| | | | | | | | | | | | | |

2013-14

| | | | | | | | | | | | | |
|---|------------------------------|--|--|------|------|-----|------|---------------|------------|-----|---------|------------|
| 1 | JFP 60 kg T-5849 | WCRT2012243/JFP/440 dt. 15.04.13 | M/s Ganpati Industrial Pvt. Ltd. Kolkata | 1525 | Set | BPL | 3485 | extra @12.36% | Extra @5% | 100 | 4211.53 | Applicable |
| 2 | PSC Sleeper for L.C.(T-4148) | WCRT2012250/PSC Sleeper/441 dt. 24.04.13 | M/s Vishal Nirmiti Pvt. Ltd. Bankhedi | 350 | Nos. | WCR | 1760 | extra @12.36% | Extra @13% | - | 2234.62 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|----------------------------------|--|--|----------|------|-----------|------------|---------------|------------|---------|-------------------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 3 | GFN liner,60Kg.(T-3706) | WCRT2013231/GFN Liner.60Kg/442 dt. | M/s Adinath Industries,Haridwar | 341490 | Nos. | JBP | 9.31 | Nil | Extra @5% | 0.21 | 9.99 | Applicable |
| 4 | JFP 60 kg T-5849 | WCRT2012243/JFP/443 dt. 08.05.13 | Techma Engineering Enterprise Pvt. Ltd., Kolkata | 3254 | Set | JBP | 3486 | extra @12.36% | Extra @4% | 137 | 4210.54 | Applicable |
| | | | | 1016 | Set | BPL | 3486 | extra @12.36% | Extra @4% | 137.99 | 4211.53 | Applicable |
| | | | | 4698 | Set | KTT | 3486 | extra @12.36% | Extra @4% | 183 | 4210.54 | Applicable |
| 5 | PSC sleeper for SE | WCRT2012250/PSC Sleeper/444 dt. 09.05.13 | M/s Vishal Nirmiti Pvt. Ltd. Bankhedi | 1800 | Nos. | WCR | 1916 | extra @12.36% | Extra @13% | - | 2432.69 | Applicable |
| | PSC sleeper for Br. Ann. | | | 30 | Set | | 16115 | extra @12.36% | Extra @13% | - | 20460.7 | Applicable |
| 6 | Curved Switch 1:12,60Kg.(T-4219) | WCRT2012213/Curved Switch1:12,60Kg/445 dt. 10.05.13 | M/s Bina Metal Way Jamshedpur | 135 | Set | JBP | 98500 | extra @12.36% | Extra @5% | 13750 | 129958.3 | Applicable |
| 7 | Curved Switch 1:12,60Kg.(T-4219) | WCRT2012213/Curved Switch1:12,60Kg/446 dt. 10.05.13 | M/s VAE VKN Industries Delhi | 73 | Set | BPL | 98500 | extra @12.36% | Extra @5% | 13200 | 129408.3 | Applicable |
| | | | | 229 | Set | KTT | 98500 | extra @12.36% | Extra @5% | 9800 | 126008.3 | Applicable |
| 8 | Curved Switch 1:12,60Kg.(T-4219) | WCRT2012213/Curved Switch1:12,60Kg/447 dt. 10.05.13 | M/s Chhinmastika Track Industries Kolkata | 17 | Set | JBP | 92381.63 | extra @12.36% | Nil | 11000 | 114800 | Applicable |
| | | | | 9 | Set | BPL | 92381.63 | extra @12.36% | Nil | 11000 | 114800 | Applicable |
| | | | | 30 | Set | KTT | 93716.63 | extra @12.36% | Nil | 9500 | 114800 | Applicable |
| 9 | 1M Long Fish Plate 60Kg(T-5916) | WCRT2012251/1M long/448 dt. 21.05.13 | M/S Eastern Track Udyog, Kolkata | 1718 | Pair | JBP | 4000 | extra @12.36% | Extra @4% | 300 | 4974.18 | Applicable |
| | | | | 26 | Pair | BPL | 4000 | extra @12.36% | Extra @4% | 700 | 5374.18 | Applicable |
| | | | | 2125 | Pair | KTT | 4000 | extra @12.36% | Extra @4% | 300 | 4974.18 | Applicable |
| 10 | PSC sleeper for L.G. | WCRT2012250/PSC Sleeper/449 dt. 21.05.13 | Donyolo Udyog Ltd., New Delhi | 204 | No. | WCR | 1760 | extra @12.36% | Extra @13% | - | 2234.62 | Applicable |
| 11 | Single Coil Spring Washer | WCRT2012257/Single Coil Spring Washer/450 dt. 24.05.13 | M/S Eastern Track Udyog, Kolkata | 58913 | No. | JBP | 4.7 | Nil | Nil | 0.25 | 4.95 | Applicable |
| | | | | 223668 | No. | BPL | 4.7 | Nil | Nil | 0.25 | 4.95 | Applicable |
| | | | | 33830 | No. | KTT | 4.7 | Nil | Nil | 0.25 | 4.95 | Applicable |
| 12 | JFP 60 kg T-5849 | WCRT2012243/JFP/451 dt. 24.05.13 | M/s Shri Laxmi Irion & Steel Kolkata | 2168 | Set | JBP | 3486 | extra @12.36% | Extra @4% | 137 | 4210.54 | Applicable |
| | | | | 7047 | Set | KTT | 3486 | extra @12.36% | Extra @4% | 183 | 4256.54 | Applicable |
| 13 | GFN Liner 60 kg T-3706 | WCRT2012231/GFN Liner.60kg/452 dt. | M/s Parasnath Enterprises,New Delhi | 246720 | No. | BPL | 9.31 | Nil | Extra @5% | 0.21 | 9.99 | Applicable |
| 14 | Plate Screw T-39 | WCRT2010170RC/Plate screw/453 dt. 24.05.13 | M/s Kalimata Ispat Kolkata | 24800 | No. | BPL | 34.11 | Nil | Extra @4% | 1.4 | 36.87 | Applicable |
| 15 | CMS X-ing 1:12,60Kg(T-4220) | WCRT2012234/CMS X-ing 1:12,60Kg/454 dt. 30.05.13 | M/S Vossloh Beekay Casting Ltd. Bhilai | 9 | Set | JBP | 139186.7 | extra @12.36% | Extra @5% | 1200 | 165409.6 | Applicable |
| | | | | 42 | Set | BPL | 139101.90 | extra @12.36% | Extra @5% | 1200 | 165309.6 | Applicable |
| | | | | 47 | Set | KTT | 139017.1 | extra @12.36% | Extra @5% | 1200 | 165209.6 | Applicable |
| 16 | CMS X-ing 1:12,60Kg(T-4220) | WCRT2012234/CMS X-ing 1:12,60Kg/455 dt. 30.05.13 | M/s Calcutta Springs Ltd. Kolkata | 4 | Set | JBP | 132000 | extra @12.36% | Extra @4% | 2500 | 156747.8 | Applicable |
| | | | | 21 | Set | BPL | 132000 | extra @12.36% | Extra @4% | 2500 | 156747.8 | Applicable |
| | | | | 23 | Set | KTT | 132000 | extra @12.36% | Extra @4% | 2500 | 156747.8 | Applicable |
| 17 | CMS X-ing 1:12,60Kg(T-4220) | WCRT2012234/CMS X-ing 1:12,60Kg/456 dt. 30.05.13 | M/s VAE VKN Industries Delhi | 15 | Set | JBP | 138000 | extra @12.36% | Extra @5% | 2600 | 165409.6 | Applicable |
| | | | | 63 | Set | BPL | 138000 | extra @12.36% | Extra @5% | 2500 | 165309.6 | Applicable |
| | | | | 72 | Set | KTT | 138000 | extra @12.36% | Extra @5% | 2400 | 165209.6 | Applicable |
| | CMS X-ing | WCRT2012240/CMS X- | M/S Vossloh Beekay | 23 | Set | JBP | 127856.2 | extra @12.36% | Extra @5% | 900 | 151742.2 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | PVC | |
|----|--|---|--|----------|------|-----------|------------|---------------|---------------|---------|----------|-------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | | All inclusive Unit Rate |
| 18 | 1:12,52Kg(T-4734) | ing 1:12,52Kg/457 dt. 30.05.13 | Casting Ltd. Bhilai | 21 | Set | BPL | 127771.4 | extra @12.36% | Extra @5% | 900 | 151642.2 | Applicable |
| | | | | 11 | Set | KT | 127686.7 | extra @12.36% | Extra @5% | 900 | 151542.2 | Applicable |
| | CMS X-ing | WCRT2012240/CMS X-ing 1:12,52Kg/458 dt. 30.05.13 | M/s VAE VKN Industries Delhi | 35 | Set | JBP | 126500 | extra @12.36% | Extra @5% | 2500 | 151742.2 | Applicable |
| 19 | 1:12,52Kg(T-4734) | ing 1:12,52Kg/458 dt. 30.05.13 | | 32 | Set | BPL | 126500 | extra @12.36% | Extra @5% | 2400 | 151642.2 | Applicable |
| | | | | 18 | Set | KT | 126500 | extra @12.36% | Extra @5% | 2300 | 151542.2 | Applicable |
| | CMS X-ing | WCRT2012225/CMS X-ing 1:8.5,52Kg/459 dt. 30.05.13 | M/s Calcutta Springs Ltd. Kolkata | 31 | Set | JBP | 104000 | extra @12.36% | Extra @4% | 1900 | 123428.6 | Applicable |
| 20 | 1:8.5,52Kg(T-4867) | ing 1:8.5,52Kg/459 dt. 30.05.13 | | 29 | Set | BPL | 104000 | extra @12.36% | Extra @4% | 1900 | 123428.6 | Applicable |
| | | | | 29 | Set | KT | 104000 | extra @12.36% | Extra @4% | 1900 | 123428.6 | Applicable |
| | CMS X-ing | WCRT2012225/CMS X-ing 1:8.5,52Kg/460 dt. 30.05.13 | M/s VAE VKN Industries Delhi | 77 | Set | JBP | 106100 | extra @12.36% | Extra @5% | 1900 | 127074.7 | Applicable |
| 21 | 1:8.5,52Kg(T-4867) | ing 1:8.5,52Kg/460 dt. 30.05.13 | | 71 | Set | BPL | 106100 | extra @12.36% | Extra @5% | 1900 | 127074.7 | Applicable |
| | | | | 71 | Set | KT | 106100 | extra @12.36% | Extra @5% | 1900 | 127074.7 | Applicable |
| | Plate Screw T-39 | WCRT2010170RC/Plate screw/461 dt. 31.05.13 | M/s Rungta Engg Kolkata | 10500 | No | JBP | 26.70 | extra @12.36% | Extra @4% | 2.00 | 33.20 | Applicable |
| 22 | | | | 58110 | No | BPL | 26.70 | extra @12.36% | Extra @4% | 1.10 | 32.30 | Applicable |
| | | | | 25208 | No | KT | 26.70 | extra @12.36% | Extra @4% | 1.25 | 32.45 | Applicable |
| | T.Head Bolt | WCRT2012268/Diff. type of fitting of channal sleeper/462 dt. 10.06.13 | M/s Kalndi Rail Udyog Kolkata | 0.91 | MT | KT | 73000 | NA | Extra @4% | 3000 | 78920 | Applicable |
| 23 | MS clip outer/inner Galvanised Tanned washer Angular cap | | | 0.68 | MT | KT | 89000 | NA | Extra @4% | 3000 | 95560 | Applicable |
| | | | | 1222 | No | KT | 12 | NA | Extra @4% | 0.3 | 12.78 | Applicable |
| | | | | 391 | No | KT | 16 | NA | Extra @4% | 0.3 | 17.24 | Applicable |
| 24 | PSC sleeper for Br. Central(T-4149) | WCRT2012250/PSC Sleeper/463 dt. 11.06.13 | M/s Donyolo Udyog Ltd., New Delhi | 1700 | No | WCR | 1781 | extra @12.36% | Extra @13% | - | 2261.28 | Applicable |
| | PSC sleeper for SEI(T-4149) | WCRT2012250/PSC Sleeper/464 dt. 11.06.13 | M/s Donyolo Udyog Ltd., New Delhi | 605 | No | WCR | 1916 | extra @12.36% | Extra @13% | - | 2432.69 | Applicable |
| 25 | PSC sleeper for Br. App.(T-4089 to 4097) | | | 28 | Set | WCR | 16115 | extra @12.36% | Extra @13% | - | 20460.7 | Applicable |
| 26 | MS protecting plate for Guard Rail.(T-4098) | WCRT2012258/MS protecting plate for Guard Rail./465 dt. 11.06.13 | M/s Sunrolling Mills Pvt. Ltd. Kolkata | 4836 | No | BPL | 125 | NA | Extra @4% | 5 | 135 | Applicable |
| | CMS X-ing | WCRT2012240/CMS X-ing 1:12,52Kg/466 dt. 11.06.13 | M/s Calcutta Springs Ltd. Kolkata | 7 | Set | JBP | 122783.7 | extra @12.36% | Extra @4% | 2000 | 145478.1 | Applicable |
| 27 | 1:12,52Kg(T-4734) | | | 7 | Set | BPL | 122783.7 | extra @12.36% | Extra @4% | 2000 | 145478.1 | Applicable |
| | | | | 3 | Set | KT | 122783.7 | extra @12.36% | Extra @4% | 2000 | 145478.1 | Applicable |
| | Combination GFN line -3707/08 | WCRT2012230/Combination GFN Liner/467 dt. 11.06.13 | M/s Adinath Industries Haridwar | 42239 | Set | JBP | 27.42 | Nil | Extra @5% | 0.70 | 29.49 | Applicable |
| 28 | | | | 24750 | Set | BPL | 27.35 | Nil | Extra @5% | 0.80 | 29.52 | Applicable |
| | | | | 10720 | Set | KT | 27.35 | Nil | Extra @5% | 0.80 | 29.52 | Applicable |
| | Nut & Bolts(With Washer) | WCRT2010170RC/Bolt & Nuts (With washer)/468 dt. 18.06.13 | M/s Aas Udyog Kolkata | 36.52 | MT | JBP | 56415 | NA | Extra @4% | 2500 | 61171.6 | Applicable |
| 29 | | | | 85.9 | MT | BPL | 56415 | NA | Extra @4% | 2500 | 61171.6 | Applicable |
| | | | | 38.17 | MT | KT | 56415 | NA | Extra @4% | 2500 | 61171.6 | Applicable |
| 30 | PSC sleeper for Br. Central(T-3711) | WCRT2012250/PSC Sleeper/469 dt. 19.06.13 | M/s Shri Kesharia Gwalior | 1127 | No | WCR | 1781 | extra @12.36% | Extra @13% | - | 2261.28 | Applicable |
| | GRP pad 60 kg, T-3711 | WCRT2012242/GRP pad/470 dt. 19.06.13 | M/s Young India Pvt. Ltd. Kolkata | 213199 | No | JBP | 25.8 | extra @12.36% | Extra @14.50% | 0.55 | 33.74 | Applicable |
| 31 | | | | 35443 | No | BPL | 25.8 | extra @12.36% | Extra @14.50% | 0.55 | 33.74 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|--|---|--|----------|------|-----------|------------|---------------|---------------|---------|-------------------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| | | | | 293783 | No | KTT | 25.8 | extra @12.36% | Extra @14.50% | 0.55 | 33.74 | Applicable |
| 32 | CMS X-ing 1:8.5,52Kg(T-4867) | WCRTTP2012225/CMS X-ing 1:8.5,52Kg/471 dt. 21.06.13 | M/s Hindustan Engg. Ltd. Kolkata | 49 | Set | JBP | 107034.6 | extra @12.36% | Extra @4% | 2000 | 127074.7 | Applicable |
| | | | | 47 | Set | BPL | 107034.6 | extra @12.36% | Extra @4% | 2000 | 127074.7 | Applicable |
| | | | | 47 | Set | KTT | 107034.6 | extra @12.36% | Extra @4% | 2000 | 127074.7 | Applicable |
| 33 | GR Pad for SEJ, T 4159 | WCRTTP2012265/GR Pad for SEJ/472 dt. 24.06.13 | M/s V.K. Enterprises Modinagar | 3964 | No | JBP | 246 | Nil | Extra @5% | 6 | 264.3 | Applicable |
| | | | | 2638 | No | BPL | 246 | Nil | Extra @5% | 6 | 264.3 | Applicable |
| | | | | 2277 | No | KTT | 246 | Nil | Extra @5% | 6 | 264.3 | Applicable |
| 34 | GR Pad 6mm thick for guard rail T-5163 | WCRTTP2013273/GRPad/473 dt. 25.06.13 | M/s Star Track Sonepat | 4172 | No | JBP | 25 | extra @12.36% | Extra @13.13% | 1 | 32.78 | Applicable |
| | | | | 11662 | No | BPL | 25 | extra @12.36% | Extra @13.13% | 1 | 32.78 | Applicable |
| | | | | 3946 | No | KTT | 25 | extra @12.36% | Extra @13.13% | 1 | 32.78 | Applicable |
| 35 | GFN Liner 52 kg T 3702 | WCRTTP2012255/GFN Liner 52 kg/474 dt. 25.06.13 | M/s V.K. Enterprises Modinagar | 105720 | No | JBP | 8.95 | Nil | Extra @5% | 0.5 | 9.9 | Applicable |
| | | | | 56870 | No | BPL | 8.95 | Nil | Extra @5% | 0.5 | 9.9 | Applicable |
| | | | | 154737 | No | KTT | 8.95 | Nil | Extra @5% | 0.5 | 9.9 | Applicable |
| 36 | Nut, Bolt & Plate Screw | WCRTTP2012248/Nut & Bolts(with washer) and Plate screw/475 dt. | M/s Sunrolling Mills Pvt. Ltd. Kolkata | 15.9 | MT | JBP | 48555 | extra @12.36% | Extra @4% | 3092.7 | 59831.35 | Applicable |
| | | | | 12.55 | MT | BPL | 48555 | extra @12.36% | Extra @4% | 3092.7 | 59831.35 | Applicable |
| | | | | 9.31 | MT | KTT | 48555 | extra @12.36% | Extra @4% | 3092.7 | 59831.35 | Applicable |
| 37 | Channel sleeper fittings 52Kg | WCRTTP2011187/RC/Channel Sleeper fittings 52Kg/476 dt. 27.06.13 | M/s Corporate Track innovators Howrah | 1600 | No | JBP | 2985 | Nil | Extra @4% | 80 | 3184.4 | Applicable |
| | | | | 800 | No | BPL | 2985 | Nil | Extra @4% | 80 | 3184.4 | Applicable |
| 38 | MS liner, 60Kg (T-3740) | WCRTTP2012249/MS Liner 60Kg/477 dt. | M/S Eastern Track Ildvog. Kolkata | 213284 | No | BPL | 20.58 | extra @12.36% | Extra @4% | 2.4 | 26.45 | Applicable |
| 39 | Bearing Plate & stretcher bar | WCRTTP2012246/Bearing Plate & stretcher bar/478 dt. 12.07.13 | M/s Chinnmastika Track Industries Kathua | 5.35 | MT | JBP | 68000 | extra @12.36% | Nil | 2700 | 79104.8 | Applicable |
| | | | | 15.99 | MT | KTT | 68000 | extra @12.36% | Nil | 2700 | 79104.8 | Applicable |
| 40 | MS liner, 60Kg (T-3740) | WCRTTP2012249/MS Liner 60Kg/479 dt. | M/s Pragti Steels Mohali | 370265 | No | JBP | 20.58 | extra @12.36% | Extra @4.95% | 1.8 | 26.06 | Applicable |
| 41 | MS liner, 60Kg (T-3740) | WCRTTP2012249/MS Liner 60Kg/480 dt. 12.07.13 | M/s Manish Fotgings Pvt. Ltd. Raipur | 142190 | No | BPL | 20.58 | extra @12.36% | Extra @5% | 2.17 | 26.45 | Applicable |
| | | | | 2010186 | No | KTT | 20.58 | extra @12.36% | Extra @5% | 1.76 | 26.04 | Applicable |
| 42 | Imp. SEJ, 60 kg T-6922 | WCRTTP2012222/Imp SEJ,60Kg/481 dt. 22.07.13 | M/s Bina Metal Way Jamshedpur | 191 | Set | JBP | 94500 | extra @12.36% | Extra @5% | 10000 | 121489.2 | Applicable |
| | | | | 199 | Set | BPL | 94500 | extra @12.36% | Extra @5% | 11200 | 122689.2 | Applicable |
| | | | | 111 | Set | KTT | 94500 | extra @12.36% | Extra @5% | 11750 | 123239.2 | Applicable |
| 43 | Nut & Bolts(With Washer) | WCRTTP2012247/Nut & Bolts/482 dt. 22.07.13 | M/s Sunrolling Mills Pvt. Ltd. Kolkata | 80.28 | MT | JBP | 48551 | extra @12.36% | Extra @4% | 3092.7 | 59826.68 | Applicable |
| | | | | 65.31 | MT | BPL | 48551 | extra @12.36% | Extra @4% | 3092.7 | 59826.68 | Applicable |
| | | | | 40.81 | MT | KTT | 48551 | extra @12.36% | Extra @4% | 3092.7 | 59826.68 | Applicable |
| 44 | MS liner, 60Kg (T-3740) | WCRTTP2012249/MS Liner 60Kg/483 dt. | M/s Stelco Engineer Mohali | 678800 | No | JBP | 20.58 | extra @12.36% | Extra @4.95% | 1.8 | 26.06 | Applicable |
| 45 | Imp. SEJ,60Kg(T-6922) | WCRTTP2012222/Imp. SEJ/484 dt. 17.09.13 | M/s Rahee Track Technologics Kolkata | 38 | Set | JBP | 80000 | extra @12.36% | Extra @4% | 9600 | 103083.5 | Applicable |
| | | | | 39 | Set | BPL | 80000 | extra @12.36% | Extra @4% | 10000 | 103483.5 | Applicable |
| | | | | 21 | Set | KTT | 80000 | extra @12.36% | Extra @4% | 10800 | 104283.5 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | PVC | |
|----|-------------------------------|--|--------------------------------------|----------|------|-----------|------------|---------------|----------------|---------|----------|-------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | | All inclusive Unit Rate |
| 46 | GR Pad 60Kg(T-3711) | WCRT2012242/GR Pad/485 dt. 23.09.13 | M/s Parasnath Enterprises New Delhi | 794694 | No | JBP | 34.46 | Nil | Extra @5% | 0.80 | 36.98 | Applicable |
| | | | | 132114 | No | BPL | 34.46 | Nil | Extra @5% | 0.99 | 37.17 | Applicable |
| | | | | 438026 | No | KTT | 34.46 | Nil | Extra @5% | 0.80 | 36.98 | Applicable |
| 47 | ERC-Mk-III (T-3701) | WCRT2012259/ERC III/486 dt. 25.09.13 | M/s Royal Infraconstru Kolkata | 410478 | No | JBP | 50 | extra @12.36% | Extra @5% | 1.25 | 60.24 | Applicable |
| 48 | ERC-Mk-III (T-3701) | WCRT2012259/ERC III/487 dt. 25.09.13 | M/s Kalimata Ispat Kolkata | 136826 | No | JBP | 49.61 | extra @12.36% | Extra @5% | 1.9 | 59.87 | Applicable |
| | | | | 139188 | No | BPL | 49.61 | extra @12.36% | Extra @5% | 2.5 | 60.43 | Applicable |
| 49 | GR Pad 60Kg(T-3711) | WCRT2012242/GR Pad/488 dt. 07.10.13 | M/s Adinath Industries Haridwar | 657040 | No | KTT | 34.46 | Nil | Extra @5% | 0.8 | 36.98 | Applicable |
| 50 | ERC-Mk-III (T-3701) | WCRT2012233/ERC III/489 dt. 15.10.13 | M/s Fabro forge Kolkata | 199017 | No | BPL | 48.89 | extra @12.36% | Extra @4% | 2.5 | 59.63 | Applicable |
| | | | | 457793 | No | KTT | 48.89 | extra @12.36% | Extra @4% | 2.7 | 59.83 | Applicable |
| 51 | GR Pad for D-Switch, T-6068 | WCRT2012266/GR Pad for D/Switch/490 dt. | M/s V.K. Enterprises Modinagar | 171 | Set | KTT | 7485 | Nil | Extra @5% | 95 | 7954.25 | Applicable |
| 52 | GR Pad for 1 :12 T out | WCRT2012241/GR Pad T/out 1 in 12/491 dt. 2011.13 | M/s Royal Elastomers Raipur | 66 | Set | JBP | 23270 | extra @12.36% | Extra @5% | 225 | 27678.48 | Applicable |
| | | | | 69 | Set | BPL | 23270 | extra @12.36% | Extra @5% | 290 | 27743.48 | Applicable |
| | | | | 84 | Set | KTT | 23270 | extra @12.36% | Extra @5% | 300 | 27753.48 | Applicable |
| 53 | GR Pad for 1 :12 T out | WCRT2012241/GR Pad T/out 1 in 12/492 dt. 2011.13 | M/s Hold well components Raipur | 375 | Set | JBP | 23300 | extra @12.36% | Extra @5% | 225 | 27713.88 | Applicable |
| | | | | 383 | Set | BPL | 23300 | extra @12.36% | Extra @5% | 290 | 27778.88 | Applicable |
| | | | | 191 | Set | KTT | 23300 | extra @12.36% | Extra @5% | 300 | 27788.88 | Applicable |
| 54 | GR Pad 52 Kg (T-3703) | WCRT2012267/GR Pad /493 dt. 22.11.13 | M/s P.K. Techno Delhi | 70578 | No | JBP | 30.95 | Nil | Extra @ 12.50% | 0.9 | 35.72 | Applicable |
| | | | | 543 | No | BPL | 30.95 | Nil | Extra @ 12.50% | 0.9 | 35.72 | Applicable |
| | | | | 23823 | No | KTT | 30.95 | Nil | Extra @12.50% | 0.9 | 35.72 | Applicable |
| 55 | GR Pad 52 Kg (T-3703) | WCRT2012267/GR Pad /494 dt. 22.11.13 | M/s P.L. Polymer Delhi | 239966 | No | JBP | 33.25 | Nil | Extra @ 5 % | 0.9 | 35.81 | Applicable |
| | | | | 3083 | No | BPL | 33.25 | Nil | Extra @ 5 % | 0.9 | 35.81 | Applicable |
| | | | | 87750 | No | KTT | 33.25 | Nil | Extra @ 5 % | 0.9 | 35.81 | Applicable |
| 56 | Rail Screw(T-415) | WCRT2012261/Rail screw/495 dt. 11.12.13 | M/s Rungta Engg Kolkata | 9852 | No | BPL | 30.5 | extra @12.36% | Extra @4% | 3.00 | 38.64 | Applicable |
| | | | | 661 | No | KTT | 30.5 | extra @12.36% | Extra @4% | 3.00 | 38.64 | Applicable |
| 57 | Glued Joint,60Kg. | WCRT2012245/GJ/60Kg/496 dt. 07.01.14 | M/s Kushal Engg. Mumbai | 1626 | No | JBP | 8440 | Nil | Extra @ 5 % | 3000 | 11862 | Applicable |
| 58 | Glued Joint,60Kg. | WCRT2012245/GJ/60Kg/497 dt. 07.01.14 | M/s Ganpati Ind. Pvt. Ltd. Kolkata | 325 | No | JBP | 8600 | Nil | Inclusive | 0 | 8600 | Applicable |
| 59 | Imp.SEJ, 52Kg(T-6930) | WCRT2012274/Imp SEJ 52Kg./498 dt. 16.01.14 | M/s Hindustan Engg. Ltd. Kolkata | 4 | Set | KTT | 91000 | extra @12.36% | Extra @4% | 1000 | 107337.5 | Applicable |
| 60 | Channel sleeper fittings 60Kg | WCRT2012262/Channel Sleeper fittings 60Kg/499 dt. 16.01.14 | M/s Kalindi Rail Udyog Howrah | 2835 | Set | JBP | 1447 | NA | Extra @4% | 60 | 1564.88 | Applicable |
| | | | | 2086 | Set | BPL | 1447 | NA | Extra @4% | 60 | 1564.88 | Applicable |
| | | | | 1720 | Set | KTT | 1447 | NA | Extra @4% | 60 | 1564.88 | Applicable |
| 61 | Hook Dog Bolt | WCRT2012264/Hook Dog Bolts/500 dt. 16.01.14 | M/s Engineering Trade Centre Kilkata | 2.03 | MT | JBP | 71500 | extra @12.36% | Extra @4% | 5000 | 88550.9 | Applicable |
| | | | | 9.26 | MT | BPL | 71500 | extra @12.36% | Extra @4% | 4000 | 87550.9 | Applicable |
| | | | | 1.18 | MT | KTT | 71500 | extra @12.36% | Extra @4% | 5000 | 88550.9 | Applicable |
| 62 | Glued Joint,60Kg. | WCRT2012245/GJ/60Kg/501 dt. 03.02.14 | M/s Creative Engineers Kota | 2688 | No | KTT | 8460 | Nil | Extra @ 5 % | 2445 | 11328 | Applicable |
| | Channel sleeper | WCRT2011187/RC/Cha | M/s Premier Sales | 3500 | Set | JBP | 2990 | Nil | Extra @ 4 % | 85 | 3194.60 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|---------------------------------------|---|---|------------|------------|------------|--------------|---------------|----------------------------|----------|-------------------------|--------------------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 63 | fittings 60Kg | nnel Sleeper fittings 60Kg/502 dt. 03.02.14 | Agencies Kolkata | 600 933 | Set Set | BPL KTT | 2990 2990 | Nil Nil | Extra @ 4 % Extra @ 4 % | 85 85 | 3194.60 3194.60 | Applicable Applicable |
| 64 | Composite GRSP (T-6618) | WCRT2013280/Composite Rubber Pad/503 dt. 04.02.14 | M/s Kricom Metal Casting Pvt. Ltd Delhi | 36686 | No | KTT | 44 | NA | Extra @ 13.12% | 1 | 50.77 | Applicable |
| 65 | Composite GRSP (T-6618) | WCRT2013280/Composite Rubber Pad/504 dt. 04.02.14 | M/s Howrah Forgings Ltd. Kolkata | 250000 | No | BPL | 40.3 | extra @12.36% | Extra @ 13.50% | 0.1 | 51.49 | Applicable |
| 66 | GR Pad 52 Kg (T-3703) | WCRT2012267/GR Pad /505 dt. 04.02.14 | M/s Adinath Industries Haridwar | 47250 | No | KTT | 33.25 | Nil | Extra @ 5 % | 0.9 | 35.81 | Applicable |
| 67 | ERC-Mk-III (T-3701) | WCRT2012259/ERC III/506 dt. 04.02.14 | M/s Calcutta Springs Ltd. Kolkata | 417566 | No | BPL | 49.8 | extra @12.36% | Extra @4% | 2.5 | 60.69 | Applicable |
| | | | | 885255 | No | KTT | 49.8 | extra @12.36% | Extra @4% | 2.25 | 60.44 | Applicable |
| 68 | GRSP 10mm thick steel channel sleeper | WCRT2013272/GR Pad/507 dt. 05.02.14 | M/s Vinar Rubber Udyog Saraikeela Kharsawan | 7670 | No | BPL | 109 | Nil | Extra @ 14 | 4.75 | 129.01 | Applicable |
| | | | | 4172 | No | JBP | 109 | Nil | Extra @ 14 | 4.75 | 129.01 | Applicable |
| | | | | 9010 | No | KTT | 109 | Nil | Extra @ 14 | 5.5 | 129.76 | Applicable |
| | | | | 7424 | No | BPL | 104.59 | Nil | Extra @ 14 | 4.5 | 123.74 | Applicable |
| 69 | MS liner, 60 Kg (T-3740) | WCRT2012249/MS Liner 60Kg /508 dt. 10.02.14 | M/S Surya Alloy Industries Ltd. Kolkata | 249414 | No | JBP | 20.58 | extra @12.36% | Extra @4% | 1.95 | 26 | Applicable |
| | | | | 477920 | No | KTT | 20.58 | extra @12.36% | Extra @4% | 2 | 26.05 | Applicable |
| 70 | Imp. SEJ, 52 Kg (T-6930) | WCRT2012274/Imp SEJ 52Kg./509 dt. 17.02.14 | M/s Bina Metal Way Jamshedpur | 43 | Set | JBP | 96805 | extra @12.36% | Extra @ 5% | 7600 | 121808.6 | Applicable |
| | | | | 172 | Set | BPL | 96805 | extra @12.36% | Extra @ 5% | 9600 | 123808.6 | Applicable |
| | | | | 24 | Set | KTT | 96805 | extra @12.36% | Extra @ 5% | 13200 | 127408.6 | Applicable |
| 71 | ERC-J (T-4158) | WCRT2013285/ERC-J/510 dt. 18.02.14 | M/s Kalimata Ispat Kolkata | 121034 | No | JBP | 49.21 | extra @12.36% | Extra @ 5% | 1.8 | 59.86 | Applicable |
| | | | | 278210 | No | KTT | 49.21 | extra @12.36% | Extra @ 5% | 2.7 | 60.76 | Applicable |
| 72 | GR Pad 52 Kg (T-3703) | WCRT2012267/GR Pad /511 dt. 03.03.14 | M/s Shri Radha Polymers Nagpur | 159977 | No | JBP | 27.54 | extra @12.36% | Extra @ 12.50% | 1 | 35.81 | Applicable |
| 73 | Shallow Depth PSC (T-4852) | WCRT2013288/Shallow Depth PSC /512 dt. 11.03.14 | M/s Vishal Nirmiti Pvt. Ltd. Bankhedi | 3000 | No | WCR | 1921.38 | extra @12.36% | Extra @ 13% | - | 2439.51 | Applicable |
| 74 | Glued Joint, 52 Kg | WCRT2012254/GJ/513 dt. 11.03.14 | M/s Ked Sati Iron and Steel Kolkata | 225 | No | JBP | 5300 | Nil | Nil | 2000 | 7300 | Applicable |
| | | | | 155 | No | BPL | 5300 | Nil | Nil | 2000 | 7300 | Applicable |
| | | | | 98 | No | KTT | 5300 | Nil | Nil | 2000 | 7300 | Applicable |
| 75 | Imp. SEJ 52 Kg (T-6930) | WCRT2013274/Imp SEJ 52Kg /514 dt. 18.03.14 | M/s Rahee Track Technologies Kolkata | 6 | No | JBP | 81000 | extra @12.36% | Extra @ 4% | 9100 | 103752.1 | Applicable |
| | | | | 34 | No | BPL | 81000 | extra @12.36% | Extra @ 4% | 9500 | 104152.1 | Applicable |

2014-15

| | | | | | | | | | | | | |
|---|--------------------------------|--|--|-------|-----|-----|-------|---------------|-------------|---------|----------|------------|
| 1 | CMS X-ing 1:12, 52 Kg (T-4734) | WCRT2012240/CMS X-ing 1:12,52Kg/515 dt. 02.04.14 | M/s Orient Steel and Industries Ltd. Kolkata | 11 | Set | JBP | 12100 | extra @12.36% | Extra @4% | 3500 | 145478.1 | Applicable |
| | | | | 10 | Set | BPL | 12100 | extra @12.36% | Extra @4% | 3500 | 145478.1 | Applicable |
| | | | | 5 | Set | KTT | 12100 | extra @12.36% | Extra @4% | 3500 | 145478.1 | Applicable |
| 2 | Glued Joint, 52 Kg (T-5361) | WCRT2012254/GJ/60Kg/516 dt. 12.05.14 | M/s Shrinivasa Enterprises | 677 | No | JBP | 8050 | Nil | Extra @ 5 % | 2309.50 | 10762 | Applicable |
| 3 | ERC-J (T-4158) | WCRT2013285/ERC-J/517 dt. 19.05.14 | M/s Kalimata Ispat Kolkata | 52378 | No | KTT | 49.89 | extra @12.36% | Extra @ 5% | 1.00 | 59.86 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|--|--|--|----------|------|-----------|------------|---------------|----------------|-----------|-------------------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 4 | PSC T/Out sleepers 1:8.5 T- | WCRTTP2013292/PSC T-out/518 dt. 30.05.14 | VNPL, Nagpur | 75 | Set | WCR | 217105 | extra @12.36% | Extra @13% | - | 275652.4 | Applicable |
| 5 | PSC T/Out sleepers 1:8.5 T- | WCRTTP2013292/PSC T-out/519 dt. 30.05.14 | M/s Donyopolo Udyog Ltd., New Delhi | 105 | Set | WCR | 217105 | extra @12.36% | Extra @13% | - | 275652.4 | Applicable |
| 6 | Composite GRSP (T-6618) | WCRTTP2013280/Composite Rubber Pad/520 dt. | M/s D.K. Steels Kolkata | 739520 | No | BPL | 39.2 | extra @12.36% | Extra @ 13.50% | 1.50 | 51.49 | Applicable |
| 7 | Imp. SEJ, 52 Kg (T-6930) | WCRTTP2012274/Imp SEJ/52Kg./521 dt. 27.06.14 | M/s Bina Metal Way Jamshedpur | 8 | Set | JBP | 83800 | extra @12.36% | Extra @ 5% | 3000 | 101865.6 | Applicable |
| | | | | 23 | Set | BPL | 83800 | extra @12.36% | Extra @ 5% | 5300 | 104165.6 | Applicable |
| | | | | 4 | Set | KTT | 83800 | extra @12.36% | Extra @ 5% | 7500 | 106365.6 | Applicable |
| 8 | Glued Joint, 60 Kg | WCRTTP2012245/GJ/60Kg/522 dt. 01.07.14 | M/s Chhunnmastika Track Industries | 217 | No | JBP | 6452.47 | extra @12.36% | Nil | 1350 | 8600 | Applicable |
| 9 | Derailing Switch 1:8.5, 52 Kg (T-5836) | WCRTTP2013278/Derailing switch 1:8.5,52Kg/523 dt. 01.07.14 | M/s Chhunnmastika Track Industries Kathua | 9 | Set | KTT | 57671.46 | Nil | Extra @ 5 % | 2750 | 63305.03 | Applicable |
| 10 | Curved Switch 1:8.5, 52 Kg | WCRTTP2013278/Curved switch 1:8.5,52Kg/524 dt. 01.07.14 | M/s R.V. Rail Products Kolkata | 107 | Set | JBP | 56400 | extra @12.36% | Extra @ 5% | 4850 | 71389.59 | Applicable |
| | | | | 95 | Set | BPL | 56400 | extra @12.36% | Extra @ 5% | 7000 | 73539.59 | Applicable |
| | | | | 85 | Set | KTT | 56400 | extra @12.36% | Extra @ 5% | 7800 | 74339.59 | Applicable |
| 11 | Curved Switch 1:12, 60 Kg | WCRTTP2013270/Curved switch 1:12,60Kg/525 dt. 03.07.14 | M/s Cemcon Track Industries Gohana | 3 | Set | KTT | 103933 | Nil | Extra @ 5 % | 5500 | 114629.7 | Applicable |
| 12 | Curved Switch 1:8.5, 60 Kg | WCRTTP2013277/Curved switch 1:8.5,60Kg/526 dt. | M/s R.V. Rail Productvs Kolkata | 121 | Set | BPL | 56500 | extra @12.36% | Extra @ 5% | 7900 | 74557.57 | Applicable |
| | | | | 50 | Set | KTT | 56500 | extra @12.36% | Extra @ 5% | 8700 | 75357.57 | Applicable |
| 13 | Derailing Switch 1:8.5, 60 Kg | WCRTTP2013277/Derailing switch 1:8.5,60Kg/527 dt. 03.07.14 | M/s Cemcon Track Industries Gohana | 7 | Set | KTT | 59254 | Nil | Extra @ 5 % | 3000 | 65216.70 | Applicable |
| 14 | SEJ 60 Kg (T-4165) | WCRTTP2013279/SEJ,60Kg/528 dt. 15.07.14 | M/s Chhunnmastika Track Industries | 12 | Set | KTT | 43300 | Nil | Nil | 6500 | 49800.00 | Applicable |
| 15 | PSC T/Out sleepers 1:8.5 T- | WCRTTP2013292/PSC T-out/529 dt. 21.07.14 | Shri Keshria, Gwalior | 28 | Set | WCR | 217105 | extra @12.36% | Extra @13% | - | 275652.39 | Applicable |
| 16 | Glued Joint, 60 Kg | WCRTTP2012245/GJ/60Kg/530 dt. 25.07.14 | M/s Ganpati Industrial Pvt. Ltd. Kolkata | 98 | No | BPL | 8600 | Nil | Incl. | 0 | 8600 | Applicable |
| | | | | 359 | No | KTT | 8600 | Nil | Incl. | 0 | 8600 | Applicable |
| 17 | Glued Joint, 60 Kg | WCRTTP2012245/GJ/60Kg/531 dt. 25.07.14 | M/s Kushal Engineering Mumbai | 293 | No | BPL | 8139 | Nil | Extra @ 5 % | 3140 | 11686.050 | Applicable |
| 18 | GR Pad for 1 in 12 Turn-out (T-4218 to 4220) | WCRTTP2012241/GR Pad/T/out 1 in 12/532 dt. 05.08.14 | M/s Paramount Rubber Industries, Faridabad | 288 | Set | KTT | 21625.57 | extra @12.36% | Extra @ 13.13% | 300 | 27788.88 | Applicable |
| 19 | M.S. Screw clamp for Fish Plate (T-5856) | WCRTTP2013282/Screw clamp/533 dt. 14.08.14 | M/s Premier Sales Agencies Kolkata | 1000 | No | JBP | 810 | Nil | Extra @ 5% | 37 | 887.50 | Applicable |
| | | | | 2400 | No | BPL | 810 | Nil | Extra @ 5% | 28 | 878.50 | Applicable |
| | | | | 6823 | No | KTT | 810 | Nil | Extra @ 5% | 28 | 878.50 | Applicable |
| 20 | CMS X-ing 1:12, 60 Kg (T-4220) | WCRTTP2013291/CMS X-ing 1:12,60Kg/534 dt. 25.08.14 | M/s Titagarh Wagon Ltd. Kolkata | 30 | Set | JBP | 145000 | extra @12.36% | Extra @5% | 1626 | 172694.10 | Applicable |
| | | | | 88 | Set | BPL | 145000 | extra @12.36% | Extra @5% | 2083 | 173151.10 | Applicable |
| | | | | 62 | Set | KTT | 145000 | extra @12.36% | Extra @5% | 2200 | 173268.10 | Applicable |
| 21 | M.S. Liner 52 Kg (T-3738) | WCRTTP2013293/M.S. Liner 52 Kg/535 dt. | M/s India Metals, Chandigarh. | 459116 | No | BPL | 21.14 | extra @12.36% | Extra @ 4% | 1.36 | 26.06 | Applicable |
| 22 | Glued Joint, 52 Kg (T-5361) | WCRTTP2012254/GJ/536 dt. 11.09.14 | M/s Dynamic Engineers Kota | 451 | No | JBP | 10762 | Nil | Extra @ 5 % | Inclusive | 10762 | Applicable |
| | | | | 311 | No | BPL | 8000 | Nil | Extra @ 5 % | 2319.00 | 10719 | Applicable |

| SN | Description of material | P.O. No. & Date | Name and address of the firm M/s. | Quantity | Unit | Consignee | Rate | | | | | PVC |
|----|------------------------------------|--|--|----------|------|-----------|------------|---------------|----------------|---------|-------------------------|------------|
| | | | | | | | Basic Rate | ED | VAT | Freight | All inclusive Unit Rate | |
| 23 | Glued Joint, 52 Kg (T-5361) | WCRTTP2012254/GJ/537 dt. 11.09.14 | M/s Chhinmastika Track Industries Kathua | 494 | No | KTT | 8010 | Nil | Extra @ 5 % | 2260.00 | 10670.50 | Applicable |
| | | | | 151 | No | JBP | 5750 | extra @12.36% | Nil | 1100.00 | 7560 | Applicable |
| | | | | 104 | No | BPL | 8000 | extra @12.36% | Nil | 1100.00 | 7560 | Applicable |
| 24 | M.S. Liner 52 Kg (T-3738) | WCRTTP2013293/M.S. Liner 52 Kg/538 dt. 22.09.14 | M/s Stelco Engineers, Mohali. | 66 | No | KTT | 8010 | extra @12.36% | Nil | 1100.00 | 7560 | Applicable |
| | | | | 58354 | No | JBP | 21.14 | extra @12.36% | Extra @ | 1.55 | 26.48 | Applicable |
| | | | | 153038 | No | BPL | 20.95 | extra @12.36% | Extra @ | 1.36 | 26.06 | Applicable |
| 25 | M.S. Liner 52 Kg (T-3738) | WCRTTP2013293/M.S. Liner 52 Kg/539 dt. 22.09.14 | M/s Indiana Track Mohali | 131586 | No | KTT | 21.14 | extra @12.36% | Extra @ | 1.03 | 25.96 | Applicable |
| | | | | 87531 | No | JBP | 21.14 | extra @12.36% | Extra @ | 1.55 | 26.48 | Applicable |
| | | | | 153038 | No | BPL | 20.95 | extra @12.36% | Extra @ | 1.36 | 26.06 | Applicable |
| 26 | Glued Joint, 52 Kg (T-5361) | WCRTTP2012254/GJ/540 dt. 22.09.14 | M/s Calcutta Springs Ltd. Kolkata | 87723 | No | KTT | 21.14 | extra @12.36% | Extra @ | 1.03 | 25.96 | Applicable |
| | | | | 453 | No | BPL | 7120 | extra @12.36% | Extra @ 5 % | 2319.00 | 10719 | Applicable |
| | | | | 345486 | No | JBP | 50.9 | extra @12.36% | Extra @ 5 % | 2.20 | 62.25 | Applicable |
| 27 | ERC MK-III | WCRTTP2013290/ERC-III/541 dt.01.10.2014 | M/s Kalimata Ispat Kolkata | 1036411 | No | JBP | 51.75 | extra @12.36% | Extra @ 5 % | 1.25 | 62.3 | Applicable |
| 29 | Glued Joint, 60 Kg (T-2571) | WCRTTP2012245/GJ/60Kg/543 dt.01.10.2014 | M/s Shivom Enterprises, New | 140 | Nos | BPL | 6500 | Nil | Inc. | 1530 | 8355 | Applicable |
| | | | | 537 | Nos | KTT | 6500 | Nil | Inc. | 1430 | 8255 | Applicable |
| 30 | Glued Joint, 60 Kg (T-2572) | WCRTTP2012245/GJ/52 kg/544 dt. 28.11.14 | M/s. India Thermit Corporation Ltd., | 1411 | No | BPL | 8316 | extra @12.36% | Extra @ 5 % | 1875.00 | 11686.05 | Applicable |
| 31 | M.S. Liner 60 Kg (T-3740) | WCRTTP2013295/M.S. Liner 60 Kg/545 dt. 08.12.14 | M/S Eastern Track Udyog, Kolkata | 101299 | No | JBP | 21.90 | extra @12.36% | Extra @ 5% | 1.50 | 27.33 | Applicable |
| | | | | 51035 | No | KTT | 21.90 | extra @12.36% | Extra @ 5% | 2.00 | 27.83 | Applicable |
| 32 | M.S. Liner 60 Kg (T-3740) | WCRTTP2013295/M.S. Liner 60 Kg/546 dt. | M/s Stelco Engineers, Mohali. | 657805 | No | BPL | 25.83 | Inclusive | Inclusive | 1.70 | 27.53 | Applicable |
| 33 | M.S. Liner 60 Kg (T-3740) | WCRTTP2013295/M.S. Liner 60 Kg/547 dt. | M/s Pragti Steels Mohali | 657805 | No | BPL | 25.83 | Inclusive | Inclusive | 1.7 | 27.53 | Applicable |
| 34 | M.S. Liner 60 Kg (T-3740) | WCRTTP2013295/M.S. Liner 60 Kg/548 dt. | M/s Indiana Track Mohali | 657805 | No | BPL | 25.83 | Inclusive | Inclusive | 1.7 | 27.53 | Applicable |
| 35 | CMS X-ing 1:12, 60 Kg (T-4220) | WCRTTP2013291/CMS X-ing 1:12,60Kg/549 dt. 16.12.14 | M/s Voestapine VAE VKN, India Pvt. Ltd. Dehli. | 19 | Set | JBP | 145000 | extra @12.36% | Extra @5% | 1626 | 172694.10 | Applicable |
| | | | | 58 | Set | BPL | 145000 | extra @12.36% | Extra @5% | 2083 | 173151.10 | Applicable |
| | | | | 40 | Set | KTT | 145000 | extra @12.36% | Extra @5% | 2200 | 173268.10 | Applicable |
| 36 | M.S. Liner 60 Kg (T-3740) | WCRTTP2013295/M.S. Liner 60 Kg/550 dt. | M/s Stelco Engineers, Mohali. | 151249 | No | BPL | 21.90 | extra @12.36% | Extra @ 5% | 1.50 | 27.33 | Applicable |
| 37 | 6.2 mm thick composit GRSP(T-6618) | WCRTTP2014299/compos ite rubber pad/551 dt. 07.01.15 | M/s Avadh Rubber, Lucknow. | 105978 | No | BPL | 40 | extra @12.36% | Extra @ 14.50% | 1.10 | 52.56 | Applicable |
| | | | | 208607 | No | KTT | 52.11 | Inclusive | Inclusive | 0.00 | 52.11 | Applicable |
| 38 | 6.2 mm thick composit GRSP(T-6618) | WCRTTP2014299/compos ite rubber pad/552 dt. 19.01.15 | M/s Howrah Forging Ltd., Kolkata. | 144283 | No | JBP | 40 | extra @12.36% | Extra @ 14.50% | 1.00 | 52.46 | Applicable |
| | | | | 158966 | No | BPL | 40 | extra @12.36% | Extra @ 14.50% | 1.10 | 52.56 | Applicable |

