

पश्चिम मध्य रेल
West Central Railway
सं. 68.15-साप्ताहिक बुलेटिन-02
No. 68.15-WB-01

उप मुख्य सामग्री प्रबंधक, सडिपुका/भोपाल
Dy. CMM/CRWS/BHOPAL
दिनांक 16.04.2015
Date : 16.04.2015

निविदा प्राप्त करने की अंतिम तिथि 24-04-2015.....समय 14.30 बजे
Tender to be closed on... **24.04.2015**..... at 14:30 Hrs

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, कार्यालय, सडिपुका/भोपाल
Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी की अवधि : 30 दिन/तैयार सामग्री
Delivery Terms : 30 Days / Ex stock.
नोट – दर शब्दों एवं अंकों दोनों में देना अनिवार्य है।

Note : Rates should be quoted in words as well as in figures also.

Sr.	T. No.	Description	Qty
1.	68.15.5202	Bracket to Drg. No. CRW-SK-AB-61 and Pin size Ø 5X30mm Drg.No. C-35411, Split Pin size 1.5X15mm, per set 02 Nos. Bracket and 01 No. Split pin in assembled condition.	1300 Nos.
2.	68.15.5203	“U” Bracket, Drg. No. CRW/AB-35, Item no. 1 & 2 complete.	1300 Nos.
3.	68.15.5204	M.S. Hex Nipple reducing heavy duty size 15 x 10 x 40 mm long, Drg. No. CRW/SK-916.	650 Nos.
4.	68.15.5205	Rear Axle shaft assembly similar to Jost Part No. JM 640969 for Jost make Platform Truck. Make Jost or Similar.	24 Nos.
5.	68.15.5208	Set of bracket lever bracket arrangement to drawing No. SLR-1-1-006 item 1 to 8 & drawing no. LB 34150 alt 'd' item no. 25, 28, & 29 all items in assembled condition.	16 Sets.
6.	68.15.5212	Alternator Bracket of 16 T. Bogie As per Drg No. WTAC3-0-3-310 Alt.2 K, Col-I item 1,2 & 3 in Disassembled Condition.	100 Nos.
7.	68.15.5213	Digimatic Hole test (Three leg inside Micrometer) series- 468, LC-0.001mm, size- 125-150mm. Supply with operating manual, calibration certificate from NABL/Govt. Approved. Make Mitutoyo, Mahr.	01 No.
8.	68.15.5214	12 mm Dia Alloy Steel Gr. 80 Four Legged Chain Sling with Main Bull Ring of 36 mm Dia X 160mm ID, Eye Ring of 28mm Dia X 100mm ID. Eye Hook at Free Ends. Effective Length 3 Meters. SWL 09 Tons at 0-90 Degree. Hook Opening J- 75mm. With Proof Load Test Certificate of OEM.	02 Nos.
9.	68.15.5215	Life line system consists of items are as under with supply & Installation : (1) Horizontal lifeline (20 meters in length), of Make- HL 20 of Udyogi or PN-3000 of Karam or RHL-30 HLL of Saviour.(2) Welding type Retractable Fall arrestor (6 Mtrs. In length) of Make- Edge 6N of Udyogi or PCWB06 of Karam or FP-FAB6 of Saviour.(3) Safety Belt Full Body jacket harness with Lanyard of Make- UB 102 of Udyogi (Single rope polyamide With HS 60 Hook) or PN 241 of Karam or FPSAV-110 Of Saviour.(4) Safety Belt Full Body jacket harness without Lanyard of Make- UB 102 of Udyogi or PN20	04 Sets.

		of karam or Saviour. All items as per IS: 3521:1999 (Reaffirmed 2002) & original test certificate Should be submitted by the firm's at the time of supply.	
10.	68.14.5757	Slotted Bit suitable for Pneumatic screw driver Machine Model=22p-500 IR Make. Bit consisting Dimension Blade thickness=1.17 mm. Body dia=7.9 MM. over all length = 49 mm. Make = VESSEL or C.P. or IR wadco.	400 Nos.
11.	68.15.5143	Digital wheel distance measuring gauge for BG wheel set. Microprocessor based electronic digital reading may be taken over LCD display. Range-1590-1610 mm, accuracy +- 0.1 mm, 9 volt battery operated, supply with operating manual, calibration certificate from NABL / Govt. approved & packed in wood box.	03 Nos.
12.	68.14.5669	Contacter Three pole power with 2NO+2NC Aux. contact type-ML3, cat No.-55-90721, Rating-40 Amp./AC-3. Coil voltage-220 volt, Make-L&T/Siemens Technical specification and dimensionally similar to cat No.-5590721 of L&T make manufacture test certificate to be submitted at the time of supply.	05 Nos.
13.	68.15.5172	HSS Parallel shank twisted drill size – 5.2 mm as per IS:5101, Make-Totam, IT, or Addission.	500 Nos.
14.	68.14.5634	Set of lugs (a) Ring type aluminium lug, Size- 95 Sq.mm, E-Dia-10.2 mm, jainson cat. No.-119-227, (b) Ring type copper lug, Size- 95 Sq.mm., E-dia-12.7 mm, jainson cat no. -319-20. One set 2lkalin of one number each of above type Make-jainson/Dowells/ multi.	500 Sets.
15.	68.14.5783	HRC Fuse link 63 Amps. Bolted type, Breaking capacity 80 kA, 415 Volt AC, 50 Hz. Conforms to IS; 13703 part-2, offset. Tag type, Make: STANDARD/ L&T/CGL/HPL/GE/SIEMENS/HAVELLS.	100 Nos.
16.	68.14.5784	Cooling Fan suitable for ESAB make Auto k-400 Co2 m/c, code No. 1651684041, specification Size-250 mm, RPM-1400, Volts-200, Amp-0.29, watts-44, Make-Any equivalent of this specification.	05 Nos.
17.	68.14.5690	Set of Lavatory door (Consisting of one LH & one RH) to drg no. CRW/SK-462, alt '7' or latest.	16 Sets.
18.	68.14.5838	Multifunction Electronic timer with one chang over contact , Time rang- 0.05 Sec. to 100 Hrs (15 times setting ranges), Input Voltage – 24 to 240 VAC, Type- 3RP 1505-IAW 308K. Timer is required along with label set- 8 function, type-3RP 1901-OA 8K. Make- Siemens/ L&T. Compatible to above type of 2lkalin make, OEM 2lkaline2tion certificate to be submitted at the time of supply.	09 Nos.
19.	68.15.5109	Rust inhibitor chemical (Power form) UNIKLEEN 500 or ORION IP 500, Yellow hygroscopic 2lkaline powder, corrosion inhabitor rinse water additive for prevention of oxidation, forms after drying temporary corrosion protective film which is removable in the cleaning, Ph(3% solution). Expiry date should be one year from the date of supply. Make:MTZ or Oriental.	75 Kgs.
20.	68.15.5151	Safety Guard for Dog Room ventilation for SLR Coaches. Drg. No-CRW/SK-496 Item No- 1 to 4 Assembled.	80 Nos.
21.	68.15.5218	EPC Switch as per Jost part no. EC.190226 for Jost make platform Truck. Make- Jost or similar.	14 Nos.
22.	68.15.5219	Wheel and Tyre assembly similar to Jost part no. FW 31015 for Jost make four wheel platform Truck. Make- Jost / Rubbertech / Greakster.	12 Nos.
23.	68.15.5220	Set of Bright Zink plated Hex Head Bolt size 16 x 90 mm, As per annexure, One set consisting total 06 item in assembled condition.	720 Sets

Annexure of T. No. 68.15.5220.

Sr. No.	Description	Quantity
01.	M S Hex head bolt half threaded size 16 x 90 mm to IS:1363 pt. with \varnothing 3.5 mm hole at the end of the thread.	01 No.
02.	M 16 Nut to IS: 1363 Pt. III	02 Nos.
03.	M 16 Lock Nut to IS:1363 Pt. IV	01 No.
04.	Spring washer M 16 to IS:3063	01 No.
05.	Split pin size 3 x 40 mm long to IS:549.	01 No.
	TOTAL	06 Nos.

Mail ID : dycmmpps@gmail.com

DyCMM/CRWS/BPL