

## CORRIGENDUM No. 16/2015

Kindly refer this office advertised tender no 90.15.1208 due on 19.05.2015 published in advertised tender notice no EPS/20/2015. The amendment made is as under:-

Tender No.		From	TO
90.15.1208	Qty	555514 Nos	55514 Nos

All other terms & conditions will remain unaltered.

Latest terms & condition and full information is available on website

[www.wcr.indianrailways.gov.in](http://www.wcr.indianrailways.gov.in) & [www.ireps.gov.in](http://www.ireps.gov.in) .

For Controller of Stores  
WCR/JBP

### शुद्धिपत्र संख्या 16/2015

निविदा सं. 90.15.1208 जिसके खुलने की तिथि 19.05.2015 है, जो कि इस कार्यालय की निविदा नोटिस सं. EPS/20/2015 के तहत प्रकाशित की गई थीं, इसमें निम्न संशोधन किए गए हैं—

Tender No.		From	TO
90.15.1208	Qty	555514 Nos	55514 Nos

अन्य सभी नियम एवं शर्तें अपरिवर्तित रहेगीं।

अद्धतन एवं पूर्ण जानकारी के लिए वेवसाईट [www.wcr.indianrailways.gov.in](http://www.wcr.indianrailways.gov.in) एवं [www.ireps.gov.in](http://www.ireps.gov.in) देखें

कृते भण्डार नियंत्रक  
पमरे/जबलपुर