

पश्चिम मध्य रेल  
West Central Railway  
सं. 68.15-साप्ताहिक बुलेटिन-03  
No. 68.15-WB-03

उप मुख्य सामग्री प्रबंधक, सडिपुका/भोपाल  
Dy. CMM/CRWS/BHOPAL  
दिनांक 05.05.2015  
Date : 05.05.2015

निविदा प्राप्त करने की अंतिम तिथि 15.05.2015.....समय 14.30 बजे  
Tender to be closed on... 15.05.2015..... at 14:30 Hrs

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, कार्यालय, सडिपुका/भोपाल  
Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी की अवधि : 30 दिन/तैयार सामग्री  
Delivery Terms : 30 Days / Ex stock.  
नोट – दर शब्दों एवं अंकों दोनों में देना अनिवार्य है।

Note : Rates should be quoted in words as well as in figures also.

Sr.	T. No.	Description	Qty
1.	68.15.5159	Set of One way ON-OFF Polycarbonate switch 6 Amps. 250 V. AC with ISI Marked and RCF/ICF approved make:- SSK, Kumra Electric Store, Kaveri Crabtree , CPL make, Record electrical for AC. Coaches. One set consisting of following Switches as per annexure "A" (One set consist in 04 item's = 1070 No's.)	01 Sets.
2.	68.14.5879	Set of Gear for EOT crane. One set consisting (1) Spur Gear OD-252 mm, No. of Teeth=82, Thick-45mm=01 No. and Gear pinion OD-65mm, No- of Teeth-18, Length-181mm = 01 No, Mat.EN-24 (Shape of Gear as per sample)	02 Sets.
3.	68.14.5757	Slotted Bit suitable for Pneumatic screw driver Machine Model=22p-500 IR Make.Bit consisting Dimension Blade thickness=1.17 mm. Body dia=7.9 MM. over all length=49 mm. Make=VESSEL or C.P. or IR wadco.	400 Nos.
4.	68.15.5164	Continuous Stationary Size 15 x 12-IV Ply with side perforation (05 Set=05 Reem).	05 Sets.
5.	68.15.5180	Hex head nut size 06 mm. bright zinc plated as per IS:1364.	10000 Nos.
6.	68.14.5843	Radiator 32 x 6 core din GX PO1510 for Godrej make forklift. Model no. G x 300 D, Make Godrej or similar.	01 No.
7.	68.15.5184	Volt meter selector switch (Cam operated) 10 AMP 03 pole cat. No. H 3539 VP, Make – Hixsen or equivalent to above cat no.	10 Nos.
8.	68.14.5784	Cooling Fan suitable for ESAB make Auto k-400 Co2 m/c, code No. 1651684041, specification Size-250 mm, RPM-1400, Volts-200, Amp-0.29, watts-44, Make-Any equivalent of this specification.	05 Nos.
9.	68.15.5174	Laminated safety smoke colour glass to IS:2553 pt.-1,size 1202 mm x 540 mm x 05 mm thick (± 0.5 mm)	132 Nos.
10.	68.15.5222	Capacitor for ceiling fan as per IS: 1709-1984,4 MFD,+ - 5% 440V.AC, 50Hz. Make:- TIBCO,EPCOS, Siemens's and Universal.	500 Nos.

11.	68.15.5223	Modified Terminal Box Cover for 4.5KW Alternator with Hinges 65mm ISI Marked, Gasket and captive screw to RDSO Drg. No. RDSO/PE/SK/TL/0027-2002 (Rev '1').	530 Nos.
12.	68.15.5224	Set of Torque Wrench Ratchet Type and sockets. One set is consisting of 03 items=06 Nos, as per Annexure 'A'. Make- Taparia, Jainson, Jhalani.	01 Set.
13.	68.15.5225	FRP Housing for Berth Reading Light (FRP SMC molding as per ICF/ Elect. 862) as per Drg. No. CRWS/BPL/EL/SK-2005/10, Alt.1. Dt- 31.10.2008.	1000 Nos.
14.	68.15.5226	M.S. Base Frame For Exhaust Fan to Drg. No. CRWS/BPL/EL/2004/2. Mod 'A' dt- 12.07.2014.	15 Nos.
15.	68.15.5227	Set of Lead coated Fasteners to RDSO Drg. No. SKEL.1485 Alt 'b'. One set consisting of 01 Bolt, 01 Nut, 01 Spring washer or Punched Washer as above Drg.	8000 Sets.
16.	68.15.5228	Set of parasuit cloth water proof suit similar to Duck back rain suit moldel wear well. One set consisting with one legging, One Jacket and one cap, Make Duck back or ACME.	47 Sets.
17.	68.15.5230	Rotary Switch 500 Amp/250 Volt DC, 3 Pole,4 Position. 90degree through universal mounting. Heavy duty Rotary switch capstone handle having sequence type. Position 1. (12'O'clock) No. contact, Position 2. (3'O'Clock) 1-A,3-C,Position3. (6'O'clock) 2-B,3-C, Position 4. (9'O'Clock) 1-A, 2-B, 3C. With anodized Aluminum plate with blank size. 178x178mm with position.1. (12'O'clock) OFF,2. (3'O'clock) Alternator 1 & Battery, 3. (6'O'clock) Alternator 2 & Battery, 4. (9'O'clock) Alternator 1,2 & Battery, Make- Kaycee/Salzer. RCF/ICF, Approved . OEM Authorization along with offer.	04 Nos.
18.	68.15.5232	Set of spares for Jost make four Wheeler Platform Truck. One set consisting as per enclosed Annexure. Make Jost or similar.	01 Set.
19.	68.15.5247	CSK Raised head slotted machine screw size 8x40 mm bright zink plated.	5000 Nos.
20.	68.15.5248	Molded Acrylic sheet for night light size 165x125 mm thicness 03 mm, milky white type one no. sample should be got approved before bulk supply.	500 Nos.
21.	68.15.5249	Set of molded Acrylic sheet for gangway light size 215x145 mm and 165x125 mm, Thickness 02 mm, Transparent type .one set consisting of 02 item 1000 nos as per annexure "A" one set sample should be got approved before bulk supply.	01 set
22.	68.15.5250	PVC Apron LPVC 120 LESLICO Acid Alkali proof size 24"x48" make leslico ,ATLAS V. Care. One sample should be got approved before bulk supply.	100 nos
23.	68.15.5251	Bulk head fitting with wire mesh cover for protection of glass for ART/RA and medical coaches make -Dollar Luminaires , Cat Ref. DGB 100,Diamension -195x115x120 mm or similar.	50 Nos.
24.	68.15.5246	Alluminium Anequal angle moulding.size 568 x 40 x 25 x 2 mm.	2000 Nos.
25.	68.15.5240	Nitrile Rubber Hand Gloves Disposable Type suitable for working with kerosene &grease, size -500mm.	100 nos.
26.	68.15.5241	Set of spares for jost make platform truck. One set consisting as per enclosed Annexure make jost or similar.	01 set.

27.	68.15.5242	Set of tyre, tube and flap size 9.00 x 16.00 x 16 PR = 01 No , tube size 9.00 x 16.00=01 no. and flap size 9.00x16.00=01 no. make APOLLO/ MRF/JR.	02 sets.
28.	68.15.5243	Set of spare of brake parking system for swaraj make forklift model no. F.D.30. one set consisting as per enclosed annexure make swaraj or similar.	01 set.
29.	68.15.5244	Trolley mounted foam type fire extinguisher of carp 50 litre confirming to IS 13386 bearing isi mark complete with brass forged cap, inside 300 gram CO <sub>2</sub> gas cartridge ,3m wire branded hose with trigger nozzle,charge 3 LT. AFFF solution .make intine/kanex/cease fire, authorisation certificate to be submitted with supply along with test certificate.	02 nos.
30.	68.15.5245	GI Union heavy duty size -25 mm, flate seat-U-1, as per IS :1879/PART - 10/75 TABLE 1	710 nos.

Annexure of T. No. 68.15.5159

Sr. No.	Description	Model No.	Qty
01.	Polycarbonate one way ON-OFF Switch 06 Amp. 250 V.AC with printed Night light (NL)	Signature NV-100 or its equivalent of mentioned make.	250 Nos.
02.	Polycarbonate one way ON-OFF Switch 06 Amp. 250 V.AC with printed Fan (F)	Signature NV-100 or its equivalent of mentioned make.	250 Nos.
03.	Polycarbonate one way ON-OFF Switch 06 Amp. 250 V.AC with printed Fan Florescent Light (FL)	Signature NV-100 or its equivalent of mentioned make.	400 Nos.
04.	Polycarbonate one way ON-OFF Switch 06 Amp. 250 V.AC with engraved charging socket (CS)	Signature NV-100 or its equivalent of mentioned make.	170 Nos.
		Total	1070 Nos.

Annexure of T. No. 68.15.5224

Sr. No.	Description	Qty
01.	Torque Wrench Ratchet Type ¾" drive, capacity 100-400 LB, FI /14-56 kgf.m/135-540 N.m, similar to Taparia Product no. TWR-400.	02 Nos.
02.	Socket 19 mm (¾") square drive hexagonal size 36 mm similar to Taparia product no. C-36.	02 Nos.
03.	Socket 19 mm (¾") square drive hexagonal size 55 mm similar to Taparia product no. C-55.	02 Nos.
	Total	06 Nos.

Annexure of T. No. 68.15.5241

Sr. No.	Part No.	Description	Qty
01.	537093316	Needle Bearing	24 Nos.
02.	JE 100301	Gear Pinion	08 Nos.
03.	JE 100106	Gasket Inspection Cover-I	24 Nos.
04.	JE 100108	Gasket Inspection Cover-II	24 Nos.
05.	JE 180305	Insulating Bush	12 Nos.

## Annexure of T. No. 68.15.5243

Sr. No.	Part No.	Description	Qty
01.	P 1338110	Bracket	02 Nos
02.	P 1338120	Bracket	02 Nos
03.	P 1338130	Bracket	02 Nos
04.	P 1338001	PIN	05 Nos
05.	P 1338002	Washer	20 Nos.
06.	M 11940	Hex Head Bolt ( M10 x 50)	10 Nos.
07.	P 1338140	SHAFT	10 Nos.
08.	P 1338008	SPACER	05 Nos.
09.10.	P 1338009	Bracket	05 Nos.
11.	P 1338010	Link	05 Nos.
12.	P 1338150	Rod	02 Nos.
13.	P 1338016	Stud	02 Nos.
14.	P 1338160	Lever	02 Nos.
15.	P 1338017	PIN	05 Nos.
16.	M 73442	Steel Ball (M6)	10 Nos
17.	P 1338019	Spring	10 Nos.
18.	P 1338021	Grip (B)	05 Nos.
19.	P 1338022 A	Clip	10 Nos.
20.	P 1330104	Auto Adjuster lever (LH)	05 Nos.
21.	P 1330204	Auto Adjuster lever (RH)	05 Nos.
21.	P 1330106	Guide Cable	10 Nos.
22.	P 1330170	Cable & Fitting Asseby	10 Nos.
23.	P 1330180	Parking lever assembly (LH)	05 Nos.
24.	P 1330280	Parking lever assembly (RH)	05 Nos.
25.	P 1330110	Retainer	10 Nos.
26.	P 1330211	Strut (RH)	05 Nos.
27.	P 1330111	Strut (LH)	05 Nos.
28.	P 1330190	Cable Assembly (LH)	05 Nos.
29.	P 1330290	Cable Assembly (RH)	05 Nos.

## Annexure of T. No. 68.15.5249

Sr. No.	Description	Qty
01.	Molded Acrylic sheet for Gangway light size 215 x 145 mm, thicknes 02 mm, Transparant type.	500 Nos.
02.	Molded Acrylic sheet for Gangway light size 165 x 125 mm, thicknes 02 mm, Transparant type.	500 Nos.

Annexure of T. No. 68.15.5232

Sr. No.	Part No.	Description	Qty
01.	JE 190013	Head light with bulb 12 V.21 W	22 Nos.
02.	JE 190016	Light Switch	11 Nos.
03.	JE 190018	Tail light with bulb 12 V.3W	22 Nos.
04.	JE 190021	Key switch with keys	11 Nos.
05.	11463	Brake Switch	11 Nos.
06.	JE 050104	Hand brake assembly	11 Nos.
07.	FW 43548	Hand Brake Rod	11 Nos.
08.	430120000	Buzzer	11 Nos.
09.	JE 180031	Extension Chord 5 A	11 Nos.
10.	FW 43075	Hand brake rod end	11 Nos.
11.	JE 180002	Fuse box 06 way kit	11 Nos.
12.	JE 180003	Fuses 08 A	66 Nos.

Mail ID : [dycmmpps@gmail.com](mailto:dycmmpps@gmail.com)

DyCMM/CRWS/BPL