

पश्चिम मध्य रेल
West Central Railway
सं. 68.15-साप्ताहिक बुलेटिन-09
No. 68.15-WB-09

उप मुख्य सामग्री प्रबंधक, सडिपुका/भोपाल
Dy. CMM/CRWS/BHOPAL
दिनांक 31.07.2015
Date : 31.07.2015

निविदा प्राप्त करने की अंतिम तिथि 11.08.2015.....समय 14.30 बजे
Tender to be closed on... **11.08.2015**..... at 14:30 Hrs

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, कार्यालय, सडिपुका/भोपाल
Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी की अवधि : 30 दिन/तैयार सामग्री
Delivery Terms : 30 Days / Ex stock.

नोट – दर शब्दों एवं अंकों दोनों में देना अनिवार्य है।

Note : Rates should be quoted in words as well as in figures also.

Sr.	T. No.	Description	Qty
1.	68.15.5406	Emery Paper 200MM Dia & Polishing cloth	01 Sets
2.	68.15.5498	Pressure Gauge for DA of Dial Size 150mm (6")with 3/8 BSP connection and Adopter ,Accuracy 2% and Range 0-4 KG/cm ² of WAREE, KI, OR MAHAVEER make from Authorization dealer only (Certificate Authorization to be submitted along with offer with calibration certificate)	
3.	68.15.5430	Polycarbonate Bell push switch model No. Signature NV.102 with cover frame for 1 model with power coated steel plate 3"x3" model NO. Signature NV .260 of SSK make with engraved "Bell" or equivalent of kumra electric , kaveri ,Crabtree and CPL make for A. C. Coaches (RCF/ICF Approved Sources)	125 Nos.
4.	68.15.5306	S.S. plate form scale capacity 100 kgs with 6 digit red LED display, E value-10 g plate form size 600 x 600 mm, model no. Axp 100 of AXPART make or similar.	01 Nos.
5.	68.15.5464	FRP housing to RCF Drg. No. RCF/SK/7-4-003 alt 'a' for single toggle switch without hinges fitted with one Toggle switch single pole single throw ON -OFF 15 amps suitable to work on 250V AC/DC ,generally conforming to ICF Drg. No. ICF/SK-7-4-002 alt 'g'. col- I and item 1.Toggle switch to be fitted in FRP housing with slotted round head screw with nut size 4x10mm.One sample should be got approved before bulk supply. Toggle switch and FRP housing should be ICF/RCF approved sources.	1500 Nos.
6.	68.15.5215	Set of Life line system consists of items are as under with supply & Installation : (1) Horizontal lifeline (20 meters in length), of Make- HL 20 of Udyogi or PN-3000 of Karam or RHL-30 HLL of Saviour. (2) Welding type Retractable Fall arrestor (6 Mtrs. In length) of Make- Edge 6 N of Udyogi or PCWB06 of Karam or FP-FAB6 of Saviour. (3) Safety Belt Full Body jacket harness with Lanyard of Make- UB 102 of Udyogi (Single rope polyamide With HS 60 Hook) or PN 241 of Karam or FPSAV-110 Of Saviour. (4) Safety Belt Full Body jacket harness without Lanyard of Make- UB 102 of Udyogi or PN20 of karam or Saviour. All items as per IS: 3521:1999 (Reaffirmed 2002) & original test certificate Should be submitted by the firm's at the time of supply.	04 Sets.

7.	68.15.5322	Industrial Lock Similar to M/S Darshana Industries Pvt Ltd Part No.DMSCL-18 SQ -MR with Key Part No .DBSQK .One Sample to be got approved before supply.	299 Nos.
8.	68.15.5251	Bulk head fitting with wire mesh cover for protection of glass for ART/RA and medical coaches, Make-Dollar/Luminaries, Cat Ref. DGB 100, Dimension -195x115x120 MM or similar.	50 Nos.
9.	68.15.5569	Ring tongue type copper terminal ends 95mm ² as per Dowells cat no 7144 E-Dia-10.2mm(ICF/RCF Approved .kamlesh ,Dowells, Chetna or Ascon make)	1000 Nos.
10.	68.15.5529	Roll of PVC tap F.R.Electrical in insulation tap(0.125mm thickness x1.88cm width x8 mtrs length)ISI marked make -Anchor, Steel Grip, cabcond (equal qty in Red, Yellow, Blue and Black) Manufacturing date should be two month.	3000 Nos.
11.	68.15.5583	Engine Oil SAE ISW 40 in 05 liter or 10 liter packing .make SHELL/CASTROL/SAVSOL/PENSOL.Proof of purchase from OEM/ dealer to be submitted with supply.	60 Ltrs.
12.	68.15.5518	SOLID CUSHION TYRE SIZE 23X6.50X10 FOR FORK LIFT .MAKE -GODREJ/SWARAJ/GRESCKTER Proof of purchase from OEM to be submitted with supply.	12 Nos.
13.	68.15.5520	PLUMBER BLOCK ASSEMBLY(Heavy duty) FOR GOLIATH CRANE .BASE SIZE-210MM,BORE 50MM SUITABLE FOR 45MM dia SHAFT.	06 Nos.
14.	68.15.5525	ABC Powder MAP90 tyre Extin Guisher Cap -02kg.complete specification is enclosed Model of cease FIRE/KANEX/KRUNAL make FIRE Extinguisher satisfying the Technical specification as per Annexure .	12 Nos.
15.	68.15.5532	Single compression Brass cable gland(Long Nipple)25mm,Make CGS, Jainson or similar.	1000 Nos.
16.	68.15.5533	Toggle switch SPST Rating 6Amp Terminal brass with chrome plating and solder type IR 100 Mega ohm's at 500v D.C. ,contact resistance 20m ? (ma) Make-Elmeco,Gillard, kaycee.	100 Nos.
17.	68.15.5509	Lavatory door handle as per sample	1760 Nos.
18.	68.15.5513	FRP Partition cover , as per sample, colour Deep cream ,shade No-353 IS 5/1994, one set =03 Nos	63 Sets.
19.	68.15.5510	GI Reducing Socket Size 1x ½ "as per IS 1879:2010 ,Type M2 ,Table -21	2600 Nos.
20.	68.15.5589	Set of Spares for Dual cabin of TATA model 207.One set consisting Pressure plate assembly =01 No. and Clutch plate assembly =02 Nos make TELCO/CA/LUK.	01 Sets.
21.	68.15.5536	GM check Valve Horizontal size-25mm bore, Screwed in end ISI marked As per IS:778/1984-Class-Ist.	120 Nos.
22.	68.15.5535	GI Hexagon Reducing Nipple Size 3/4"x1/2" (20x15mm) to IS : 1879-1987,Type N8 of table 7.2.	900 Nos.
23.	68.15.5564	M.S. Machine Screw Slotted CSK HD with nut Assembled condition (Bright Zink Plated) IS-1363/93, size 6 X 50 MM	5000 Nos.
24.	68.15.5562	GI Reducing Elbow size 1x1/2"as per IS 1879;2010,Type A1,Table-5.	650 Nos.
25.	68.15.5563	GI dummy plug (solid),size 15 mm ,outer thread, square head as per IS:1239 part-II/Table -20	1950 Nos.
26.	68.15.5557	Set of Spares for GODREJ make FORKLIFT model GX.300D one set consisting as per enclosed ANNEXTURE .make GODREJ/similar	01 Sets.
27.	68.15.5559	Set of GI Hex nipple ,both external thread ,size 15mm IS :1239 part -II/82.	2600 Nos.
28.	68.15.5591	Set of Spares from just make Platform Truck .One set consisting as per enclosed Annexure .make Jost or similar.	01 Set.

29.	68.15.5526	Main transformer part no 4651685004 of esab make .or equivalent for welding transformer for welding Auto.k.400 (copper) of esab make, manufacturers authorization certificate is required.	02 Nos.
30.	68.15.5561	HSS Bi-metal flexible high speed Hacksaw Blade ,size -600 x 50 x 2.5 mm, 6 TPI, Make Mirinda / Bipico, generally conform to IS 2594;2003	20 Nos.
31.	68.15.5550	GI Tee size 15 x 15 x 15 mm (½ ") as per IS:1879/2010,Table -10 -type B1.	3250 Nos.
32.	68.15.5575	GI Hexagon Reducing Nipple size ½" x 3/8" (15 x 10 mm) to IS:1879-1987, type N8 of table 7.2	240 Nos.
33.	68.15.5567	Welding Hand shield as per specification / Annexure attached.	102 Nos.
34.	68.15.5568	Punch washer type 'A' steel to IS:2016 for M-16 Hex head Bolt bright Zinc plated.	350 Kgs.
35.	68.15.5572	P.T. fuse, 11 kv, 1 Amps, Type-AVT make-ANAND or similar as per sample	12 Nos.
36.	68.15.5596	Procurement of furniture items two Almirah size 78" x 36" x 19" reputed brand approx having seven shelves made from CRCA sheet on 20 gauges approx of doors and rest of the body in 22 gauge approx antirust treated and powder coated and 06 Nos. stool	01 Set.
37.	68.15.5603	External locking arrangement for Luggage sliding door of SLR coaches as per drg no. SLR-5-8-001 alt'd', item no.3,4,5,10 &14 in assembled condition.	296 Nos.
38.	68.15.5604	Multipurpose Rust Remover-WC-90.Co2 Base cane capacity =500ml Weight =415 Grams Antitoxic ,Anticorrosive and Saflon paint ,Rubber ,Metal & plastic ,make =WC Wonder or Aerolube or Stanvac AC-90 .	170 Nos.
39.	68.15.5606	Glass marking pencils white colour of length 172 MM, make Apsara, Ambossadore, Natraj.	2000 Nos.

Annexure of T. No. 68.15.5525.

- | | | | |
|-----|--------------------------|---|---|
| 1. | Gross weight | - | 3.0to 4.0 kg. |
| 2. | Empty weight | - | 1.0 to 2.0 kg. |
| 3. | Can height | - | 325 to 400 mm |
| 4. | Dimension of container | - | 100 to 120 mm |
| 5. | Discharge time (Minimum) | - | 08 to 12 seconds |
| 6. | Discharge mechanism | - | Controllable |
| 7. | Applicable on | - | Class ABC & electrically started fire |
| 8. | Valve | - | Brass nickel plated with simple squeeze operation |
| 9. | External coating of can | - | Epoxy polyester powder coating |
| 10. | Hose | - | High quality EPDM rubber braided hose |
| 11. | Working pressure at 20°C | - | 13 to 17 Bar |
| 12. | Maximum service pressure | - | 16 to 20 Bar |
| 13. | Test pressure | - | 35 Bar |
| 14. | Charging | - | Rechargeable |
| 15. | Certification | - | ISI & CE approved or BIS & CE approved |
| 16. | Warranty | - | 01 year |

Annexure of T. No. 68.15.5591

Sr. No.	Part No.	Description	Qty
01.	12661	Rear brake WC kit	44 Nos.
02.	JM016290	Rear brake Hub	04 Nos.
03.	JE040103	Wheel stud	20 Nos.
04.	JE040180	Wheel Nut M 20	20 Nos.
05.	JE180330	Insulating strip	24 Nos.
06.	JE011872	Brake shoe with Liner leading	16 Nos.
07.	JM011873	Brake shoe with Liner sealing	16 Nos.

Mail ID : dycmmps@gmail.com

DyCMM/CRWS/BPL

68.15.5567

Specification of Welding Hand Shield

Note: Bidder must submit remarks of each and every clause/sub clauses, failing which offer may be ignored.

1. **Application:** - For staff engaged in welding activities at CRWS.
2. **Description:** - The hand shield shall give protection during welding to the eyes, ears, face, neck and part of the head of the user against exposure to radiation, heat, sparks and splatters of hot metal. It should meet the requirements of IS 1179:1980 and/or 5983:1980.
3. **Construction:** - The body shall be of moulded type, made out of Fiber glass/ fiber sheet opaque material in black color not less than 1.5 mm thick uniform smooth clear finish.
 - 3.1 It shall be provided with 2 Nos. of plain glass without the mirroring effects.
 - 3.2 It shall be provided with 1 No of filter lens (with certificate for product conformity to EN 196) (dark green glass) in shade No. 11A conforming to DIN specification shade marked on it.
 - 3.3 The Oculars shall be free from defects like spots, holes, mould marks, scoring, scratches, bubbles, optical defects etc.
 - 3.4 It shall have a clamp to fit the lenses in the shield made of good quality steel material.
4. **Marking** - The welding shield shall be marked with the supplier identity, month & year of manufacturing.
5. **Sample:** - Firm/Bidder must submit the returnable sample(s) along with Test Certificate with their offer, failing which the offer shall be ignored.
6. **Test Certificates:** - Firm/Bidder must submit copy of latest test certificates of product conformity to relevant IS/EN/ANSI from CLI/Mumbai or OEM or National Accredited Test Laboratories) along with offer. The firm shall be either OEM or Authorized dealer. Latest authorization certificate or original manufacturer should be submitted.
7. **Guarantee Certificate:** - Guarantee Certificate to be given for any manufacturing defects along with its consignment for free replacement within six months from date of receipt of stores.

Works Manager


SSE/Body Repair