

(5)
31

TECHNICAL SPECIFICATION OF AIR PLASMA CUTTING MACHINE
CAPACITY: 6 MM CLEAN CUT AT 500MM/MIN.

Scope of supply:

The specification covers supply, installation and commissioning of air plasma cutting machine, comprising of:

- Plasma Power source
- Cutting nozzle
- Earth cable 20m long
- Air filter along with flow meter and regulator
- 02 Nos. Operating and Maintenance manual

Leading parameters:

SN	Item	Details
1	Type of power supply	Inverter – IGBT
2	Input power supply	120-230 V Single phase AC, 50 Hz
3	Input power requirement	Below 4.0 KVA
4	Output current	Approx. 15-30 Amps
5	Cutting capacity (with good cut quality)	Upto 6mm thick mild steel at 500mm/min & 10mm thick. mild steel at 250 mm/min.
6	Severence capacity (maybe with rough cut quality)	Min. 12mm thick. mild steel at 125mm/min
7	Pierce capacity (ability to pierce without starting from edge)	Not applicable
8	Cooling	Forced air cooling
9	Weight of the machine	Below 12 Kg
10	Torch lead length	Min. 4 mtrs
11	Guarantee warranty	02 (two) years
12	Brand	ISO Certified reputed brand
13	Consumables (to be supplied along with the machine)	i) Electrode : 20 Nos. ii) Nozzles : 20 Nos. iii) Goggles : 02 Nos.
14	Gas supply	Should be capable of working with air or nitrogen
15	Gas flow rate	Below 125 lit/min. @ 5.5 bar
16	Life of electrode & nozzle	Not less than 100 mtrs length of cutting 6mm thick. mild steel sheet

3. AMC

~~The supplied shall maintain the machine after expiry of warranty/guarantee period for a min. period of 03 years under AMC. The year wise consolidated rate for comprehensive (all inclusive) AMC should be clearly quoted separately along with the machine price.~~

A. K. Sharma

A. K. Sharma

वरिष्ठ सामग्री प्रबंधक (सामान्य एवं निर्माण)
Senior Material Manager (G.C.)
प.म.रे., जयपुर, W.C.R., J.R.

(अमितोज बल्लभ)

वरिष्ठ मण्डल यंत्रिक इंजीनियर (समन्वय)
परिचय मध्य रेल, भोपाल
(AMTOJ BALLABH)
Sr. Divl. Mech. Engineer (Co.)
West Central Railway, Bhopal

22
30

TECHNICAL SPECIFICATION OF AIR PLASMA CUTTING MACHINE
CAPACITY: 12 MM CLEAN CUT AT 500MM/MIN.

1. **Scope of supply:**

The specification covers supply, installation and commissioning of air plasma cutting machine, comprising of:

- Plasma Power source
- Cutting nozzle
- Earth cable 20m long
- Air filter along with flow meter and regulator
- 03 Nos. Operating and Maintenance manual

2. **Leading parameters:**

SN	Item	Details
1	Type of power supply	Inverter - IGBT
2	Input power supply	200-240 V Single phase AC, 50 Hz
3	Input power requirement	Below 9.0 KVA
4	Output current	Approx. 20-45 Amps
5	Cutting capacity (with good cut quality)	Upto 12mm thick, mild steel at 500mm/min & 18mm thick, mild steel at 250 mm/min.
6	Severence capacity (maybe with rough cut quality)	Min. 20mm thick, mild steel at 125mm/min
7	Pierce capacity (ability to pierce without starting from edge)	Min. 10mm thick, mild steel
8	Cooling	Forced air cooling
9	Weight of the machine	Below 20 Kg
10	Torch lead length	Min. 20 mtrs
11	Guarantee/warranty	02 (Two) years
12	Brand	ISO Certified reputed brand
13	Consumables (to be supplied along with the machine)	i) Electrode : 20 Nos. ii) Nozzles : 20 Nos. iii) Goggles : 02 Nos.
14	Gas supply	Should be capable of working with air or nitrogen
15	Gas flow rate	Below 200 lit/min. @ 5.5 bar
16	Life of electrode & nozzle	Not less than 100 mtrs length of cutting 12mm thick, mild steel sheet

3. **AMC**

The supplied shall maintain the machine after expiry of warranty/guarantee period for a min. period of 03 years under AMC. The year wise consolidated rate for comprehensive (all inclusive) AMC should be clearly quoted separately along with the machine price.

A. K. Sharma
Senior Material Manager (S&C)
प.न.उ. जयपुर/W.C.R. JBR

(अमितोज बल्लभ)
अति मण्डल यांत्रिक इंजीनियर (सहायक)
पश्चिम मध्य रेल, भोपाल
(AMITOJ BALLABH)
Sr. Divl. Mech. Engineer (Co.)
West Central Railway, Bhopal

Annexure-II

To be submitted by the firm along with offer-

Tender specification	Specification quoted by the firm	Deviation if any with clarification