

**WEST CENTRAL RAILWAY**  
**E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED**  
**E-PROCUREMENT WEEKLY BULLETIN No. : 41/15**

**Tenders Due For Opening Between 19-OCT-15 And 25-OCT-15**

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

**IMPORTANT NOTE**

**TO TENDERER:** Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

Sr No	Tender No	Description of Stores	Quantity Required	Unit	Delivery terms	Trade Group	Depot where the material is required	Inspection By
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)

**Opening Date 23-10-2015 (FRIDAY )**

1	40.15.1481	Kit Kat Fuse(Porcelain) Rewirable -100 amps 415V with copper strip,confirming to IS:2086/1993,Product similar to Cat no HFUB-DLX/EXTN,of HPL, Make:Millborn,Kenbar,Havells,HP L OR Equivalent.(PL NO :42081956)	256.000	NOS.	After 01.04.2016 but before 30.06.2016.	4206	SMM-D(GSD)BPL	CONSIGNEE
		<b>Total</b>			256.000			
2	20.15.4260	Switch for head light intensity used as ZPRD ( Pos No- 317) type-SBM-PS/0/3/S800A20 as per CLW Specification No. CLW/ES/3/0075 or latest and ABB Document No- 3EHP 585743 R2103 or latest.CLW/ES/3/SK-1/0086 & CLW/ES/3/SK-2/0086 OR LATEST.CLW/ES/3/0075 or latest(PL NO :29700050)	5.000	NOS.	After 01/04/16 but before 30/06/16.		SMM/ELS/TKD	CONSIGNEE.
		<b>Total</b>			5.000			
3	38.15.1682	SEALING RING FOR FILLING PIPE CAP FOR BTPN WAGON TO RDSO DRG. NO.- WD-86081-S-61, ALT.-13 OR LATEST, ITEM NO.-21, CROSS SECTION OF SEALING RING & OTHER REQUIREMENTS AS PER IRS DRG.NO.W/TF-896 K, DIA.OF SEALING RING = 150 MM.(PL NO :37555893)	2064.000	NOS.	Within 03 month	7505	DY.CMM/KOT A	CONSIGNEE.
		<b>Total</b>			2064.000			
4	38.15.1640	MAIN PULL ROD (LONG) FOR BOXNHL WAGON TO RDSO DGR. NO. WD-06076-S-09 ALT. 01 OR LATEST ITEM NO. 3 MATERIAL IS: 2062-2006 E410 Cu AND IS: 1875 CLASS II(PL NO :38124786)	75.000	NOS.	04 months.		DY.CMM/KOT A	CONSIGNEE.
		<b>Total</b>			75.000			
5	38.15.2177	Bogie Brake Push rod for CASNUB bogies to RDSO drg. no.- SK-69597, ALT.-41 or latest, item no.- 3.(PL NO :38143045)	89.000	NOS.	Within 03 month.		DY.CMM/KOT A	CONSIGNEE.
		<b>Total</b>			89.000			
6	38.15.1685	BRACKET FOR EMPTY LOAD CHANGE OVER (SMALL) FOR BTPN WAGON TO RDSO DRG.NO.- WD-88050-S-2, ALT.10 ITEM-15.(PL NO :37147596)	92.000	NOS.	Within 04 months.	0036	DY.CMM/KOT A	CONSIGNEE.
		<b>Total</b>			92.000			
7	38.15.1650	Modified brake gear shaft long dia	420.000	NOS.	Within 04	0032	DY.CMM/KOT	RITES.

		25 mm to Drg. No. W/BG-6341.(PL NO :38989294)		months.		A	
		<b>Total</b>		420.000			
8	38.15.2220	APD FOR ANGLE COCK RDSO Drg No. WD-99023-s/04, item-2.(PL NO :38165259)	1500.000 NOS.	Within 06 months.	0036	AMM-D(BOXN) NEW KATNI JN	BITES.
			5507.000 NOS.		0036	DY.CMM/KOT A	
		<b>Total</b>		7007.000			
9	30.15.1090	LABLE PLATE ONE SET CONSISTING OF ITEM NO. 1,2 EACH ONE NO. AND ITEM NO. 3 = 4 NOS. TO DRG. NO. CRW/SK/871. alt.1.(PL NO :30640581)	646.000 SET	Within 04 months.	3057	DYCMM-D(CRWS) BHOPAL	CONSIGNEE.
		<b>Total</b>		646.000			
10	30.15.1448	M.S. Base Plate for battery charging terminals to CRWS drg No CRWS/BPL/EL/SK-90/4 Mod 'C'.(PL NO :30726876)	649.000 NOS.	Within 04 months.	0032	DY.CMM-D(CRWS) BHOPAL	CONSIGNEE.
		<b>Total</b>		649.000			
11	30.15.1486	Bracket for Lower Spring Beam 16 T (LH)T-0-5-666 alt.d, Item 1&2 COL. II(PL NO :30010494)	1764.000 NOS.	within 03 months.	3055	DY.CMM-D(CRWS) BHOPAL	BITES
		<b>Total</b>		1764.000			
12	40.15.1313	PVC conduit pipe 50mm dia.thickness 1.9mm +/-0.2mm in standard length of 6 mtrs confirming to IS-9537/1983 part-III or latest, with ISI Mark.(PL NO :41030953)	10202.000 MTR	within 02 months after 01.04.2016.	4125	DY.CMM-D(CRWS) BHOPAL	BITES
		<b>Total</b>		10202.000			
13	30.15.1002	DUST SHIELD FOR AXLE BOX GUIDE ARRANGEMENT TO DRG. NO.-"T-0-1-619,ALT-13 & K"(PL NO :30010627)	13000.000 NOS.	Within 04 months.	3055	DY.CMM-D(CRWS) BHOPAL	BITES.
			1462.000 NOS.	Within 04 months.	3055	DY.CMM/KOT A	
		<b>Total</b>		14462.000			
14	30.15.1004	M.S Door StripAs per M.S - IS : 2062Size 1250x25mm width x 3.15 mm thick(PL NO :30560962)	2040.000 NOS.	Within 03 months.	3055	DY.CMM-D(CRWS) BHOPAL	BITES.
		<b>Total</b>		2040.000			
15	30.15.1036	SAFETY STRAP FOR BOLSTER SUSPENSION TO DRG. NO.- IRS/ICF/T-0-5-655, Alt.10 & 'm'(PL NO :30050406)	3524.000 NOS.	After 01.04.2016 & before 01.07.2016.	0034	DY.CMM-D(CRWS) BHOPAL	BITES.
		<b>Total</b>		3524.000			
16	30.15.1049	Sealed window glass unit for body side door Size:- 605 x 550 x 25.5 mm thick As per RCF Drg. No CC-54208, Alt.-c [cec].(PL NO :30643211)	251.000 NOS.	Within 04 months.	3055	DY.CMM-D(CRWS) BHOPAL	BITES.
		<b>Total</b>		251.000			
17	30.15.1110	ALLIMINIMUM LIGHT LUGGAGE RACK FOR AC COACH TO DRG. NO.- ICF/SK-6-2-046, ALT-b.(PL NO :30981001)	160.000 NOS.	Within 06 months.	3055	DY.CMM-D(CRWS) BHOPAL	BITES.
		<b>Total</b>		160.000			
18	30.15.1133	Set of Special Bolt with one washer and one nylock nut to Drg. No. SCN-6-6-1-612 Alt-e Item No. 8, 10 & 14 only in assembled condition (specification strictly as per drawing)(PL NO :30663362)	21130.000 SET	Within 04 months.	7309	DY.CMM-D(CRWS) BHOPAL	BITES.
		<b>Total</b>		21130.000			
19	30.15.1151	Steel Packing Size- OD Dia 100 X	2513.000 NOS.	Within 06	0032	DY.CMM-	BITES.

		ID Dia 26 X 13 mm Think to RDSO Drg. No.- 97068, Alt-3, Item-3.(PL NO :30988342)		months.		D(CRWS) BHOPAL	
		<b>Total</b>		2513.000			
20	30.15.1235	SEALING RUBBER RING FOR ALLUMINIUM WATER TANK COVER TO DRG. NO.- ICF/SK 6-3-08O, ITEM NO- 6, ALT.- 31 AND s.(PL NO :30636875)	4859.000 NOS.	Within 03 months.	7550	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		4859.000			
21	30.15.1307	CLIP FOR SECURING PLUMBING PIPE TO DRG. NO.- CRW/SK-453, Alt. 2 OR AS APPLICABLE ON THE DATE OF TENDER OPENING, ITEM NO.1=08 NOS.,ITEM NO.2=12 NOS. & ITEM NO.3=30 NOS.(PL NO :30631014)	1002.000 SET	Within 04 months.	3017	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		1002.000			
22	30.15.1435	FRONT STOPPER BRACKET LONG HEIGHT FOR WATERTANK, ITEM NO 1, 2, 3, 4, 5, & 6 IN ASSEMBLED CONDITION. TO DRG NO CRW/SK-495(PL NO :30040309)	2263.000 NOS.	Within 04 months.	3052	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		2263.000			
23	30.15.1459	Connection for side filling of roof water tank to drg. no.-T-6-3-651, ALT-55/A.(PL NO :36437049)	1225.000 NOS.	After 01.04.2016 & before 01.07.2016.	3055	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		1225.000			
24	30.15.1471	Pin Electroplated Dia 40 X 120 L for Brake Cylinder to ICF Drg. No. T-3-2-648, Alt- h, Item No 3, Col-II, IS:1875/92 CL-2, Grinding & Electroplating to be done as note 4 of Drg. No. T-3-2-648, Alt. h.(PL NO :30321281)	2985.000 NOS.	Within 04 months.	0032	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		2985.000			
25	30.15.1487	Bracket for Lower Spring Beam 16 T(RH)T-0-5-666 alt.d, item 1&2 COL. I(PL NO :30010512)	1764.000 NOS.	Within 03 months.	3055	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		1764.000			
26	30.15.1495	M.S. Door Assembled For Emergency Equipment Room Guard Compartment SLR Room to Drg. No.Drg. No. RDSO/SK-K 0014, alt.-2,Item No. 8 & 18 to 25.(PL NO :30547106)	102.000 PAIRSE	Within 03 months.	3036	DY.CMM-D(CRWS) BHOPAL	RIDES.
		<b>Total</b>		102.000			
27	40.15.1684	Metal hallide lamp ballast for 70 watt copper wound silicon steel lamination polyester filled, low loss ,filled up polyester thermo setting compound terminal block for supply voltage and igniter ,Ballast shall work on single phase 230 voltAC supply .IEC 92 2& 923.(PL NO :42111195)	1049.000 NOS.	within 04 months.	4219	SMM-D(GSD)BPL	RIDES.
		<b>Total</b>		1049.000			
28	40.15.1723	ISI Marked Conventional/open construction copper wound ballast vacuum pressure impregnated for FTL/CFL-36 /40 Watt ,confirming to IS 1534 part-I of 1977 with amendment No. 1 to 5 or latest. Height not more than 3.2 cm and width not more than 3.9 cm.(PL NO :42118451)	2605.000 NOS.	within 03 months.	4219	SMM-D(GSD)BPL	RIDES.
		<b>Total</b>		2605.000			
29	38.15.1632	SEALING RING FOR MANHOLE COVER TO DRG. NO. WD 86081-S-60, ALT 10 OR LATEST, ITEM 7 ( PART DRG NO WA/TF 2169	1840.000 NOS.	Within 03 months.After 01.01.2016.	7505	DY.CMM/KOT A	CONSIGNEE.

		ALT 1 OR LATEST,)(PL NO :37554402)	<b>Total</b>	1840.000				
30	10.15.3722	Bolt special Square Head for gear case unit to C.Rly Drg no.CI/EL-1132 Alt-7.(PL NO :12840889)	960.000 SET	Within 02 Months	7313	SMM-D(D) ITARSI	CONSIGNEE.	
			<b>Total</b>	960.000				
31	38.15.1646	Bracket for Empty load change over (small) with stiffener plate for BOXNHL wagon to RDSO DRG No. WD-05086-S-10, Alt. 05 or latest, Item - 18, Material IRSM. 44.(PL NO :38989256)	50.000 NOS.	Within 03 months.		DY.CMM/KOT A		
			<b>Total</b>	50.000				
32	61.15.2524	PNM Cutting nozzle size-1/16 inches for LPG (suitable for BMCG), Make: ADOR/L&T/EASB OR "SIMILAR" IS 7653IS-7653(PL NO :76217474)	328.000 NOS.	within 03 months	7630	DY.CMM/KOT A	CONSIGNEE.	
			<b>Total</b>	328.000				
		Low Pressure Cutting blow pipe with-1/16" PNM nozzles (suitable for BMCG),Make: ADOR/L&T/EASB to IS 7653-1975 or similar.(PL NO :76217486)	24.000 NOS.	within 03 months	7630	DY.CMM/KOT A		
			<b>Total</b>	24.000				
		Regulator Kit consisting of regulator with connector & pressure gauge (0-1.06Kg/cm2) suitable for BMCG,Make: L&T/ESAB/ADOR.IS-6901(PL NO :76218715)	29.000 NOS.	within 03 months	7630	DY.CMM/KOT A		
			<b>Total</b>	29.000				
33	61.15.1981	Hex Head Screw size: M16X1.5X50 mm long to Drg no.T.0.2.619 alt. 12/S, Item 1.(PL NO :73513088)	424.000 HDS	within 03 months	7309	DY.CMM-D(CRWS) BHOPAL	BITES	
			<b>Total</b>	424.000				
34	61.15.2406	PVC RE-INFORCED FLEXIBLE BRAIDED HOSE PIPE SIZE ID/OD= 25/33MM WORKING PRESSURE 15 KG/CM SQUARE SAMSON REGULAR BRAND TO IS: 12492/TYPER II ALONG WITH TEST CERTIFICATE (ONE ROLL HAVING 50METER PIPE IN ONE PIECE)IS: 12492/TYPER II ALONG WITH TEST CERTIFICATE(PL NO :75031310)	1445.000 MTR	within 4 months	7535	DY.CMM-D(CRWS) BHOPAL	BITES FOR SR. NC	
			<b>Total</b>	1445.000				
		TPV synthetic thermoplastic hose nominal bore, Size-20 mm , to RCF MDTS -234, rev.- 00, Issue date-21.02.2012 (in length of 15 meters).(PL NO :75034803)	4070.000 MTR	within 4 months	7535	DY.CMM-D(CRWS) BHOPAL		
			<b>Total</b>	4070.000				
35	38.15.2257	FOOT STEP FOR BOXN WAGON TO RDSO DRG.NO.- WD-80007-S-06, ALT.-17 OR LATEST, ITEM-14.(PL NO :38983680)	741.000 NOS.	Within 04 months.	0036	DY.CMM/KOT A	CONSIGNEE.	
			<b>Total</b>	741.000				
36	34.15.3026	PAINT BRILLIANT GREEN IS-5-1994 SHADE No. 221 The date of supply of the material should be within 60 days from the date of manufacture.(PL NO :77032111)	700.000 LTR	within 3 months		DY.CMM/KOT A	BITES FOR ITEM N	
			<b>Total</b>	700.000				
		Paint ready mixed Light Grey brushing finishing exterior semi gloss for general purpose type I. ISC-631 to IS:13607/92 or latest. Packing in 20 Ltrs. non-returnable new M.S. drums to IS:2552/89 Gr. B-II. (This item is reserved for RDSO approved sources only).(PL NO :77090718)	1974.000 LTR	within 3 months	7706	SMM-D(GSD)BPL		
			<b>Total</b>	1974.000				
37	38.15.2274	PACKING FOR SIDE BEARER	2850.000 NOS.	After	0115	DY.CMM/KOT	BITES.	

		TO RDSO DRG NO.WD-80007-S-8 ALT 8,or latest ITEM.5.MATERIAL CONFIRMING TO IS:2062-2011 Gr E 250 A (SK),AMND.1 OF MARCH 2009,Gr E 250 A, Gr.E 250 A ALSO ACCEPTABLE"(PL NO :38107223)			01.04.2016 but before 30.06.2016		A	
			<b>Total</b>		2850.000			
38	60.15.1230	Tube Steel seamless heavy grade nominal bore 20mm to IS:1239/latest.(PL NO :62331383)	196.000 MTR	within 03 months	6228	SMM-D(ELS)	CONSIGNEE. 2. O	
			88.000 MTR	within 03 months	6228	ITARSI SMM/ELS/TKD		
			<b>Total</b>	284.000				
39	60.15.1239	SNAP 20 MM DIA (SNAP DIA 3/4") FOR CPT BUSTER MACHINE TO DRG. NO. J&T 1208, ALT-5 OR LATEST (DRG. ATTACHED)(PL NO :66030857)	147.000 NOS.	within 03 months	0000	DY.CMM/KOT A	CONSIGNEE. 2. O	
			<b>Total</b>	147.000				
		SNAP DIA 7/8 INCH FOR CPT BUSTER MACHINE DRG. NO.J&T -1744.ALT - 1 OR LATEST.(DRG. ATTACHED)(PL NO :66031000)	103.000 NOS.	within 03 months	6079	DY.CMM/KOT A		
			<b>Total</b>	103.000				
40	60.15.1245	Ultra high molecular weight trolley wheels Size 200mm X 50mm X 25mm.Axle hole.(PL NO :67010647)	200.000 NOS.	within 03 months	6735	SMM -D(GSD) BPL	CONSIGNEE. 2. O	
			<b>Total</b>	200.000				
		High moleculer solid polymer wheel Size 300mm X 50mm X 30mm.hole.(PL NO :67010659)	113.000 NOS.	within 03 months	6735	SMM -D(GSD) BPL		
			<b>Total</b>	113.000				
41	60.15.1250	STAINLESS STEEL TUBE DULY BUFFED -OD-19 MM X ID - 17 MM X 6 METER LENGTH IN ONE PIECE TO IS-6913/1973.(PL NO :62343877)	384.000 MTR	within 06 months		DY.CMM-D(CRWS) BHOPAL	CONSIGNEE. 2. O	
			<b>Total</b>	384.000				
42	62.14.4021	Cut Piece cloth of 140 cms length for BUSH SHIRT H/S, Woven suiting made of polyester & cotton blend conf to spec no. IS 15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvedges. Shade: SKY BLUE. Const part (a) Nominal count of warp yarn: 30S/2 (20 TEX X 2) (b) Nominal count of weft yarn: 30S/2 (20 TEX X 2) (c)Threads per Decimeter -Warp 260. (d)Threads per Decimeter-Weft 190. (e) Mass 190 gm/M2. (f)Fiber composition Polyester 67 PERCENT(g)Fiber composition Cotton 33 PERCENT (h)Weave: PlainManufacturer's name to be woven on both sides of selvedges throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack.(PL NO :79036697)	1174.000 NOS.	within 02 months		DY.CMM/KOT A	CONSIGNEE. 2. O	
			<b>Total</b>	1174.000				
		Cut Piece cloth of 140 cm length for Bush Shirt H/S Woven suiting	11.000 NOS.	within 02 months	7912	DY.CMM/KOT A		

	made of polyester & cotton blend conf to spec no. IS 15853/2009 except for soil release efficiency test & limited flame spread index test. Width: 138 cm excluding selvedges. Shade: FAWN. Construction particulars (a) Nominal count of warp yarn: 30S/2 (20 TEX X 2) (b) Nominal count of weft yarn: 30S/2 (20 TEX X 2) (c) Threads per Decimeter -Warp 260. (d) Threads per Decimeter- Weft 190 (e) Mass 190 gm/M2. (f) Fiber composition Polyester 67 PERCENT (g) Fiber composition Cotton 33 PERCENT (h) Weave: Plain Manufacturer's name to be woven on both sides of selvedges throughout the length of the cloth, it should be clearly visible. Each piece shall be packed in separate polythene pack of size 12' x 15' of 40 micron thickness with resealable. "WEST CENTRAL RAILWAY" and the manufacture name with month and year of manufacturing should be printed on each pack. (PL NO :79127083)	<b>Total</b>	11.000				
43	60.15.1240	PUNCH FOR PNEUMATIC BUSTER TO DRG. NO. J&T-1214, ALT- 3 OR LATEST (attached) (PL NO :66032830)	1207.000 NOS.	within 03 months	0000	DY.CMM/KOT A	rites. 2. OTHER
		<b>Total</b>		1207.000			
44	60.15.1241	CHISEL FOR PNEUMATIC BUSTER DRG. NO. J&T 126 ALT. 6 ITEM-3 OF IS: 5651-1987 (DRG. ATTACHED) (PL NO :66031606)	348.000 NOS.	within 03 months	0000	DY.CMM/KOT A	rites. 2. OTHER
		<b>Total</b>		348.000			