

**WEST CENTRAL RAILWAY**  
**E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED**  
**E-PROCUREMENT WEEKLY BULLETIN No. : 33/15**

**Tenders Due For Opening Between 24-AUG-15 And 30-AUG-15**

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

**IMPORTANT NOTE**

**TO TENDERER:** Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

Sr No	Tender No	Description of Stores	Quantity Required	Unit	Delivery terms	Trade Group	Depot where the material is required	Inspection By
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
<b>Opening Date 27-08-2015 (THURSDAY )</b>								
1	61.14.1503	HACK SAW BLADES FOR HAND OPERATION LENGTH 300 mm.(12") X WIDTH 13 mm.(1/2" )THICK 0.63 mm. ( 0.025 ) PITCH 1.8 mm. (14) TO IS : 2594/53 TABLE I.NO.OF TEETHS PER 25 MM-14.(PL NO :72010400)	2482.000	NOS.	within 03 months	7227	DY.CMM-D(CRWS) BHO PAL	BITES
			316.000	NOS.	within 03 months	7227	SMM-D(D) ITARSI	
			530.000	NOS.	within 03 months	7227	SMM-D(D) NEW KATNI JN	
			666.000	NOS.	within 03 months	7227	SMM-D(ELS) ITARSI	
			5732.000	NOS.	within 03 months	7227	SMM-D(GSD)BPL	
			<b>Total</b>		9726.000			
2	61.15.1104	Cloth Emery Gr,II no.50 size 230 x 280 mm or 297 x 210 mm as per IS-715.(PL NO :70212235)	2000.000	NOS.	WITHIN 04 MONTHS	7010	DY.CMM/KOT A	CONSIGNEE.
			3277.000	NOS.	WITHIN 04 MONTHS	7010	SMM-D(D) ITARSI	
			1901.000	NOS.	WITHIN 04 MONTHS	7010	SMM-D(GSD)BPL	
			<b>Total</b>		7178.000			
3	61.15.1122	GRINDING WHEEL STRAIGHT SIZE- DIA 150MM , THICKS 25MM, BORE 15.87MM, A GRIT 16 GRADE R BOND CARBORANDUM A 163 R2 BM4/A 163 R5 BM4 TO IS:2324-63 TABLE-II .(PL NO :70405530)	63.000	NOS.	WITHIN 02 MONTHS	7005	DY.CMM/KOT A	CONSIGNEE.
			<b>Total</b>		63.000			
4	61.15.1910	NUTS M.,S. HEX SLOTTED BLACK DIA M16 TO IS 2232/67 MATERIAL TO 226/62(PL NO :73140508)	125.000	KGS.	WITHIN 45 DAYS	7305	SMM-D(ELS) ITARSI	CONSIGNEE.
			85.000	KGS.	WITHIN 45 DAYS	7305	SMM-D(GSD)BPL	
			407.000	KGS.	WITHIN 45 DAYS	7305	SMM/ELS/TKD	
			<b>Total</b>		617.000			
5	61.15.4360	MS Hexagonal head bolt size 12x120 mm full thread to IS - 1363/Part II/1984IS - 1363/Part II/1984(PL NO :73034010)	468.000	KGS.	WITHIN 04 MONTHS	7305	DY CMM-D(CRWS) BHO PAL	CONSIGNEE.
			<b>Total</b>		468.000			
6	61.15.1135	Hot forged steel Rivets for hot	4800.000	KGS.	WITHIN 04	7305	DY.CMM/KOT	BITES .

		closing (Snap head type)IS-1929/19829reaffirmed 1996) with amdt. 1-3 as per IS-1148/1982 in the size- M 20x120 mm. Item of the RC-5.(PL NO :73839735)	<b>Total</b>	4800.000	MONTHS		A	
7	61.14.2282	BURNER BRASS WITH COLLER DUBBERS BURNER TO IRS DRG NO. CEQ/1642 ALT- 2 ALONGWITH BURNER HOLDER TO IRS DRG. NO. CEQ/1643.(PL NO :74463305)	875.000 NOS.		within 02 months	7424	SMM-D(GSD)BPL	CONSIGNEE.
			<b>Total</b>	875.000				
<b>Opening Date 28-08-2015 (FRIDAY )</b>								
8	10.15.1955	Friction Arm (Brakes-Foundation) to C.RLY Drg no. CI/BG-93 alt-6.DRP No.4484A/45,CAT No.1202169/44.(PL NO :11250197)	112.000 NOS.		WITHIN TWO MONTHS.	1179	SMM-D(D) ITARSI	CONSIGNEE.
			<b>Total</b>	112.000				
9	10.15.2309	Compression coupling stud fitting for 6CD 4UC.expressor to KPC part no.095002300 OR ELGI part no.000447390--1no. 000447380.--1no. 000447370--1no.(PL NO :11383847)	78.000 SET		Within 2 Months	1113	SMM-D(D) ITARSI	CONSIGNEE.
			102.000 SET		Within 2 Months	1113	SMM-D(D) NEW KATNI JN	
			<b>Total</b>	180.000				
10	40.15.1542	DUST PROTECTING TOTALLY ENCLOSED NORMAL DUTY AIR BREAK METAL CLAD COMPOSITE SWITCH FUSE UNIT POSITIVE MAKE AND BRAKE ARRANGEMENT INTER LOCKED COVER SEALING PLUS MOUNTING ARRANGEMENT STANDARD CABLE ENTRY HOLES CONFORMING TO IS:10027/2000 TO 50 CYCLES AC SUPPLY SYSTEM, 30 AMPS, 500 V TO TRIPLE POLE WITH THREE PHASE.(PL NO :42024171)	125.000 NOS.		Within 03 months.	4206	SMM-D(GSD)BPL	CONSIGNEE
			<b>Total</b>	125.000				
11	40.15.1576	LAMP HOLDER BAYONET TYPE DESIGNATION B-22 WITH SHADE CARRIER RING FOR USE AT 250 VOLTS 2 AMPS CONFORMING TO IS: 1258 / 67 WITH LATEST AMENDMENT.(PL NO :42030286)	2427.000 NOS.		After 04.04.2016 but before 30.05.2016	4206	SMM-D(GSD)BPL	CONSIGNEE
			<b>Total</b>	2427.000				
12	40.15.1601	FLASH LIGHT (TORCHES) GENERAL PURPOSE, HAND HELD,BRASS METAL BODY, SUITABLE FOR OPERATION ON 3 NOS.OF DRY BATTERIES FOCUSING AND PRE-FOCUSSED TYPE CONFIRMING TO IS:2083/1991 (REAFFIRMED JAN.96)WITH AMDT NO.1.THE LAMP SHOULD CONFIRM TO IS:2261/1975 (REAFFIRMED NOV 93) WITH AMDT. NO.1. INTERNAL DIMENSION OF BODY OF FLASHLIGHT SHOULD BE SUCH AS TO PROPERLY ACCOMMODATE THE REQUIRED NOS. OF DRY BATTERIES CONFIRMING TO IS: 2083/1991 (REAFFIRMED JAN 1996)WITH AMDT NO.1 WITHOUT DRY BATTERIES,WITH 3" REFLECTOR, ADJUSTABLE	216.000 NOS.		After 01.04.2016 but before 30.05.2016.	4325	SMM-D(GSD)BPL	CONSIGNEE
			<b>Total</b>	216.000				

		FOCUS ARRANGEMENT , WITH "WCR" MAKE ENGRAVED IN THE BOTTOM BUSH.(PL NO :43300303)						
13	40.15.1769	FIXED CAPACITOR FOR CEILING FAN 2.25 MFD CAPACITY ISI MARKED 400VOLT, 50 CYCLES AT AN AMBIENTTEMPRATURE OF 70 DEGREE CELCIUS HAVING CYLINDRICAL SHAPE METAL CONTAINER HERMETICALLY SEALED & PROTECTED AGAINST CORROSION OR RUST WITH MAXIMUM DEIMENSION OF 40MM DIA & 75MM IN LENGTH COMPLETE WITH PROVISION FOR EARTHING WITH ZINC METALIZED FILM & EPOXY FILLED MANUFACTURE & TESTED TO IS 1709/1984 OR LATEST AMENDMENT.(PL NO :42503802)	2115.000 NOS.	After 01.04.2016 but before 30.06.2016.	4210	SMM- D(GSD)BPL	CONSIGNEE	
		<b>Total</b>		2115.000				
14	40.15.1479	Kit Kat Fuse(Porcelain) Rewirable- 63AMPS 415v with copper strip confirming to IS:2086/1993,Product similar to Cat no:HFUB-DLX/EXTN of HPL Make Millborn,Kenbar,Havells,HPL OR Equivalent.(PL NO :42081592)	230.000 NOS.	Within 03 months.	4206	SMM- D(GSD)BPL	CONSIGNEE	
		<b>Total</b>		230.000				
15	40.15.1589	lamp holder porcelain batten type standard 230 v to take Edison screw cap lamp to drg.no. TEMA- 10, alt-2 or latest to BS- 98/1962.(PL NO :42032702)	1575.000 NOS.	After 01.04.2016 but before 30.07.2016.	4206	DY.CMM- D(CRWS) BHOPAL	CONSIGNEE	
			105.000 NOS.		4206	SMM- D(GSD)BPL		
		<b>Total</b>		1680.000				
16	40.15.1586	Holder for FLUORESCENT TUBE "D" Type ROTAR LOCK to BSS 1875/62 with BRASS part.(PL NO :42032301)	9797.000 NOS.	Within 03 months.	4206	SMM- D(GSD)BPL	CONSIGNEE.	
		<b>Total</b>		9797.000				
17	10.15.1671	Tube (seamless) to C.Rly. drg. no. CI/PC-266 alt.3 Cat. no. 16394016 DRP No.14142 B/61.(PL NO :11814561)	855.000 MTR	WITHIN 02 MONTHS.	1049	SMM-D(D) NEW KATNI JN	CONSIGNEE.	
		<b>Total</b>		855.000				
18	10.15.2058	GASKET ARMoured ASSLY 2" FOR SYSTEM LUBRICATING OIL TO C.RLYDRG. NO. CI/WCA- 1.ALT-6.(PL NO :11325665)	1200.000 NOS.	Within 2 months	7556	SMM-D(D) NEW KATNI JN	CONSIGNEE.	
		<b>Total</b>		1200.000				
19	40.15.1688	Compact Fluorescent Lamp 85 Watt 6500 K (cool day light) screw copped retrofit type high voltage tube type-4T,suitable for 230 /240 volt,50hz,AC Supply. Make- Havells/Philips/Osram,CG or equivalent.(PL NO :42112758)	874.000 NOS.	After 01.04.2016 but before 30.06.2016.	4216	SMM- D(GSD)BPL	BITES	
		<b>Total</b>		874.000				
20	40.15.1689	Direct fit compact fluorescent lamp with built in starter and ballast, 2 pin type, B-22 base GLS, 230 V AC. Colour temperature 6500 K Cool day light, warm white, rated life 6000 hours minimum, rating 8 watt, 400 lumen minimum as per IS 15111. Spl Cond:Bulk or entire	5670.000 NOS.	Supply after 01.04.2016 but before 30.06.2016.	4216	SMM- D(GSD)BPL	BITES	
		<b>Total</b>		5670.000				

		qty reserved to be procured from firm having past supply performance of same/similar item.(PL NO :42112771)							
21	40.15.1721	Metal HALLIED Lamp 250 Watt single ended tubular type suitable for 230/250 volt ,50HZ Make - Philips/Bajaj/CG /Osram or equal.(PL NO :42118438)	1002.000 NOS.	300 Nos. within 03 months and balance quantity after 01.04.2016.	4216	SMM-D(GSD)BPL	4216	4216	RITES
		<b>Total</b>		1002.000					
22	40.15.1650	No voltage HRC diazed fuse 6 AMP 500 V AC 250 DC F 6 D OR BHARAT linder type 5970067. (delayed action).(PL NO :42083709)	2586.000 NOS.		4206	SMM-D (ELS) NEW KATNI JN	4206	4206	RITES.
			3870.000 NOS.	Within 03 months.	4206	SMM-D(ELS) ITARSI	4206	4206	
			4615.000 NOS.		4206	SMM/ELS/TKD			
		<b>Total</b>		11071.000					
23	40.15.1682	Metal hallide lamp ballast for 250 watt copper wound silicon steel lamination polyester filled, low loss ,filled up polyester thermo setting compound terminal block for supply voltage and igniter ,Ballast shall work on single phase 230 voltAC supply .IEC 922&923.(PL NO :42111171)	1019.000 NOS.	Within 05 months.	4219	SMM-D(GSD)BPL	4219	4219	RITES.
		<b>Total</b>		1019.000					
24	40.15.1684	Metal hallide lamp ballast for 70 watt copper wound silicon steel lamination polyester filled, low loss ,filled up polyester thermo setting compound terminal block for supply voltage and igniter ,Ballast shall work on single phase 230 voltAC supply .IEC 92 2& 923.(PL NO :42111195)	1049.000 NOS.	Within 04 months.	4219	SMM-D(GSD)BPL	4219	4219	RITES.
		<b>Total</b>		1049.000					
25	40.15.1687	Compact Flurescent Lamp -65 Watt ,6500K (cool day light) screw copped retrofit type high voltage tube type-4T,suitable for 230/240 V,50 HZ AC Supply,Make- Havells/Philips/Osram/CG OR EQUIVALENT.(PL NO :42112746)	1681.000 NOS.	Within 03 months.	4216	SMM-D(GSD)BPL	4216	4216	RITES.
		<b>Total</b>		1681.000					
26	61.15.3702	NAIL WIRE 2.80 X 60 MM(PL NO :73380295)	160.000 KGS.	WITHIN 02 MONTHS	7330	SMM-D(D) ITARSI	7330	7330	CONSIGNEE.
			80.000 KGS.	WITHIN 02 MONTHS	7330	SMM-D(D) NEW KATNI JN			
		<b>Total</b>		240.000					
27	61.15.4077	BOLT M.S. HEX HEAD PRECISION & TURNED WITH DOUBLE HEX NUT M10 X 50 LENGTH TO IS: 1364/67 OR LATEST(PL NO :73040848)	376.000 KGS.	WITHIN 02 MONTHS	7305	SMM-D(ELS) ITARSI	7305	7305	CONSIGNEE.
		<b>Total</b>		376.000					
28	61.15.4111	NUTS M.S. HEX BLACK DIA M33 TO IS: 1363/ LATEST(PL NO :73100420)	783.000 KGS.	WITHIN 02 MONTHS	7305	DY.CMM/KOT A	7305	7305	CONSIGNEE.
		<b>Total</b>		783.000					
29	61.15.4124	NUTS M.S.HEX FINISHED 2B THREADS 5/8" IRS:H-19(PL NO :73117500)	145.000 KGS.	WITHIN 03 MONTHS	7305	SMM-D(D) ITARSI	7305	7305	CONSIGNEE.
		<b>Total</b>		145.000					
30	61.15.1112	SILICON CARBIDE WATER PROOF PAPER IN SIZE OF 230mmX280 mm or 297 mm X210 mm Grit NO.120, IS:715(Part-	9657.000 NOS.	WITHIN 03 MONTHS	7010	DY.CMM-D(CRWS) BHOPAL	7010	7010	CONSIGNEE.

		I)/1976(SACTION-2] WITH AMDT. NO. 1,2&3OF February 1998(REAFFIRMED 1993).715(PART-I 1976)(PL NO :70231291)	<b>Total</b>	9657.000				
31	61.15.1116	PAPER ABRASIVE FLINT (SAND) GRIT 100 IS 715/66. SIZE 230X280mmor 297X210mm.(PL NO :70260138)	13300.000 NOS.	WITHIN 02 MONTHS	7010	SMM-D(D) ITARSI	CONSIGNEE.	
			7600.000 NOS.	WITHIN 02 MONTHS	7010	SMM-D(D) NEW KATNI JN		
			2811.000 NOS.	WITHIN 02 MONTHS	7010	SMM-D(ELS) ITARSI		
			<b>Total</b>	23711.000				
32	61.15.3152	NUT M.S. BLACK HEX DIA M22 TO IS :1363/PART III/92 (ONLY FOR NSIC UNIT)(PL NO :73100341)	1325.000 KGS.	WITHIN 45 DAYS	7305	AMM- D(BOXN) NEW KATNI JN	CONSIGNEE.	
			<b>Total</b>	1325.000				
33	10.15.1512	TAPER DOWEL O S TRIP CAT NO. 2152205.TO C.DRG NO.CI/MISC-99.ALT-6(PL NO :10240287)	240.000 NOS.	WITHIN 02 MONTHS.	1049	SMM-D(D) NEW KATNI JN	CONSIGNEE.	
			<b>Total</b>	240.000				
34	10.15.2448	Fabricated sand trap assly. to C.Rly. drg. no. CI/CBA-21 Alt.1 alongwith relevent part drgs.(PL NO :11425015)	36.000 NOS.	Within 2 months	1179	SMM-D(D) NEW KATNI JN	CONSIGNEE.	
			<b>Total</b>	36.000				
35	61.14.2262	Lock pad iron galvd. with non interchangeable duplicate keys 4 lever stamped with the initial of the W.C.Rlys 65mm ISS275/1961 fig.2 type II.IS 275/61 FIG 2 TYPE II(PL NO :74495914)	39.000 NOS.	WITHIN 03 MONTHS	7436	SMM-D(D) ITARSI	RITES.	
			1492.000 NOS.	WITHIN 03 MONTHS	7436	SMM-D(D) NEW KATNI JN		
			95.000 NOS.	WITHIN 03 MONTHS	7436	SMM- D(GSD)BPL		
			<b>Total</b>	1626.000				
36	20.15.4094	Set of Switches 6A-250 V used as ZTEL, ZBAN, ZFWA, ZLFR, ZLDA, ZLH, ZLC, ZLI, ZLDD (Pos No. 151.1, 153, 316.11, 316. 12 , 324.22, 337, 324, 324.1, 324.21) type - SBM-F/SU/9/R20 S84 to Specn No. CLW / ES / 3/ 0075 or latest, ABB Doc No, HBTB 5856 (09 items 09 nos. )(PL NO :29700024)	3.000 SET	Within 03 months.		SMM/ELS/TKD	RITES.	
			<b>Total</b>	3.000				