

पश्चिम मध्य रेल
West Central Railway

उप मुख्य सामग्री प्रबंधक, सडिपुका/भोपाल
Dy. CMM/CRWS/BHOPAL

सं. 68.15-साप्ताहिक बुलेटिन-15
No. 68.15-WB-15

दिनांक 02.11.2015
Date : 02.11.2015

निविदा प्राप्त करने की अंतिम तिथि 17.11.2015.....समय 14.30 बजे
Tender to be closed on 17.11.2015 at 14:30 Hrs

सुपुर्दगी का स्थान : उप मुख्य सामग्री प्रबंधक, कार्यालय, सडिपुका/भोपाल
Place of Delivery : Dy. CMM (CRWS) BPL {AT MAIN STORES}

सुपुर्दगी की अवधि : 30 दिन/तैयार सामग्री
Delivery Terms : 30 Days / Ex stock.

नोट – दर शब्दों एवं अंकों दोनों में देना अनिवार्य है।

Note : Rates should be quoted in words as well as in figures also.

Sr.	T. No.	Description	Qty
1.	68.15.5596	Procurement of furniture items two Almirah size 78" x 36" x 19" reputed brand approx having seven shelves made from CRCA sheet on 20 gauges approx of doors and rest of the body in 22 gauge approx antirust treated and powder coated.	02 Nos.
2.	68.15.5794	Slotted cheese head screw M-4 x 10 mm, as per IS:1366/2002 with 01 No. Nut M-4, as per IS: 1363 bright zinc plated.	30000 Nos.
3.	68.15.5784	Control Box Locking Safety Strip to CRWS Drg No. CRWS/BPL/EL/SK.98/3	1180 Nos.
4.	68.15.5800	M.S. Hex head Nut M-16 and half thread Bolt size -16x90mm with 3.2 mm Hole at the end of Bolt as per IS:1363 part -1 ,with 02 Nos. plain punched washer M-16 as per IS:2016,01 No. Spring lock washer as per IS: 3063 part -III & IS: 4072/75 grade 2 or 3 of table -1 and 01 no. Split pin size 3x40mm as per IS: 549 (Bright Zinc plated) Assembled condition	1200 Nos.
5.	68.15.5680	Automatic digital temperature Sensing cut off switch, Operating Voltage 185 to 270 Volts, 50HZ, rating 5VA contact 10Amp, resistive SSR drive, 12VDC @ 50 MA, Make Selec or similar.	02 Nos.
6.	68.15.5436	Set of GI Hex nipple and Hex nut, One set consists of 04 nos. GI Hex nipple size 2" to IS: 1879/2010, N8-table 24 amd 20 nos. Hex nut size M16-4 to IS : 1363 (P-3)-92 Tab-1.	20 Sets.
7.	68.15.5804	Co2 Pressure Gauge Size 50mm for CO2 Regulators (for outlet) Pr. Ranges 0-50 Litre/Minute (unit= Litre/Minute) of Make ESAB or ALTOP or KI or MAHAVEER or L&T or MESSER make with calibration certificate from manufacturer and suppliers should be submitted OEM certificate at the time of supply .(Bidders should submitted one no. Sample along with offer, failing which offer may be ignored.)	50 Nos.
7.	68.15.5809	Moulded case circuit breaker (MCCB) Rating -100Amp/Four pole ,reference no. Of C&S make -CD 100 SFMU up ,breaking capacity-37 KA of 415 volt ,ICU -100% ICS, Double break switching contact design having elect life of 10,000 electrical operation .Dimension of MCCB should not be more than :WxHxD=120x140x86mm.Make -C&S win break 2 series/Schneider NS range (Merlin gerin range France)/L&T Desine /ABB T Max. Manufacturer	06 Nos.

		has to submit the test certificate fulfilling all the above technical specs at the time of submitting the tender technical Bids.	
8.	68.15.5810	Bakelite bare and carrier of HRC fuse holder for bolted type fuse link, rating -63Amp./415 Volt ,Reference no of C&S make -CSM 63 H, front connection .make -C&S /L&T/Havells/standard .similar to the C&S make of reference no CSM 63 H in all respect.	150 Nos.
9.	68.15.5812	Oxygen Pressure Gauges size 50mm for Oxygen Regulators Pressure Ranges 2-250Kc/cm2(for outlet) of make ESAB or ALTOP or KI or MAHAVEER or L&T or MESSER make with calibration certificate from manufacturer and supplier should be submitted OEM certificate at the time of supply.(Bidders should one no. sample along with offer, falling which offer may be ignored)	200 Nos.
10.	68.15.5814	Moulded case circuit breaker (MCCB),rating -100amp/three pole ,reference no.of C&S make -CD 100SFMU 3P,breaking capacity -37KA of 415 volt,ICU-100% ICS,double break switching contact design having elect life of 10000 electrical operation .Dimension of MCCB should not be more than :W X H X D=90x140x86mm. Make-c&S win break 2 series/Schneider NS range (merlin gerin range France)/L&T desine /ABB T max. manufacturer has to submit the test certificate full filling all the above specs at the time of submitting the tender technical Bids.	15 Nos.
11.	68.15.5815	Ring Tongue type copper terminal end's 16 sq.mm as per Dowells cat no.7128 E-Dia 10.2mm (ICF/RCF approved make) Dowells,kamlesh indus ,Chetna make ,Ascon universal.	4000 Nos.
12.	68.15.5821	Bracket for lower spring beam as per drawing No.WLRRM -0-5-002 Alt.4/y, item 4 & 5 in assembled condition (50%LH & 50% RH)	400 Nos.
13.	68.15.5822	Set of spares for SWARAJ make FORKLIFT madel FD.20.one set consisting as per enclosed Annexure make SWARAJ or similar.	01 Set.
14.	68.15.5824	Set of spare for JOST make platform TRUCK .one set consisting as per enclosed annexure .make JOST or similar.	01 Set.
15.	68.15.5825	Moulded case circuit breaker (MCCB) ,rating -200Amp/Three pole ,Reference no of C&S make 250SF MU 3P,Breaking capacity -37KA of 415 volt ,ICU-100% ICS, Double break switching contact design having elect life of 10000 electrical operation .Dimension of MCCB should not be more then :WxHxD=105x160x86mm. Make-C&S win break 2series/Schneider NS range (Merlin gerin range France)/L&T Desine/ABB/max .manufacturer has to submit the test certificate fulfilling all the above technical spec at the time of submitting the tender technical Bids.	09 Nos.
16.	68.15.5826	Moulded case circuit breaker (MCCB),Rating -250Amp/three pole ,reference no of C&S make -CS 250 SF MU3P, Breaking capacity -37KA of 415 volt ,ICU-100% ICS,Double break switching contact design having elect life of 10000 electrical operation .Dimension of MCCB should not be more :WxHxD =105x160x86mm.Make C&S Winbreak 2Series/Schneider NS range (Merlin gerin range france) /L&T design /ABB 7max.Manufacturer has to submit the test certificate fulfilling all the above spec at the time of submitting the tender technical Bids.	07 Nos.
17.	68.15.5832	Safety Relief valve spring loaded as per IS:12992/1993 part-I, size 3/8"with reducing bush 1/2"x3/8+	180 Nos.
18.	68.15.5833	Nylon Bush for Alternator Suspension Bracket to drg. No. T-3-2-640 Alt 8/j item 16, RDSO/PE/Spec/AC/0006-2009 (Rec.1)	2000 Nos.
19.	6815.5834	Thread stitching Nylon black colour no. 2 nine chords, for industrial use Each reel having 400mtrs length .make HP thread / Modi thread / Madura	90 Nos.

		thread or unique thread .	
20.	68.15.5837	06 Amp. Non illuminated push button switch 01 no. Normally closed inter lock, similar to 3SB 5 series of siemens, make -siemens, Make -Siemens, L&T, ABB & EATON.	650 Nos.
21.	68.15.5838	Automobile Battery 12 volt x100AH as per Exide model XP-1000 min warranty /Guarantee is required 18 months of free replacement. make EXIDE /SF Amron. Authorized dealer certificate to be submitted along with supply.	04 Nos.
22.	68.15.5840	Sticker for Information about New Bio Toilet system, As per sample.	700 Nos.

Annexure of T. No. 68.15.5824.

Sr. No.	Part No.	Description	Qty
01.	JE 180400 B	Resistance unit assembly large	06 Nos.
02.	JE 180800	Four step speed controller assembly	06 Nos.
03.	JM 012626	Rear brake wheel cylinder assembly	24 Nos.

Annexure of T. No. 68.15.5822.

Sr. No.	Part No.	Description	Qty
01.	P 512012 A	Gear Z 35	06 Nos.
02.	P 512013 A	Gear X 32	06 Nos.
03.	P 512014 A	Gear Z 15	06 Nos.
04.	P 512028	Thrust Water	12 Nos.
05.	P 512032	Gasket	12 Nos.
06.	P 512033	Gasket Cover	12 Nos.
07.	P 222045	Special Nut	12 Nos.

Mail ID : dycmmpps@gmail.com

DyCMM/CRWS/BPL