

WEST CENTRAL RAILWAY
E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED
E-PROCUREMENT WEEKLY BULLETIN No. : 50/15

Tenders Due For Opening Between 28-DEC-15 And 03-JAN-16

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

IMPORTANT NOTE

TO TENDERER: Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

Sr No	Tender No	Description of Stores	Quantity Required	Unit	Delivery terms	Trade Group	Depot where the material is required	Inspection By
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
Opening Date 31-12-2015 (THURSDAY)								
1	10.15.3374	Shunt for contact arm (9 braids) to C.Rly Drg no. CI/EL-777 Alt 1. or latest Cat no.4760717. DRP no.1247/13A.(PL NO :12457437)	167.000	NOS.	WITHIN 04 MONTHS	1179	SMM-D(D) ITARSI	CONSIGNEE.
			144.000	NOS.	WITHIN 04 MONTHS	1179	SMM-D(D) NEW KATNI JN	
		Total			311.000			
2	10.15.4342	Gear Case Assly. for T/Motor 5002 AZ.BHEL Drg No. 04391627003 Top Half / BHEL 04391627004 Bottom.Makers Drg. No DLW part No. 12087841(PL NO :12087841)	13.000	NOS.	WITHIN 04 MONTHS	1179	SMM-D(D) ITARSI	ITES.
		Total			13.000			
3	10.15.3286	Gasket 'O' Ring between aux generator or excitor and gear case DRP no.3337E/20.Cat no.8805492P1 to Drg no.CI/EL-33 Alt-1.(PL NO :12430304)	372.000	NOS.	WITHIN 04 MONTHS	7556	SMM-D(D) ITARSI	CONSIGNEE.
			325.000	NOS.	WITHIN 04 MONTHS	7556	SMM-D(D) NEW KATNI JN	
		Total			697.000			
4	10.15.3400	Top commutator inspection cover assly with gasket and clamping lever to C.Rly Drg no.CI/ELA- 40 Alt-3. or latest Cat no.4748663 G1.DRP no.1346 R/19.(PL NO :12471770)	54.000	NOS.	WITHIN 02 MONTHS	1179	SMM-D(D) ITARSI	CONSIGNEE.
			202.000	NOS.	WITHIN 02 MONTHS	1179	SMM-D(D) NEW KATNI JN	
		Total			256.000			
5	10.15.4640	BEARING CLUTCH TO EMD PART NO- 953482695348269534826(PL NO :16150247)	27.000	NOS.	WITHIN 04 MONTHS	1033	SMM-D(D) ITARSI	CONSIGNEE.
			20.000	NOS.	WITHIN 04 MONTHS	1033	SMM-D(D) NEW KATNI JN	
		Total			47.000			
6	70.15.5007	Safety equipment FOLDING STRETCHER WITH CANVAS SHEET SIZE 80 X 22" WITH SUPPORT 3 BELT-SUPPORT VELCROW STICH FRAME, MS PIPE 20 GAUGE 32 MM. DIAMETRE WITH POWER LOADING STRIP,4 BASE SUPPORT NYLONE - GRIP STRONG AND DURABLE MADE.	278.000	NOS.	within 03 months		Sr.DOM/WCR/ JBP	ITES
		Total			278.000			

7	61.15.1998	Slotted Raised Counter sunk (Oval) Head self Tapping Steel Screw to size 10x40mm to IS: 7169:1989 & IS: 7178:1990 ST 4.8 X 40-C.(PL NO :73576013)	11803.000 HDS	After 01.04.2016 but before 30.07.2016	7305	DY.CMM-D(CRWS) BHOPAL	BITES
		Total		11803.000			
8	61.15.1142	WASHER M.S. BLACK PLAIN MACHINED BORE FOR BOLT SIZE 10.5X10MM TO IS 2016/67 OR LATEST IS 2016/67 OR LATEST(PL NO :73751108)	383.000 KGS.	WITHIN 02 MONTHS	7318	DY.CMM/KOT A	CONSIGNEE
		Total		383.000			
9	61.15.2036	CHAMOIS LEATHER FOR CLEANING PURPOSE SIZE 600 X 500 MM IS 1017 GRADE II.(PL NO :75200338)	32.000 NOS.	WITHIN 3 MONTHS	7510	SMM-D (ELS) NEW KATNI JN	CONSIGNEE
			55.000 NOS.	WITHIN 3 MONTHS	7510	SMM-D(ELS) ITARSI	
			49.000 NOS.	WITHIN 3 MONTHS	7510	SMM/ELS/TKD	
		Total		136.000			
10	61.15.2037	Screw hex head high tensile size M20x50mm.IS: 1364.Property class 8.8. Property class must be embossed/indented on hardwares. This item to be purchased from CLW approved sources of standard hardware.(PL NO :73853306)	597.000 NOS.	WITHIN 03 MONTHS	7305	SMM-D (ELS) NEW KATNI JN	CONSIGNEE
			2300.000 NOS.	WITHIN 03 MONTHS	7305	SMM-D(ELS) ITARSI	
			1053.000 NOS.	WITHIN 03 MONTHS	7305	SMM/ELS/TKD	
		Total		3950.000			
11	61.15.1516	HSS DRILL 4.5 MM P/S TO IS: 5101.IS:5101(PL NO :72202774)	13404.000 NOS.	WITHIN 4 MONTHS	7224	DY.CMM-D(CRWS) BHOPAL	BITES
		Total		13404.000			
12	30.15.1111	MS panel for outer door window assembly of ICF/RCF coaches, size 710 x 600 x1.6 mm thick. Material as per IS 2062-2011 or latest duly painted with one coat of Red oxide zinc chromate primer to IS : 2074-93.Material as per IS : 2062-2011 or latest, painted with one coat of Red oxide zinc chromate primer to IS : 2074-93.(PL NO :30982340)	1419.000 NOS.	After 01.04.2016 & before 01.07.2016.	9013	DY.CMM-D(CRWS) BHOPAL	BITES.
		Total		1419.000			
13	30.15.1211	CHUTE PROTECTOR FOR FLOOR AND WASH BASIN OUT LET TO DRG. NO.-TCN-1-3-713, ALT.-12 & d.(PL NO :30920164)	1444.000 NOS.	After 01.04.2016 & before 01.08.2016.	3052	DY.CMM-D(CRWS) BHOPAL	BITES.
		Total		1444.000			
14	30.15.1254	LEVER HANGER WITHOUT BUSHES TO DRG NO.T-3-2-802.ITEM-5, ALT.f/NIL. MATERIAL SPECN TO NON-COPPER BEARING STEEL TO IS: 2062/11, E 250 C(PL NO :30327027)	2079.000 NOS.	After 01.04.2016 & before 01.07.2016.		DY.CMM-D(CRWS) BHOPAL	BITES.
		Total		2079.000			
15	30.15.1305	Side Bearer on Body Bolster as per Drg. No. T-1-1-740, Alt-19 & e. Item 1 & 2 in Assembled Condition and Item 3, 4 & 5 in loose condition. Item 1- Tube to Drg. No. ICF/STD 1-1-008, Alt.b, Item 1, Mat. Spec. IS:1161-98 HFS YST 210, Qty.-1 No., Item 2- Bearing Peace to Drg. No. ICF/STD 1-1-008, Alt.b, Item 4, Mat. Spec.	208.000 SET	Within 04 Months.	0036	DY.CMM-D(CRWS) BHOPAL	BITES.
		Total		208.000			

		IS:9550-80 type-2 (tab.2) Chemical Composition to IS:1875-92 ST CL-1, Qty.-1 No., Item 3-Cap to Drg. No. ICF/STD 1-1-002, Alt.b, Item 4, Qty.-1 No., Item 4-RIB (6x85x125) to Drg. No. F-1-1-028 m, Qty.-2 No., Item 5- RIB (6x40x125) to Drg. No. F-1-1-027 n, Qty.-2 No.(PL NO :30110221)								
16	30.15.1312	Emergency openable window for Non AC coaches (using FRP window) to Drg. No.-ICF/STD-5-4-005,ALT.-k, ITEM-3, COL-III.(PL NO :30987635)	1882.000 NOS.	After 01.04.2016 & before 01.08.2016.	3036	DY.CMM-D(CRWS) BHOPAL		1882.000	671.000	RITES.
		Total								
17	30.15.1354	M.S. FRONT PANEL WITH RADIUS TO DRG. NO. CRW/SK-905CRW/SK-905(PL NO :30630939)	2304.000 NOS.	After 01.04.2016 & before 01.07.2016.	9013	DY.CMM-D(CRWS) BHOPAL		2304.000	671.000	RITES.
		Total								
18	61.15.2265	Galvanised Steel Wire Rope DIA 3MM Having Construction 6X19(12/6/1) WSC-1770 As Per IS: 3459/1977 TAB-2, Galvanised As per IS:1835/1976 Type-B .(PL NO :74900500)	33836.000 MTR	within 6 months	7405	DY.CMM-D(CRWS) BHOPAL		33836.000		RITES.
		Total								
19	61.15.1546	T max cassette (Unit) for tool holder (RH) for Rly Wheel turning purpose Sandvik No R - 175 - 32, 3223 - 30 or Widia No 69393. 186.10 or equivalent."Sample required for practical fitment"(PL NO :72900489)	75.000 NOS.	within 03 months	7233	AMM-D(BOXN) NEW KATNI JN		75.000		CONSIGNEE
		Total								
20	61.15.2428	SHEET ACRYLIC (PERSPEX) TRANSPARENT 1220MM LENGTH X 915MM WIDTH X 6 MM THICK TO IS:7569/1987.Type -A Grade -II. The date of supply of the material should be within 60 days from the date of manufacture.(PL NO :75905048)	12.000 NOS.	within 03 months	7520	SMM-D (ELS) NEW KATNI JN				CONSIGNEE
			68.000 NOS.	within 03 months	7520	SMM-D(ELS) ITARSI				
			16.000 NOS.	within 03 months	7520	SMM/ELS/TKD				
		Total						96.000		
21	61.15.1157	COBALT CUTTING TOOLS 150 MM x 12.5 x 12.5 MM (1/2 " x 1/2 " x 6") with 10 cobalt content tripple Swastik or Miranda Brand.(PL NO :72020672)	20.000 NOS.	within 3 months	7224	SMM-D (ELS) NEW KATNI JN				RITES
			23.000 NOS.	within 3 months	7224	SMM-D(ELS) ITARSI				
			17.000 NOS.	within 3 months	7224	SMM/ELS/TKD				
		Total						60.000		
22	61.15.1544	"T-MAX INSERTS NEUTRAL LNUX 191940 TO INDICARB PART NO.LNUX 191940 NTT2500, SANDVIK PART NO.175.32.191940-25M3015, WIDIA PART NO. LNUX 191940 GRADE TN2000 OR EQUIVALENT"(PL NO :72211994)	134.000 NOS.	within 03 months	7279	SMM-D (ELS) NEW KATNI JN				RITES
			197.000 NOS.	within 03 months	7279	SMM/ELS/TKD				
		Total						331.000		
23	61.15.1116	Bulb cotter drg. No. WD-94068-S-1 item no.1 Alt.4 or latest(PL NO :73368544)	671.000 HDS	within 03 months	7325	DY.CMM/KOT A				RITES
		Total						671.000		
24	61.15.2055	MS Hex head bolt M16x50 mm to IS:1363 part -II/1992 with 01 nut &01 checknut M-16 to IS:1363 Part/II/1992,1 no spring washer M-16 to IS:3063/1994, 01 split pin	11259.000 SET	after 01/04/2016 But before 30/06/216	7305	DY.CMM-D(CRWS) BHOPAL				RITES

		3x40mm IS 549 :2005 and hole for split pin at a distance of 5 mm form the end of the bolt bright Zinc plated. to be supplied in assembled condition except split pins.(PL NO :73818021)	Total	11259.000			
25	61.15.2509	SET OF M20X120 HEX.HEAD BOLT (GALVANISED) IN ASSEMBLED CONDITION. ONE SET CONSIST OF BOLT M 20X120 WITH M20 NUT & SPRING WASHER M20 TO DRAWING NO. T-3-2-803 ALT.k/5. ITEM 5,6&7 (ALL ITEMS GALVANISED) HEX.HEAD BOLT TO IS:1364 (P-1)-83, 4.6 TAB-1&2. HEX.HEAD NUT TO IS: 1364 (P-3)-83,4 TAB-1. SPRING WASHER TO IS:3063/94,TAB-1A TYPE B, IS:4072-75 GR.-3. GALVANISING TO SPECN.IS: 1573-86 TO SERV.GR.NO.2 OF TAB.2.(PL NO :73040125)	7272.000 SET	after 01/04/2016 but before 30/06/2016	7305	DY.CMM-D(CRWS) BHOPAL	BITES
			Total	7272.000			
26	61.15.2030	BOLTS HEX HEAD HIGH TENSILE M16 X50MM TO IS 1364/PART I/92 PROPERTY CLASS 8.8 (reserved for NSIC unit)(PL NO :73851188)	958.000 NOS.	WITHIN 3 MONTHS	7305	SMM-D (ELS) NEW KATNI JN	CONSIGNEE
			1373.000 NOS.	WITHIN 3 MONTHS	7305	SMM-D(ELS) ITARSI	
			736.000 NOS.	WITHIN 3 MONTHS	7305	SMM/ELS/TKD	
			Total	3067.000			
27	70.15.5073	Big size steel almirah model : Storewel plain, size - 1980 mm (H) x 915 mm (w) x 485mm (D) with 4 adjustable panels making 5 selves (without locker for office use) almirah shall be made from CRCA steel sheet of 20 Gauge (for panel partition) and of thickness 22 gauge for body. Almirah shall be 100% Epoxy powder coated. Make: godrej or equivalent.	3.000 NOS.	within 2 months		OS/STORES/ CSTE'S OFFICE	CONSIGNEE
			Total	3.000			
		Small size steel almirah model : Minor Plain, size- 1270mm (H) x 765mm (w) x 440 mm (D) with 3 adjustable panels making 4 selves (without locker for office use) almirah shall be made from CRCA steel sheet of 20 Gauge (for panel partition) and of thickness 22 Gauge for body. Almirah shall be 100% Epoxy powder coated. Make: Godrej or equivalent.	3.000 NOS.	within 2 months		OS/STORES/ CSTE'S OFFICE	
			Total	3.000			
		Vertical sliding door unit model : VSDU-2, size-710 mm (H) x 900mm (w) x 450mm (D) made up 22 gauge prime sheet & top of laminated board of 19mm thickness. Make: Godrej or equivalent.	3.000 NOS.	within 2 months		OS/STORES/ CSTE'S OFFICE	
			Total	3.000			
28	10.14.2461	Shaft assly for traction moter blower to DLW drg no.TPL-1018.sheet 3 of 4 alt-g or latest.CAT NO 16721838(PL NO :11429446)	17.000 NOS.	WITHIN 02 MONTHS	1179	SMM-D(D) ITARSI	CONSIGNEE.
			Total	17.000			
29	50.13.8216	Supply of PVC insulated flexible 3 core power cable shall confirm to specification no. IS-694 reaffirmed	3500.000 MTR	WITHIN 03 MONTHS.		SSE/TELE/M/J BP	BITES.

		1995 or latest and shall have sufficient cross sectional area of 2.5 sq. mm (min.) confirming to with insulation thickness 0.7 mm sheath thickness of 1.0 mm and over all diameter 11 mm to with stand power load of 1100 volt Make: RR cables/HPL/HAWLES/Finolex or Equivalent.	Total	3500.000			
30	61.15.2255	HOSE CLIP WORM DRIVE A50, MAKE/BRAND AS CLIPCO OR CLIPWELL OR JOLLY TO IS; 4762/84 OR LATEST(PL NO :74161659)	12681.000 NOS.	6 months	7420	DY.CMM-D(CRWS) BHOPAL	CONSIGNEE
			Total	12681.000			
		HOSE CLIP WORM DRIVE A 70, MAKE/BRAND AS CLIPCO OR CLIPWELL OR JOLLY OR SIMILAR TO IS: 4762/84 OR LATEST(PL NO :74167509)	7515.000 NOS.	6 months	7420	DY.CMM-D(CRWS) BHOPAL	
			Total	7515.000			
31	70.15.5041	FULL SIZE ALMIRAH OF SIZE 1980 MM X 910MMX480MM . MAKE: DELITE KOM, JALARAM, GODREJ OR SIMILAR	2.000 NOS.	within 2 months		DyCMM/HQ/J BP	CONSIGNEE
			Total	2.000			
32	61.15.2456	BLUE RUBBERIZED HOSE PIPE FOR OXYGEN GAS NOMINAL BORE: 8MM, AS PER CRWS SPECIFICATION NO :CRWS/BPL/SAFETY/PPE/25 VALID FROM 07.12.2011,IS 447/1988, EACH ONE METER LENGTH OF HOSE SHALL BE MARKED WITH MANUFACTURE NAME, IS 447 AND ISI MARKED. MAKE OF M/s. ESAB OR ADOR OR ARCON M/s MESSER OR M/s RAASVIN OR M/s DUNLOP.(PL NO :75036710)	6228.000 MTR	within 3 months		DYCMM-D(CRWS) BHOPAL	BITES
			Total	6228.000			