

WEST CENTRAL RAILWAY
E-PROCUREMENT WEEKLY BULLETIN OF STORES REQUIRED
E-PROCUREMENT WEEKLY BULLETIN No. : 32/16

Tenders Due For Opening Between 22-AUG-16 And 28-AUG-16

On behalf of the President of India, Controller of Stores, W.C.Railway invites tenders for the supply of stores detailed below. The conditions of contracts which will govern any contract made are those contained in the Indian Railway Standard Conditions of Contract and those contained in Central Railway's pamphlet No. C.R (i) 68 entitled " A Booklet of General Conditions of Contracts" as amended upto date and the special conditions detailed in the tender schedules below. The Indian Railways Standard Conditions of Contract can be obtained on payment from the Manager of Government Publications Civil Lines New Delhi. If you are in position to quote for supply in accordance with the requirements stated in the attached schedule, please submit your quotation to e-procurement website ireps.gov.in before closing time stipulated against each item.

IMPORTANT NOTE

TO TENDERER: Tenderer are advised to quote only through e-procurement system ireps.gov.in. No Manual offers sent by post/Fax or in person shall be accepted against such E tenders even if these are submitted on the Firm's letter head and received in time.All such manual offers shall be considered as invalid offers and shall be rejected summarily without any consideration.

Sr No	Tender No	Description of Stores	Quantity Required	Unit	Delivery terms	Trade Group	Depot where the material is required	Inspection By
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)

Opening Date 26-08-2016 (FRIDAY)

1	90.15.1011	ANGLE 65 X 65 X 10 MM TO IS:2062/2006 GR - E 250, QUALITY "A" SEMIKILLED IN THE LENGTH OF 5.5 TO 13.5 MTRS.(PL NO :90230632)	3300.000	KGS.	Within 04 months.	9009	AMM-D(BOXN) NEW KATNI JN	CONSIGNEE.
		Total			3300.000			
2	61.16.1210	BRUSHES BANISTER (HAND SWEEPING)SINGLE; OVERALL SIZE 380+/- 10X55+/-5 32 MM BRISTLE SIZE220+/-5X85 MM WITH FILLING MATERIAL COMBINATION OF EQUAL PROPORTIONS OF COW-TAIL HAIR & NATURAL CLEAN COCO-FIBRE; TO TYPE-1 OF SPECIFICATION IS-2622-1986 WITH AMENDMENT NO.1 OF MARCH 1991. This item is exclusively reserved for NSIC registered firm only.Firm should submit four sample before opening E-tender as per RDSO instructon, otherwise offer will be ignored.(PL NO :71070035)	50.000	NOS.	03 MONTHS	7115	AMM-D(BOXN) NEW KATNI JN	CONSIGNEE
			693.000	NOS.	03 MONTHS	7115	DY.CMM-D(CRWS) BHOPAL	
			250.000	NOS.	03 MONTHS	7115	SMM-D(D) NEW KATNI JN	
			100.000	NOS.	03 MONTHS	7115	SMM-D(GSD)BPL	
		Total			1093.000			
3	61.16.2117	WASHER PUNCHED M 24 TO IS: 2016/ 67 TABLE . 2 TYPE 'A'(PL NO :73751900)	2118.000	KGS.	04 MONTHS	7318	DY.CMM/KOT A	CONSIGNEE
		Total			2118.000			
4	10.16.4841	Valve Ball cock-1-1/4 PT Compressor Drain.to emd part no.10635243-10635243(PL NO :17451681)	9.000	NOS.	Within 02 Months.		SMM-D(D) ITARSI	CONSIGNEE.
		Total			9.000			
5	40.16.1002	Cords flexible tough rubber sheathed two core 250 volts size 16/0.20 mm ISI marked. IS 9968 (Part-1) 1988.(PL NO :40052000)	1000.000	MTR	1 MONTH AFTER 01.04.2017	4005	SMM-D(ELS) ITARSI	CONSIGNEE.
		Total			1000.000			
6	40.16.1601	FLASH LIGHT (TORCHES) GENERAL PURPOSE, HAND HELD,BRASS METAL BODY, SUITABLE FOR OPERATION ON 3 NOS.OF DRY BATTERIES FOCUSING AND PRE-FOCUSSED TYPE CONFIRMING TO IS:2083/1991 (REAFFIRMED	300.000	NOS.	3 MONTHS	4325	SMM-D(GSD)BPL	CONSIGNEE.
		Total			300.000			

JAN.96)WITH AMDT NO.1.THE LAMP SHOULD CONFIRM TO IS:2261/1975 (REAFFIRMED NOV 93) WITH AMDT. NO.1. INTERNAL DIMENSION OF BODY OF FLASHLIGHT SHOULD BE SUCH AS TO PROPERLY ACCOMMODATE THE REQUIRED NOS. OF DRY BATTERIES CONFIRMING TO IS: 2083/1991 (REAFFIRMED JAN 1996)WITH AMDT NO.1 WITHOUT DRY BATTERIES,WITH 3" REFLECTOR, ADJUSTABLE FOCUS ARRANGEMENT , WITH "WCR" MAKE ENGRAVED IN THE BOTTOM BUSH.(PL NO :43300303)

7	10.16.4860	Ceramic Resistor for Woodward Governor.-WW Part No-5433665(PL NO :16340073)	4.000 NOS.	Within 02 Months.		SMM-D(D) ITARSI	6	RITES.
		Total		4.000				
8	20.16.4029	SET OF NITRILE RUBBERGASKET FOR 3 PHASE LOCO MAIN TRANSFORMER TO ELW SKETCH No.ELW/BSL/3-PH/SK.No.304 Alt-1.ONE SET CONSISTS OF 06 ITEM 38 Nos.(MATERIAL AND SOURCE OF PROCUREMENT SHOULD BE AS PER RDSO T.C. No.ELRS/TC/0076 Rev-01 or latest Dt.22.02.2013) This is shelf life items and should be procured with staggered delivery period. Supplier to mention /print date of manufacturing on the item & item to be supplied within 60 days of manufacture date.(PL NO :29250158)	15.000 SET	after 01.04.17 to 30.05.17.	7550	SMM/ELS/TKD	6	RITES.
		Total		15.000				
9	40.16.1063	Teflon (PTFE) pre insulated wire silver plated copper conductor, 600 Volt size nominal dia 1.80 MM, cross section 1.94 SQ.MM (AWG 14/1927) resistance at 20 DEG. Celsius= 10 OHM/KM type 'E'.(PL NO :40119300)	700.000 MTR	after 01.04.2017 but before 30.05.2017	4005	SMM-D(D) ITARSI	6	RITES.
		Total		700.000				
10	40.16.1721	100 Watt LED weatherproof flood light as per technical Specification 1) Type LED High power, LED 2) Lumen Output/Efficacy: 100 Lumens/W @ Max. 350mA drive current. 3) LED life: 50,000 burning hours. 4) Depreciation: 30% max. after 50,000 burning hours. 5) Nominal Voltage: 220V AC. 6) Input Operating Voltage: 105-295V AC. 7) Control of Distribution: Fully cut off. 8) Driver type: Constant current driver with short circuit protection. 9) Driver components: Industrial grade only. 10) THD: < 20%. 11) Efficiency of Driver electronic: >85%. 12) Color Temperature 5000-6500K.13) Colour rendering Index: >75. 14) Power Factor: >0.90. 15) Construction of housing: Extruded aluminum/CRCA. 16) Finishing:	864.000 NOS.	within 2 months	4216	SMM-D(GSD)BPL	6	RITES.
		Total		864.000				

Powder coated/anodized. 17) Lamp Cover: Acrylic cover. 18) Secondary Optics: Poly carbonate reflector/poly carbonate lens. 19) Mounting Suitable for existing pole/Truss/Lantern mounted. 20) Ingress protection: IP 65. Note: 1) Supplied LED luminaire shall confirm to BIS: 16106 or IEC: 60598 and LEDs to BIS: 16105 or 16108 or IEC: 62471. 2) The LED luminaire shall also confirm to LM79 (for quoted fitting) and LM80 LEDs used.3) Firm to submit LM80 & LM79 test certificates from National/International accredited Laboratory and OEM's certificate for compliance of BIS/IEC. 4) Firm to submit Warranty/Guarantee certificate for 5 years from the date of commissioning or 6 years from the date of supply whichever is earlier along with the supply.(PL NO :42118438)

11	40.16.1725	50 Watt LED weatherproof flood light as per technical Specification- 1) Type LED: High Power, 2) Lumen Output/Efficacy: 100 Lumens/W @ Max. 350mA drive current. 3) LED life- 50,000 burning hours. 4) Depreciation: 30% max. After 50,000 burning hours. 5) Nominal Voltage: 220V AC. 6) Input Operating Voltage: 105-295V AC. 7) Control of Distribution: Fully cut off. 8) Driver type: Constant current driver with short circuit protection. 9) Driver Components: Industrial grade only. 10) THD:<20%. 11) Efficiency of Driver electronic: >85%. 12) Color temperature 5000-6500K.13) Color rendering Index: >75. 14) Power factor: 0.90. 15) Construction of housing: Extruded aluminium/CRCA. 16) Finishing Powder coated/anodised. 17) Lamp Cover: Acrylic cover. 18) Secondary Optics: Poly carbonate reflector/poly carbonate lens. 19) Mounting Suitable for existing pole/Truss/Lantern mounted, 20) Ingress protection: IP 65. Note: 1) Supplied LED luminaire shall confirm to BIS: 16106 or IEC: 60598 and LEDs to BIS: 16105 or 16108 or IEC: 62471, 2) The LED luminaire shall also confirm to LM79 (for quoted fitting) and LM80 LEDs used.3) firm to submit LM80 & LM79 test certificates from National/ International accredited Laboratory and OEM's certificate for compliance of BIS/IEC. 4) Firm to submit Warranty/Guarantee certificate for 5 years from the date of commissioning or 6 years from the date of supply whichever	705.000 NOS.	WITHIN 3 MONTHS	SMM-D(GSD)BPL	RITES.
		Total		705.000		

		is earlier along with the supply.(PL NO :42110464)						
12	20.16.3066	Locking pin assly. complete for TM TAO-659 Brush Holder Rocker Ring (BHRR) To Drg.No.WR-CCG-EL/4-TM-047 Sh-1/5 to 5/5 Alt-1 Ref-1 to 5(PL NO :25947930)	100.000 NOS.	WITHIN 3 MONTHS	4706	SMM-D(ELS) ITARSI	CONSIGNEE.	
		Total		100.000				
13	61.16.1860	BOLTS M.S.BLACK HEX HEAD ROUND BODY WITHOUT NUTS SIZE M 12 X 30 MM LONG TO IS :1363/PART-I/92(ONLY FOR NSIC UNIT)(PL NO :73045494)	3850.000 KGS.		7305	DY.CMM-D(CRWS) BHOPAL	BITES	
			850.000 KGS.	WITHIN 3 MONTHS	7305	SMM-D(D) ITARSI		
		Total		4700.000				
14	40.16.1722	Compact Flurescent Lamp Non-retrofit 18 Watt cool day light 4pin -type ,Cap-2G-11,6500 k ,230/250volt ,50HZ AC,Product similar to Model No.BLL 18W/86 of Bajaj.Make- Philips/Bajaj/Wipro/Asian/Anchor/ Crmompston/G.E./Havells/Osram/s urya/Sylvania or equal.Note:- Material should confirm to IEC-60901(PL NO :42118440)	530.000 NOS.	after 01.04.2017	4216	SMM-D(GSD)BPL	BITES.	
		Total		530.000				
15	40.16.8041	Split air conditioner fitted with rotary compressor cool cap:- 4500 kcal/hr.	15.000 NOS.	within 2 months		DY.CEE(S&C) KOTA	BITES.	
		Total		15.000				
16	61.16.1053	RIVET SNAP HEAD M 20 X 90 MM TO IS:1929/82 OR LATEST, AND MATERIAL TO IS: 1148/2009 OR LATEST.(PL NO :73254447)	15000.000 KGS.	AFTER 01.04.2017 BUT BEFORE 30.07.2017	7305	DY.CMM/KOT A	BITES	
		Total		15000.000				
17	10.15.3740	Rubber Sleeve for traction motor connection to C.Rly. drg. no. CI/EL-76 Alt.2. or latest(PL NO :12537860)	1200.000 NOS.	WITHIN 02 MONTHS	1100	SMM-D(D) ITARSI	BITES	
		Total		1200.000				