

CORRIGENDUM No. 05/2017

Kindly refer this office advertised tender no 90161319 due on 07.03.2017 published in advertised tender notice no EPS/08/2017. The amendment made is as under:-

Tender No.		From	TO
90161319	Items details	Existing	1. Impregnated Compressed laminated sheet, size:2850x1220x12 MM thick to RDSO spec no.C-9407[Rev-3] Amendment No.2 of September 2015.
	Qty	1492 Nos	1492 Nos
		3000Nos	
Delivery terms	Existing	The DP @ 1000 nos within 30 days & balance qty @ 500 nos Per month.	

All other terms & conditions will remain unaltered.

Latest terms & condition and full information is available on website

www.wcr.indianrailways.gov.in & www.ireps.gov.in .

For Controller of Stores
WCR/JBP

शुद्धिपत्र संख्या 05 / 2017

निविदा सं. 90161319 जिसके खुलने की तिथि 07.03.2017 है, जो कि इस कार्यालय की निविदा नोटिस सं. EPS/08/2017 के तहत प्रकाशित की गई थीं, इसमें निम्न संशोधन किए गए हैं—

Tender No.		From	TO
90161319	Items details	Existing	1. Impregnated Compressed laminated sheet, size:2850x1220x12 MM thick to RDSO spec no.C-9407[Rev-3] Amendment No.2 of September 2015.
	Qty	1492 Nos	1492 Nos
		3000Nos	
Delivery terms	Existing	The DP @ 1000 nos within 30 days & balance qty @ 500 nos Per month.	

अन्य सभी नियम एवं शर्तें अपरिवर्तित रहेगीं।

अद्धतन एवं पूर्ण जानकारी के लिए वेवसाईट www.wcr.indianrailways.gov.in एवं www.ireps.gov.in देखें

कृते भण्डार नियंत्रक
पमरे / जबलपुर