

**Special Tender Conditions for Supply of Oxygen and Dissolved Acetylene Gas**

1. Order quantity will be based on past performance for the same item supplied to Zonal Railways/Production units or Govt Agencies. Performance certificate should be enclosed along with copies of PO and receipted challan etc. otherwise their offer is liable to be passed over.
2. Railway intends multi sourcing and hence serves the right to split the purchase quantity amongst the probable firms to ensure uninterrupted supply of the item.
3. Firm should quote basic rate, taxes/duties, freight charges (if applicable), Discount etc. clearly at the appropriate space in the IREPS online offer. The rate/discount mentioned in other locations will not be considered.
4. Responsibility of delivery and collection of filled/empty cylinders will lie with the suppliers. No rental charges or security deposit for cylinder will be paid by Railways.
5. Delivery schedule of gas will be as per consignee's requirement. Hence firm should regulate supply accordingly. However, consignee will intimate schedule for supply well in advance.
6. DA Gas should be supplied in a capacity not below 6 - 8 Cu.Mtr per cylinder. Accordingly, firms should specify the capacity of cylinders available with them and intend to supply cylinder in what capacity. The cylinders should also conform to gas cylinder rules applicable and should be duly approved by the Controller of Explosive, Nagpur.
7. Firm should submit monthly production capacity of respective gases along with documentary evidences otherwise their offer is liable to be rejected.
8. In case any firm has taken over any unit then documentary evidence of such take over along with past supply performance of same gas to Govt. Agencies should be submitted.
9. Other terms and conditions including safety conditions, generally applicable for supply of industrial gases will be applied in this case.

  
12-3-17

Dy.CMM/S  
For Controller of Stores