



THIS DRAWING IS THE INTELLECTUAL PROPERTY OF RESEARCH DESIGN AND STANDARD ORGANISATION LUCKNOW. THE COPYRIGHT, DESIGN RIGHT AND/OR OTHER INTELLECTUAL PROPERTY RIGHTS OF THIS DRAWING BELONGS TO THE RDSO ONLY. UNAUTHORISED REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING IS PROHIBITED.



- NOTE:-
1. ITEM NO. 1, S-TRAP SHOULD BE MADE WITH INVESTMENT CASTING PROCESS ONLY AND WALL THICKNESS SHALL BE KEPT 3 MM.
 2. ALL THE INNER AND OUTER SURFACES SHALL BE FREE FROM CASTING DEFECTS LIKE BURRS, POROSITY, BLOW HOLES, WELD DEFECTS ETC.
 3. SURFACE MARKED BY (#) TO BE MACHINED PROPERLY.
 4. FOR WELDING OF ITEM NO. 1 AND 2 MATCHING ELECTRODE SHALL BE USED.

1	SS/64/16	1. COMPONENT DIVIDED INTO TWO PIECES AND WELDED JOINT ALLOWED. 2. NOTE NO. 2 MODIFIED AND NOTE 4 ADDED.		
ALT. ITEM	AUTHY.	DESCRIPTION	CKD.	DATE

2	CASTED BEND PIPE	1			AISI-316L/CF8M	INVESTMENT CASTING
1	S-TRAP FOR 150 MM LAVATORY PAN	1			AISI-316L/CF8M	INVESTMENT CASTING
ITEM	DESCRIPTION & DIMENSIONS	No. OFF	REF. DRG.	WT. OF ONE kg	MTL. & SPEC.	REMARKS

SUPERSEDED BY:-		INDIAN RAILWAYS ICF/RCF TYPE COACHES			
ASSEMBLY DRGS.	SUPERSEDES:-				
REFERENCE :-	SCALE P 1:2	S-TRAP FOR 150 MM LAVATORY PAN			
	C D J.S. SS/39/16				
CDIC NO. :- K-503	B.G. R.D.S.O. [CG]				
		CG-16012			